



# he Bathwoon

# TOILETS

## FIXTURES / BIDETS / URINALS

Gustavsberg toilets are made of tightly vitrified sanitary porcelain, which is the most hygienic and durable material of all for bathroom porcelain. Our comprehensive range comprises both wall- and floor-mounted models to accommodate all wishes and needs, as well as toilets for installing in corners and small spaces. We also stock the widest range of Hygienic Flush models on the market – possibly the most hygienic type of toilet in the world.

#### TO THINK OF

Which model suits you best? Do you want the water trap concealed or visible? Do you prefer wall or floor-mounting? With our Triomont system you can easilly install a wall hung toilet even if your current model is floor standing. Neat, comfortable and hygienic. If your home is to have two toilets, why not choose different seat heights? Unfortunately, when bathrooms are renovated, the bidet is often the first thing to go. But there is nothing better for taking care of intimate hygiene.

#### SMART SYMBOLS FOR SMART SOLUTIONS



#### HYGIENIC FLUSH

Smarter fushing for improved hygiene and easier cleaning. The innovative design with open rim and smooth surfaces eliminates all potential dirt traps. Hygienic flush minimises the need to use strong cleaning agents.



#### CERAMICPLUS = C+

Many of our products are available with ceramicplus surface treatmen This provides the porcelain with a dirtrepellent surface that prevents the accumulation of limescale and dirt. Ceramicplus is also good for the environment, as it means that you can use a milder detergent – and less of it! – When cleaning.



#### QUICK RELEASE

With quick-release functionality, you can remove the toilet seat from the bowl easily and without tools. The seat and toilet can then be cleaned separately, which is both simpler and more hygienic.



#### SOFT CLOSE

Hard, solid toilet seats have previously been associated with loud noises when they are lowered. Soft close functionality has solved this problem through the introduction of a damper that is built into the seat to ensure that it can be lowered gently and quietly. The damper has no direct contact with the porcelain, which facilitates cleaning and makes the seat more hygienic.



#### CLIDDAEIV

Concealed wall fitting for invisible installation of wall-mounted toilets in the estetic range. Neater design free from dirt traps facilitates cleaning and improves hygiene. The patented suprafix system simplifies installation of your wall-mounted estetic toilet, saves time and eases the strain on your muscles.

Watch the video about suprafix at youtube.com/gustavsbergfilm



#### NO DOOM FOR DIDT

On toilets with porcelain covers, the "seam" between the seating ring and the cover has been moved up. A soft curve in the porcelain simplifies cleaning and prevents the build-up of dirt. The foot of the toilet is smooth to facilitate cleaning and improve hydiene.



#### QUIET AND DRY

The fully encompassing porcelain cistern conceals a separate inner tank. This reduces noise and counter- acts the build-up of condensation on the cistern, helping prevent the accumulation of dust



#### SENSOR-CONTROLLED FLUSH

A touch-free flush function means improved hygiene. Using an app, the function can be set to flush automatically when the user walks away, or to flush at hygienic intervals if the toilet is used infrequently. Touch-free is a smart solution for all users, both at home and in public environments.



#### P-TRAP:

ALSO KNOWN AS THE "UNIVERSAL MODEL". FEATURES A HORIZONTAL OUTFLOW PIPE THAT ALLOWS GREAT CONNECTION FLEXIBILITY: FLOOR CONNECTION, WALL CONNECTION, RIGHT-HAND OR LEFT-HAND SIDE.

#### CONCEALED S-TRAP:

BUILT-IN DRAIN PIPE FOR FLOOR-BASED CONNECTIONS. THE DRAIN CONNECTION IS CON-CEALED FOR EASIER CLEANING.

#### OPEN S-TRAP:

THE EXTERIOR OF THE CONNECTION PIPE IS VISIBLE FROM THE SIDE.

# WALL HUNG TOILET 5G84 – HYGIENIC FLUSH

With Soft Close/Quick Release toilet seat

- Easy-to-clean and minimalist design
- Open flush edge for simplified cleaning
- Flushes all the way up to the rim







ART-no: 5G84HR01 EAN-nr: 4051202288662



#### FLOOR-MOUNTED TOILET, NAUTIC

#### **FLUSH BUTTONS** THAT ELEVATE **BOTH DESIGN** AND FUNCTION



Dual flush 2/4 litre, low flush

ART-no 9GN01161 Price EUR VAT 0% 59 EAN 4051202546182



Dual flush, 2/4 litre, raised flush button.

ART-no 9GN00561 Price EUR VAT 0% 59 4051202546229 EAN



Single flush, 4 litre, raised flush button.

ART-no 9GN00661 Price EUR VAT 0% 54 4051202546137 EAN



Single flush, 4 litre, raised flush button in red.

EAN

9GN0133J ART-no Price EUR VAT 0% 82 4051202844561


Price EUR VAT 0% FΔN ART-no 1500 Nautic Hygienic Flush, concealed S-trap, with open flush rim GB111500401215 7391530069166 White with standard seat and cover 41 515 GB111500201215 White with standard seat and cover 2/4l 532 7391530069074 White with SC/QR seat and cover 2/4I GB111500201331 599 7391530067292 GB111500201205 White w/o seat and cover 2/41 525 7391530069067 White C+ with SC/QR seat and cover 2/4l GB1115002R1334 676 7391530067018 White C+ with SC/QR seat and cover 2/4l, for glueing to 360 the floor GB1115002R1331G 676 4051202357108 102→ SEATS: See page 11. 1510 Nautic Hygienic Flush, P-trap, with open flush rim 650 **4**−345→ White with standard seat and cover 41 GB111510401211 7391530069234 515 200 GB111510401205 White without seat& cover 41 508 7391530067636 White with standard seat and cover 2/4l GB111510201215 532 7391530069180 White with SC/QR seat and cover 2/4l GB111510201331 599 7391530072432 White w/o seat and cover 2/4l GB111510201205 525 7391530069173 White C+ with SC/QR seat and cover 2/4l GB1115102R1331 7391530067544 180 SEATS: See page 11. 1546 Nautic Hygienic Flush, extended S-trap, with open flush rim 200 GB111546401215 591 7391530069296 White with standard seat and cover 4l GB111546401205 585 7391530067476 White without seat& cover 4l GB111546201215 7391530069272 White with standard seat and cover 2/4l GB111546201205 7391530067445 White w/o seat and cover 2/4l SEATS: See page 11. 102→ 520

#### FLOOR-MOUNTED TOILET, NAUTIC, CONTINUATION ART-no EAN 1591 Nautic Hygienic Flush, S-trap and large foot, renovation model, with open flush rim GB111591401215 7391530069029 White with standard seat and cover 41 520 GB111591201215 7391530068961 White with standard seat and cover 2/4l 539 860 SEATS: See page 11. 102→ 250 ₹-75±5 - 420 -6600 Public Hycienic Flush, concealed S-trap, 650 with open fl ush rim **-**345− 200 White C+ w/o seat and cover 4l GB1166004R1503 7391530074955 584 SEATS: See page 11. 850 360 235 520 6610 Public Hycienic Flush, concealed P-trap, with open flush rim -345→ 200 GB1166104R1503 584 7391530074962 White C+ w/o seat and cover 4l SEATS: See page 11. ± 360 180 6691 Public Hycienic Flush, S-trap **-**345→ 650 and large foot, renovation model, with open flush rim 200 White C+ w/o seat and cover 4l GB1166914R1503 579 7391530074986 - 45 SEATS: See page 11. 360 25±5 102→ → 250 ◄ ₹-75±5 6646 Public Hycienic Flush, extended S-trap, <del>4</del> 345 − with open flush rim 200 White C+ w/o seat and cover 4l GB1166464R1503 7391530074979 660 SEATS: See page 11. 400 102→ 235 **4**−75 520 305 Nordic, children WC S-trap -320 550 White with standard seat and cover 61 GB1030510153 7391530015569 511 White with seat 6l GB1030510152 7391530016078 SEATS: See page 11. 102

#### FLOOR-MOUNTED TOILET, ESTETIC

- Made of hygienic, durable and tightly whiterified sanitary porcelair
- Organic design with easy-to-clean surface.
- Hygienic Flush with open flush rim for easier cleaning
- Flushes all the way up to the rim for improved hygiene
- Factory set dual flush: 4/2 l
- Flush volume adjustable up to 6 l
- Seat height: 420 mm
- Full-coverage, condensation-free cistern
- Quiet refilling
- Two seat options: hard seat with fixed fittings, or seat with

- Soft Close (SC) for soft, quiet closing, and Quick Release (QR) to facilitate cleaning.
- Supplied with a flexible drain sleeve for fitting to a drain in the floor or directly into the wall
- Adjustable water connection R1/2'
- Floor connection set for quick and easy mounting
- Concealed floor connection with two screws or gluemounting to the floor
- Ceramicplus (C+) for quick, eco-friendly cleaning





|   | ART-no  | Price EUR         | EAN   |
|---|---|-------------------|---|
| 8300 Estetic, concealed S/P-trap, for screwing to the floor, with open flush rim  |   | VAT 0%            |   |
| White C+ with SC/QR seat and cover 2/4l   | GB1183002R1231  | 712               | 4051202470524                                   |
| SEATS: See page 11.   |   |                   |   |
| 8300 Estetic, concealed S/P-trap, without screw holes for gluing to the floor, with open flush rim                                      |   |                   |   |
| White C+ with SC/QR seat and cover 2/4l Matt white C+ with SC/QR seat and cover 2/4l Ebony matt black C+ with SC/QR seat and cover 2/4l | GB1183002R1231G<br>GB1183002RW231G<br>GB1183002S5231G | 712<br>908<br>918 | 4051202483371<br>4051202843557<br>7391530075631 |
| SEATS: See page 11.   |   |                   |   |
| 379900  |   |                   |   |

#### FLOOR-MOUNTED TOILET, NORDIC3

- Made of hygienic, durable and tightly whiterified sanitary porcelain
- Functional design standard dimensions
- Seat height 430 mm
- Glazed beneath the flush rim for easier cleaning
- Full-coverage, condensation-free cistern
- For installation with four screws or gluemounting to the floor
- Can be fitted with armrests and care seat for functional adaptation
- Also suitable for installing in corners

|  | 3500 Nordic³, S-trap  | ART-no                           | Price EUR<br>VAT 0% | EAN                            |
|--|---|----------------------------------|---------------------|--------------------------------|
| 25±5<br>1 +235±<br>25±5<br>1 +235±<br>1 +235±        | White with standard seat and cover 3/6l White w/o seat and cover 3/6l SEATS: See page 11.                         | GB113500301213<br>GB113500301203 | 402<br>397          | 7391530066820<br>7391530066813 |
| 105<br>105<br>105<br>105<br>105<br>105<br>105<br>105 | 3510 Nordic³, P-trap  White with standard seat and cover 3/6l  White w/o seat and cover 3/6l  SEATS: See page 11. | GB113510301213<br>GB113510301203 | 402<br>397          | 7391530066844<br>7391530066837 |

#### WALL-MOUNTED TOILET, GUSTAVSBERG

- Made of hygienic, durable and tightly whiterified sanitary porcelain
- All toilets bowls can be combined with Triomont fixture
- All Gustavsberg toilet bowls are for fitting with centre to centre measurements of 180 or 230 mm
- Load tested to 400 kc
- Several seat options

- Seat with Soft Close (SC) for gentle, guiet closing
- Seat with Quick Release (QR) for easier cleaning
- Ceramicplus (C+) as an option for simple and eco-friendly cleaning
- Hygienic Flush with open flush rim for easier cleaning. Flushes all the way up to the rim for improved hygiene

| <del>345</del>                                  |    | 1530 Nautic Hyfienic Flush, wall hung,   | ART-no   | Price EUR<br>VAT 0% | EAN   |
|---|----|--|--|---------------------|---|
| - 230 - 180 - 510 - 30 - 355 - 320 + 400 - 0102 |    | with open flush rim  White with standard seat and cover  White w/o seat and cover  White with Slimseat SC/QR | GB111530001010<br>GB111530001000<br>GB111530001040 | 309<br>302<br>388   | 4062373897713<br>4062373897706<br>4062373897720 |
| 220 50  |    | White C+ with Slimseat SC/QR SEATS: See page 11.   | GB1115300R1040                                     | 463                 | 4062373897751                                   |
| 15  |    |  |  |                     |   |
|   | 16 | 8330 Estetic, wall hung, Suprafix installation, with open flush rim  |  |                     |   |
| <del></del>                                     |    | White C+ with SC/QR seat and cover Matt white C+ with SC/QR seat and cover                                   | GB1183300R1030<br>GB1183300RW030                   | 477<br>598          | 4051202471927<br>4051202843502                  |
| 180 530 055                                     |    | Ebony matt black C+ with SC/QR seat and cover  | GB1183300S5030                                     | 598                 | 4065467166054                                   |
| 355 420 70 0102                                 |    | SEATS: See page 11.  |  |                     |   |
|   |    | 39900  |  |                     |   |
| _180_   |    | 3630 Nordic <sup>3</sup> Hygienic Flush, wall hung, with open flush rim                                      |  |                     |   |
| Ø55 540   |    | White with standard seat and cover White with SC/QR seat and cover   | GB113630001010<br>GB113630001030                   | 193<br>213          | 4062373756713                                   |
| 355 320 220 410 60 0102                         |    | White w/o seat and cover   | GB113630001000                                     | 186                 | 4062373759066                                   |
| -20   |    | SEATS: See page 11.  |  |                     |   |
|   | 2  | <b>3990</b>  |  |                     |   |
| <sub>,1</sub> 180 <sub>-,</sub>                 |    | 3635 Nordic <sup>3</sup> Hygienic Flush, wall hung, with open flush rim, compact model                       |  |                     |   |
| Ø55 - 490 -                                     |    | White with standard seat and cover   | GB113635001010                                     | 217                 | 4062373759080<br>4062373759103                  |
| 355 320 220 410 60                              |    | White with SC/QR seat and cover White w/o seat and cover   | GB113635001030<br>GB113635001000                   | 245<br>209          | 4062373759073                                   |
| 20  |    | SEATS: See page 11.  |  |                     |   |
|   |    | <b>3990</b>  |  |                     |   |
| 180   |    | 5G84 Hygienic Flush, wall hung, with open flush rim*   |  |                     |   |
| 355   |    | White with soft-close seat and cover<br>White w/o seat and cover   | 5G84HR01<br>5G84R001                               | 376<br>293          | 4051202288662<br>4051202288679                  |
| 320 1 410                                       |    | SEATS: See page 11.  |  |                     |   |
| <del>-370- </del>                               |    | * Delisted from 31.12.2023   |  |                     |   |
|   |    | <b>9990</b>  |  |                     |   |

#### WALL-MOUNTED TOILET, GUSTAVSBERG, CONTINUATION EAN Price EUR VAT 0% ART-no 4G01 Care Hygienic Flush, wall hung, with open flush rim, enlongated 4G01R001 4051202353919 White w/o seat and cover 342 SEATS: White hard seat with fixed fittings 4051202452711 9M676101 133 White hard seat featuring SC/QR 9M38S101 4051202032654 156 4G95 Care Hygienic Flush, wall hung, with open flush rim White w/o seat and cover 4G95R001 317 4051202353933 White hard seat with fixed fittings 9M676101 133 4051202452711 9M38S101 4051202032654 $1522\ Nautic\ Hygienic\ Flush, wall\ hung\ with\ cistern,$ with open flush rim **←**345→ GB111522401205 White w/o seat and cover 4l 570 7391530067377 White w/o seat and cove 2/4l GB111522201205 582 7391530067346 White C+ w/o seat and cover 2/4lGB1115222R1205 658 7391530067391 SEATS: See page 11. ► - 20±5 100 6622 Public Hygienic Flush, wall hung with cistern, with open flush rim <del>4</del>345→ White C+ w/o seat and cover 4l GB1166224R1503 7391530074993 SEATS: See page 11. ► 4-20±5

#### **TOILETS SEATS**

- Dimensioned to suit the different product ranges in the Gustavsberg brand
- Soft Close for quiet closing
- Quick release for simple cleaning

| TOILET SEATS FOR NAUTIC WC,   | NAUTIC HYGIENIC FLUSH | H WC, PUBLIC HYGIENIC FLUSH WC  |  |                        |  |
|-------------------------------|-----------------------|---|--|------------------------|--|
| 469                           |                       | Standard  | ART-no<br>9M246101                                       | Price EUR<br>VAT 0%    | EAN<br>4047289920007   |
| 452                           |                       | Hard plastic  | 9M256101   | 65                     | 4047289984108  |
| 452                           |                       | Quick release, soft-close white Quick release, soft-close black   | 9M26S101<br>9M26S136                                     | 107                    | 4047289984191<br>4047289984207                                   |
| 445 0 0                       |                       | Slimseat with SC/QR   | 8M45S101   | 116                    | 4062373839379  |
| TOILET SEATS FOR ARTIC WC, 50 | 384 HYGIENIC FLUSH WC |   |  |                        |  |
| 450                           |                       | 9M16 Hard seat with SC/QR White Black   | 9M16S101<br>9M16S136                                     | 156<br>238             | 4047289718109<br>4047289818116                                   |
| TOILET SEATS FOR ESTETIC      |                       |   |  |                        |  |
| 9M09 9M10<br>  180 <br>  155  |                       | 9M10 Estetic seat for floor-mounted toilets Quick release, soft-close white Quick release, soft-close matt white Quick release, soft-close Ebony matt black | 9M10S101<br>9M10S1RW<br>9M10S133                         | 156<br>196<br>232      | 4051202251611<br>4051202843588<br>4065467166634                  |
| 460 0 0 460 0 0               |                       | 9M09 Estetic seat for wall-mounted toilets Quick release, soft-close white Quick release, soft-close matt white Quick release, soft-close Ebony matt black  | 9M09S101<br>9M09S1RW<br>9M09S133                         | 156<br>196<br>232      | 4051202251628<br>4051202843526<br>4065467166078                  |
| TOILET SEATS FOR NORDIC       |                       |   |  |                        |  |
| 455                           |                       | Standard Soft-close white Standard for 305 Standard seat w/o cover for 305  | GB1919902002<br>8M565101<br>GB1919900910<br>GB1919901286 | 30<br>108<br>109<br>25 | 7391530051833<br>4062373888643<br>7391530030043<br>7391530030036 |

| TOILET SEATS FOR LOGIC               |   |                                  |                     |   |
|--------------------------------------|---|----------------------------------|---------------------|---|
| 155                                  |   | ART-no                           | Price EUR<br>VAT 0% | EAN   |
| 440                                  | Soft-close white  | 9M11S101                         | 201                 | 5708590283258                                   |
| → 350 →                              |   |                                  |                     |   |
| TOILET SEATS FOR NORDIC <sup>3</sup> |   | ı                                |                     |   |
| 155   155                            | 8780 Nordic <sup>3</sup> Hard seat with stainless steel fittings<br>White   | 8780G101                         | 52                  | 4022693743008                                   |
| 447                                  | 8780 Nordic <sup>3</sup> Hard seat with SC<br>White   | 8780S101                         | 71                  | 4051202349509                                   |
| 362 367                              | 9M64 Nordic <sup>3</sup> Standard seat<br>White   | 9M646101                         | 30                  | 4051202257101                                   |
|                                      | Nordic <sup>3</sup> HF Compact WWC<br>Standard<br>Hard plastic, stainless steel hinges<br>Quick release, soft-close | 9M648101<br>8780G801<br>8780S801 | 34<br>59<br>80      | 4062373786895<br>4062373786871<br>4062373786888 |
| TOILET SEATS FOR BASIC               |   |                                  |                     |   |
| 440                                  | Standard  | GB1919901702                     | 27                  | 7391530029986                                   |

## CARE PRODUCTS - TOILETS


• To see products in our range that accommodate special needs, visit www.gustavsberg.com

|  |   |   | ART-no       | Price EUR<br>VAT 0% | EAN           |
|--|---|---|--------------|---------------------|---------------|
| 460 → 200   155   155  |   | 3055 toilet arm support for Nautic WC   |              |                     |               |
|  |   | Arm support with dark grey handles and hard white seat&cover                    | GB88305501   | 716                 | 5708590299570 |
| 265  |   | Arm support with dark grey handles and without seat&cover                       | GB88305500   | 550                 | 5708590299587 |
| 525  |   | SUPPLEMENT: Paper holder for Nautic and Nordic WC arm support                   | GB88301801   | 40                  | 7391530044880 |
| c-c 120-160  |   | 3051 toilet arm support for NordicWC, Nordic <sup>3</sup> floor mounted WC      |              |                     |               |
|  |   | Arm support with hard seat&cover*   | GB88305101   | 735                 | 7393792212304 |
| J\   |   | Arm support withhard seat & cover   | GB88305100   | 706                 | 7391530064604 |
| 525  |   | * Delisted, delvery from available stock  |              |                     |               |
| 695 440 200  |   | SUPPLEMENT: 3018 Toilet paper holder for arm rest                               | GB88301801   | 40                  | 7391530044880 |
| ≁-155>   |   | 3060 Hard seat&cover with slide protection for 3055 and 3051 toilet arm support |              |                     |               |
| -155   |   | White   | GB88306001   | 234                 | 5708590299549 |
|  |   | Blue  | GB88306015   | 234                 | 5708590299556 |
| 290 - 222 - 405-450  |   | Red   | GB88306004   | 234                 | 5708590299563 |
| 75   |   | Black   | GB88306036   | 278                 | 5708590329178 |
|  |   | District Line ( Nov. WG   |              |                     |               |
| 55mm 25mm 20mm   |   | Raised single push button for Nautic WC  Red                                    | 9GN0133J     | 82                  | 4051202844561 |
| Sr.  |   | 1711 Arm support, 850mm   |              |                     |               |
| 220  |   | White   | GB88171101   | 390                 | 7393792212205 |
| 850  |   | 1712-1 Arm support with leg, height 800mm                                       |              |                     |               |
| 805  |   | White   | GB881712101  | 478                 | 7391530067131 |
| IN COLUMN TO THE PARTY OF THE P |   | 1714 Paper holder for 1711, 1712-1  |              |                     |               |
| ex III   |   | White   | GB88171401   | 70                  | 7393792212236 |
|  |   | Handrail (ABS-plastic)  |              |                     |               |
| 306/459/612 mm<br>50 mm 82 mm  | 5 | 1715 White, length 306 mm   | GB88171501   | 44                  | 7393792212243 |
|  |   | Raisening base  |              |                     |               |
| 164  |   | For WC Nautic 5510, Nautic HF 1510  | GB8830701001 | 224                 | 7391530063850 |

#### TRIOMONT TOILET FIXTURE

- Neat installation with a minimum of visible pipe:
- Wide range of control panels in a variety of style
- Choose high or low flush volume
- We supply the widest range of wall-mounted toilet bowls on the market
- Adjustable flush volume see installation instructions supplied
- Space-efficient design, just 380 mm wide
- Wall fittings included. No need to drill holes in the floor
- Rotatable wall fittings for a flexible wall connection

- Sitting height 410–630 mm. Recommended sitting height, 450 mm.
- Floor- or wall-connected drain
- Load tested to 400 kg
- SINTEF-certified (SE
- Fixture in line with SS 820200 standard
- Cistern in line with EN 14055
- Suitable for AMA installation without extra components (SE)



#### Triomont toilet fixture deliveries include:

- Fixture with four wall fittings
- Complete cistern insulated against condensation, with flush fitting and shut-off valve
- Connection components for drain and water supply (pipe in pipe)
- Hole template for button
- M12 threaded bars for fitting the toilet

- Protection plugs
- Screws and plugs for fixing
- Insulation protection for fitting between the porcelain and the wall
- Drilling template for wall
- Installation instructions

#### Always finish off with

- Wall-mounted toilet
- Control panel

For more information and inspiration on fixtures and wall hung toilets welcome to www.gustavsberg.con

#### TRIOMONT TOILET FIXTURE ALL-IN-ONE

- Neat installation with a minimum of visible pipes
- Toilet, fixture and control panel all incuded in the package
- Hygienic Flush with open flush rim for easier cleaning. Flushes a the way up to the rim for improved hygiene
- Quick and easy to install with Suprafix, where the entire toilet is fitted through the holes for the seat; no visible screws = Estetic model
- Adjustable flush volume see installation instructions supplied
- Space-efficient design, just 380 mm wide
- Wall fittings included. No need to drill holes in the floor
- Rotatable wall fittings for a flexible wall connection

- Sitting height 410–630 mm. Recommended sitting height,
- Floor- or wall-connected drain
- Load tested to 400 kg
- SINTEF-certified (SE
- Fixture in line with SS 820200 standard
- Cistern in line with EN 14055
- Suitable for AMA installation without extra components (SE)



#### TRIOMONT CONTROL PANELS

- Numerous models and materials to choose from
- The panel you choose determines single or dual flush
- Dimension sketches for panels see www.gustavsberg.com
- Always complete sensor controlled panels with: Battery box GB1921102077, or with 230V connector GB1921102078

**NB** The header line for the different control panels below states whether they match fixture XS or XT. Please make sure to choose a panel that matches the fixture you have ordered.

# FRONT OPERATED DUAL FLUSH/PLUSH - BUTTON XS for Triomont XS



White plastic, round ART-no GB1921102035 Price EUR VAT 0% 61 EAN 8711778140783



Matt chrome plastic, round ART-no GB1921102036 Price EUR VAT 0% 88 EAN 8711778140790



Bright chrome plastic, round ART-no GB1921102037 Price EUR VAT 0% 88 EAN 8711778140806



 White plastic, square
 Br

 ART-no
 GB1921102052
 sq

 Price EUR VAT 0%
 61
 AR

 EAN
 8711778168749
 Pri



Bright chrome plastic, square ART-no GB1921102053 Price EUR VAT 0% 88 EAN 8711778168756



Matt black plastic, square ART-no GB1921102049 Price EUR VAT 0% 90 EAN 4062373904107



White metal, square ART-no GB1921102045 Price EUR VAT 0% 279 EAN 8711778140691



Bright chrome metal, square ART-no GB1921102047 Price EUR VAT 0% 262 EAN 8711778140714



Matt black aluminium, square ART-no GB1921102048 Price EUR VAT 0% 397 EAN 4062373888421



Stainless, rectangular ART-no GB1921102054 Price EUR VAT 0% 262 EAN 8711778170933



White glass, rectangular ART-no GB1921102056 Price EUR VAT 0% 525 EAN 4051202796914



Black glass, rectangular ART-no GB1921102057 Price EUR VAT 0% 525 EAN 4051202796532



Aluminium, rectangular ART-no GB1921102058 Price EUR VAT 0% 392 EAN 4051202796549

#### FRONT OPERATED SINGLE FLUSH/ PUSH-BUTTON for Triomont XS



White plastic, round ART-no GB1921102030 Price EUR VAT 0% 61 EAN 8711778140752



Bright chrome plastic, round ART-no GB1921102032 Price EUR VAT 0% 88 EAN 8711778140776

# PNEUMATIC WALL-MOUNTED CONTROL PANELS, DUAL FLUSH for Triomont XS



White plastic pneumatic ART-no GB1921102060 Price EUR VAT 0% 102 EAN 8711778169579



Bright chrome plastic pneumatic ART-no GB1921102061 Price EUR VAT 0% 132 EAN 8711778169586

# SENSOR-CONTROLLED WALL-MOUNTED CONTROL PANELS, DUAL FLUSH for Triomont XS NB! See \*) in text box above.

Accessories for sensor conrolled buttons:



AC adapter ART-no GB1921102078 Price EUR VAT 0% 159 EAN 4051202796945

Plug-in adapter
ART-no GB1921102079
Price EUR VAT 0% 139
EAN 4051202796938

# ENSOR-CONTROLLED WALL-MOUNTED CONTROL PANELS, SINGLE FLUSH for Triomont XS NB! See \*) in text box above.

Accessories for sensor conrolled buttons: Battery box ART-no GB1921102077 Price EUR VAT 0% 91 EAN 4051202796921

AC adapter ART-no GB1921102078 Price EUR VAT 0% 159 EAN 4051202796945

Plug-in adapter ART-no GB1921102079 Price EUR VAT 0% 139 EAN 4051202796938



White glass pneumatic ART-no GB1921102066 Price EUR VAT 0% 314 EAN 8711778169630



Black glass pneumatic ART-no GB1921102067 Price EUR VAT 0% 314 EAN 8711778169647

# EAN 4051202796907 EAN 4051202796938 TOP OPERATED DUAL FLUSH/PUSH BUTTON



for Triomont XT

White sensor controlled

ART-no GB1921102070 Price EUR VAT 0% 660

White plastic, rectangular ART-no GB1921102080 Price EUR VAT 0% 57 EAN 8711778168626



Bright chrome palstic, rectangular ART-no GB1921102081 Price EUR VAT 0% 88 EAN 8711778168640



Stainless sensor controlled.

4051202796594

for public settings ART-no GB1921102071 Price EUR VAT 0% 1035

FAN

Black glass, rectangular ART-no GB1921102083 Price EUR VAT 0% 500 EAN 8711778215740

# PNEUMATIC TOP OPERATED DUAL FLUSH/PUSH BUTTONS for Triomont XT



White plastic pneumatic ART-no GB1921102085 Price EUR VAT 0% 102 EAN 8711778169470



Bright chrome plastic pneumatic ART-no GB1921102086 Price EUR VAT 0% 132 EAN 8711778169487

## PNEUMATIC BUTTON, SINGLE FLUSH for all fixture models



Stainless pneumatic ART-no GB1921102092 Price EUR VAT 0% 139 EAN 8711778169920




Make sure to install some kind of inspection hatch to reach the valves in the built-in-cistern, when choosing a pneumatic button.

# TRIOMONT WALL INSTALLATION SYSTEM FOR WALLHUNG BIDETS 1522 NAUTIC AND 6622 PUBLIC WC WITH VISIBLE CISTERN

- Neat installation, with a minimum of visible pipes
- Load-tested 400 kg
- Floor or wall-connected drain

- Fits all wall-hung toilets and bidets with a centre to centre distance between holts of 180 or 230 mm
- Recommended seat height, 450 mn





|   | ART-no        | Price EUR<br>VAT 0% | EAN           |
|---|---------------|---------------------|---------------|
| Wall fixing set for WC 1522 Nautic and 6622 Public For mounting against straight wall or in a corner. | GB19211000510 | 243                 | 8711778182844 |
| ACCESSORIES:  |               |                     |               |
| Triomont XS wall fixation kit for corner  | GB1921102029  | 49                  | 8711778140837 |
| Triomont XS additional wall fixation kit  | GB1921102027  | 67                  | 8711778140820 |
|   |               |                     |               |

#### Triomont WC/bidet fixture deliverie include

- Fixture
- 4 wall fittings
- M12 threaded bars for fitting the toilet bowl
- Screws and plugs for fixing
- Installation instructions
- Connecting components for wall alt. floor connection

#### Always finish off with

• Suitable bidet or toilet

ART-no Price EUR


99330000

EAN

4005176160776


#### **URINALS**

- Fits in public places as well as in the private home. Contact us for more information about installing our urinals.
- Finish of with flushing device and captive waste to complete





|  |          | VAT 0% |               |
|--|----------|--------|---------------|
| 7G50 Saval top water inlet urinal  |          |        |               |
| With open water connection for mounting with visible plumbing. Trap cover as separate order.                           | 7G500001 | 189    | 4022693744388 |
| ACCESSORIES:   |          |        |               |
| Water trap for wall connection   | 93260000 | 37     | 4047289529392 |
| Water trap for floor connection  | 93270000 | 37     | 4047289529385 |
| Flush-pipe inlet connector for urinal  | 99320000 | 34     | 4022693275042 |
|  |          |        |               |
| 7G51 Saval concealed water inlet urinal  |          |        |               |
| With covered water connection for mounting with concealed plumbing. Trap cover and connector nipple as separate order. | 7G510001 | 192    | 4022693742438 |
| ACCESSORIES:   |          |        |               |
| Concealed siphon with horizontal outlet  | 93260000 | 37     | 4047289529392 |
| Concealed siphon with vertical outlet  | 93270000 | 37     | 4047289529385 |





Water-inlet connector for urinal

# BATHROOM SINKS

A good washbasin must be functional, easy to clean and hard-wearing – but also neat and attractive. Only porcelain of the highest quality – as used in washbasins from Gustavsberg – can meet all these requirements. Big bathroom? Small bathroom? Corner, elongated surfaces or tight space? No matter what your bathroom looks like, we can almost guarantee that you will find a Gustavsberg washbasin to match it.

#### TO THINK OF

Installing two sinks cuts down on queuing – and generates a sense of togetherness – for large families. Think about whether you want to conceal the water trap in a bottom cabinet or behind a pedestal or cover. But maybe the water trap should not be hidden? There are great looking models that you really want to show off. If a standard size sinks takes up too much space, there are smaller models and

washbasins designed for corner installation to choose from. It may be that you need to think about setting up your bathroom with an eye to the future – to the time when you may not be as mobile as you once were. Our range contains numerous products that have been adapted for special needs.

## SMART SYMBOLS FOR SMART SOLUTIONS



#### CERAMICPLUS = C+

Many of our products are available with ceramicplus surface treatment. This provides the porcelain with a dirtrepellent surface that prevents the accumulation of limescale and dirt. Ceramicplus is also good for the environment, as it means that you can use a milder detergent – and less of it! – when classing.



# BATHROOM SINK NAUTIC 5560

FOR BOLT/BRACKET MOUNTING 60 CM

- Easy-to-clean and minimalist design
- Elliptical sink with generous counter spaces
- For bolt or bracket mounting



ARI-no 55609901

#### **BATHROOM SINK NAUTIC**

- Easy-to-clean, minimalistic design in a range of sizes, 40–60 cm
- Elliptical basin with generous flat surfaces
- For bolt or bracket installation
- C+ as an option for simple and eco-friendly cleaning

separately, see mixer seedon

#### OUR RANGE OF SINKS DESIGNED FOR BATHROOM FURNITURE ARE TO BE FOUND ON PAGE 24

|   |  | ART-no   | Price EUR<br>VAT 0%                           | EAN  |
|---|--|--|---|--|
| 135 4 45<br>175 4 45<br>175 4 45<br>175 4 275<br>200 4 275<br>200 4 275 | 5540 Nautic, 400x275mm bolt mounting, bolts included  White with tap hole on the right White with tap hole on the left  5540 Nautic, 400x275mm bolt mounting, bolts included, with C+ White with tap hole on the right With tap hole to the left   | 55409R01<br>55409L01<br>55409RR1<br>55409LR1                         | 87<br>87<br>150<br>150                        | 4047289973362<br>4047289973324<br>4047289973379<br>4047289973331                                   |
| Max 455<br>Min 420<br>Q35<br>60<br>185<br>450<br>450<br>450             | 5550 Nautic, 500x380mm bolt or bracket mounting (195mm or 240mm)  White with tap hole White without tap hole  5550 Nautic, 500x380mm bolt or bracket mounting (195mm or 240mm), with C+  White with tap hole White C+ without tap hole   | 55509901<br>55509701<br>555099R1<br>555099R1                         | 93<br>93<br>161<br>161                        | 4047289917496<br>4047289917458<br>4047289917502<br>4047289917465                                   |
| Max 505  Min 470  Q35  Q35  Q35  Q35  Q45  Q495  — 560  — 560           | 5556 Nautic, 560x430mm bolt or bracket mounting*  White with tap hole White without tap hole White with tap hole, without owerflow**  5556 Nautic, 560x430mm bolt or bracket mounting*, with C+ White with tap hole White without tap hole White with tap hole, without owerflow**  * Recommended bracket length 260 mm  ** Mounting with strainer valve recommended | 55569901<br>55569701<br>55569801<br>555699R1<br>555697R1<br>555698R1 | 93<br>93<br>93<br>161<br>161<br>161           | 4047289917410<br>4047289917380<br>4047289917397<br>4047289917427<br>4047289917427<br>4047289917403 |
| Max 520  Min 485  Min 485  A  A  A  A  A  A  A  A  A  A  A  A  A        | 5560 Nautic, 600x460mm bolt or bracket mounting*  White with tap hole White with tap hole, without overflow**  5560 Nautic, 600x460mm bolt or bracket mounting*, with C+ White with taip hole White without tap hole White with tap hole, without owerflow**  *Recommended bracket length 260 mm ** Mounting with strainer valve recommended                         | 55609901<br>55609701<br>55609801<br>556099R1<br>556097R1<br>556098R1 | 102<br>102<br>102<br>102<br>175<br>175<br>175 | 4047289917571<br>4047289917533<br>4047289917557<br>4047289917588<br>4047289917540<br>4047289917564 |
| 115 270<br>1 310<br>1 275 + 80  | 2930 Cover  For bathroom sinks 5556, 5560, 5565 and 5570  NB! Can not be combined with washbasin mixers with side shower.  | GB1129300100   | 116   | 7391530054261  |

#### BATHROOM SINK NORDIC<sup>3</sup>

- Made of hygienic, durable and tightly vitrified sanitary porcelain
- Functional design, standard dimensions

• For bolt or bracket installation


#### OUR RANGE OF SINKS DESIGNED FOR BATHROOM FURNITURE ARE TO BE FOUND ON PAGE 24.

| Max 430<br>Min 400<br>O35<br>T 185<br>T 185<br>T 185<br>T 185           | 410050 Nordic <sup>3</sup> , 500x370mm bolt or bracket mounting White with tap hole Recommended bracket length 195 mm   | ART-no<br>41005001 | Price EUR<br>VAT 0% | EAN<br>4051202323424 |
|---|---|--------------------|---------------------|----------------------|
| Max 480<br>Min 460<br>O35<br>180<br>180<br>1 180<br>1 180<br>435<br>435 | 410055 Nordic <sup>3</sup> , 550x435mm bolt or bracket mounting  White with tap hole  Recommended bracket length 260 mm | 41005501           | 93                  | 4051202323431        |
| 320±15 270 310  | 2930 Cover  For bathroom sinks 410050 and 410055  NB! Can not be combined with washbasin mixers with side shower        | GB1129300100       | 116                 | 7391530054261        |

#### BATHROOM SINKS COMPLEMENTARY MODELS

- Models that do not belong to any of our product collections, but match all ranges
- Mixer and bottom valve are not included, must be ordered separately. See mixer section.

OUR RANGE OF SINKS DESIGNED FOR BATHROOM FURNITURE ARE TO BE FOUND ON PAGE 24.



#### BATHROOM SINKS, CARE


To view other products for special needs, visit www.gustavsberg.com

|                                  |   |  | ART-no         | Price EUR | EAN           |
|----------------------------------|---|--|----------------|-----------|---------------|
| 540, 270                         | 0 | 1704, 540x860mm, washbasin lifter with built-in gas cylinder,  |                | VAT 0%    |               |
|                                  |   | height adjustment 300mm, lever control can be adjust to right or left                                  |                |           |               |
| 180) 320                         | - | Metal  | GB88170401     | 1493      | 7393792212137 |
| 860                              |   | 1708 Flexible hose set   | GB88170801     | 221       | 7393792212175 |
| 170                              | 1 | <b>O</b>   |                |           |               |
| 1                                |   | 7119-63, 600x490mm washbasin for handicapped, with overflow and bottom valve, tap hole in the center   |                |           |               |
| 170 490 325                      |   | White  | GB157119630110 | 246       | 7391530059648 |
|                                  |   | Wille  | GB137117030110 | 240       | 7371330037040 |
| 510                              |   |  |                |           |               |
| 035                              |   | 740, 600x600mm washbasin for handicapped, bolt mounting, tap hole in the center                        |                |           |               |
| 360 250 190                      |   | Suitable with washbasin lifter 1704<br>Extra shallow basin to accommodate wheelchair users             |                |           |               |
| 600                              |   | White w/o overflow   | GB1074010102   | 470       | 7391530038407 |
| 280.350 170 155 200              |   | White with tap hole, with overflow outlet  | GB1074010101   | 470       | 7391530038391 |
| 70 Ø35                           |   | 4G19 55, 560x550mm washbasin for handicapped,  |                |           |               |
| 195                              | - | bolt mounting, with grabbing edge, tap hole in the center  |                |           |               |
| 550 800<br>365 650 740           |   | White with overflow  | 4G195501       | 252       | 4051202473792 |
| 420                              |   |  |                |           |               |
| 560                              |   | 4G19 60, 610x550mm washbasin for handicapped,  |                |           |               |
| 70 035                           |   | bolt mounting, with grabbing edge, tap hole in the center  |                |           |               |
| 550 800<br>365 650 740           |   | White w/o overflow   | 4G196101       | 263       | 4051202348564 |
| 460                              |   | White with overflow  | 4G196001       | 263       | 4051202348588 |
| 610                              |   |  |                |           |               |
| 70 Ø35 +-280→                    |   | 4G20 80 800x550mm washbasin for handicapped, bolt mounting, with grabbing edge, tap hole in the center |                |           |               |
| 200 5550                         |   | White with overflow  | 4G208001       | 532       | 4051202348540 |
| 380 660 760                      |   | *Washbasins don't include bolt or bracket fastening sets   |                |           |               |
| + 430<br>800                     |   |  |                |           |               |
| <b>-</b> ►150  <del>&lt;</del> - |   | 5550 Nautic Care, 500x380mm bolt or bracket mounting   |                |           |               |
| 165 40                           |   | (195mm or 260mm), with C+ White w/o overflow   | 555061R1       | 223       | 4062373907221 |
| 1                                |   |  | 17100000       |           | 40023/370/221 |
| Ø35 60                           |   | White w/o overflow, w/o taphole  | 55506MR1       | 223       | 4062373907498 |
| 185                              |   |  |                |           |               |
| 450                              |   |  |                |           |               |
| 500 →                            |   |  |                |           |               |
| 60 280                           |   | 5560 Nautic Care, 600x460mm bolt or bracket mounting (260 mm), with C+                                 |                |           |               |
| 185                              |   | White w/o overflow   | 556061R1       | 251       | 4062373907214 |
| Ø35 60<br>►                      |   | White w/o overflow, w/o taphole  | 55606MR1       | 251       | 4062373907504 |
| 215                              |   |  |                |           |               |
| \$\frac{1}{460}\$                |   |  |                |           |               |
| 530                              |   |  |                |           |               |
|                                  |   |  |                |           |               |

#### WATER TRAPS FOR WASHBASINS

- Exclusive design
- Adjustable height and deptl
- Available in different suface finnishes/colors

- Made of brass
- Suit all washbasins in our range



#### TRIOMONT WASHBASIN FIXTURE

- Neat installation with a minimum of visible pipes
- Suits all washbasins with a bolt distance (centre to centre) of up to 280 mm
- Load tested to 175 kg



#### Triomont washbasin fixture deliveries include:

- $\bullet$  Fixture with four wall fittings
- M12 threaded bars for fitting the washbasin
- Screws and plugs for fixing
- Angled drain connection with Ø 32 mm rubber nipple
- Installation instructions


#### Always finish off with:

- Washbasin
- Washbasin mixer
- Water trap for wall-connection

#### **BATHROOM SINKS FOR COUNTERTOPS**

- The dimensions of full-cover sinks are adapted to match the range of furniture with the same name
- Some of the full-cover sinks can also be installed on brackets.
- Bathroom sinks for building in or sub-mounting can be combined
- with a bottom cabinet and a top panel. Simply make sure that the sink dimensions match the furniture unit
- The mixer and bottom valve are not included and must be ordered separately; see the mixer section.

| GRAPHIC BATHROOM SINK FOR VANITY UNIT   |   |  |                          |  |
|---|---|--|--------------------------|--|
| 450 — 450 — 160 — 160 — 150 — | Graphic 450x410mm<br>tabletop washbasin,<br>mounting with Graphic<br>furniture or brackets<br>With tap hole               | ART-no<br>4G014501   | Price EUR<br>VAT 0%      | <b>EAN</b> 4051202558628   |
| 600 035 16 155 155 155 150 150 150 150 150 150 150  | Graphic 600x410mm<br>tabletop washbasin,<br>mounting with Graphic<br>furniture or brackets<br>With tap hole               | 4G016001   | 292                      | 4051202558611  |
| 58 035<br>180 1 0 16<br>180 1 0 155<br>410 225 165  | Graphic 800x410mm<br>tabletop washbasin,<br>mounting with Graphic<br>furniture or brackets<br>With tap hole               | 4G018001   | 379                      | 4051202558604  |
| 100 0 160 155 155 155 150 150 150 150 150 150 15  | Graphic 1000x410mm<br>tabletop washbasin,<br>mounting with Graphic<br>furniture or brackets<br>With tap hole              | 4G01A501   | 435                      | 4051202557195  |
| 444 mm<br>594 mm<br>794 mm<br>994 mm  | Brackets for Graphic<br>tabletop washbasins,<br>white/chrome<br>450mm<br>600mm<br>800mm<br>1000mm                         | GB71GCBR45DH<br>GB71GCBR60DH<br>GB71GCBR80DH<br>GB71GCBR10DH | 237<br>245<br>251<br>258 | 7391530071060<br>7391530071077<br>7391530071084<br>7391530071091 |
| ARTIC BATHROOM SINK FOR VANITY UNIT   |   | APT no   | Price EUR                | EAN  |
| 62 035 167 225 470 280 560 560  | Artic 600x470mm<br>tabletop washbasin,<br>mounting with Artic<br>furniture<br>With tap hole<br>White<br>Ebony matt black  | 4GA06001<br>4GA06033   | Price EUR<br>VAT 0%      | 4062373899304<br>4062373899311                                   |
| 55 035<br>035<br>165<br>470 290 165<br>470 560  | Artic 800x470mm<br>tabletop washbasin,<br>mounting with Artic<br>furniture<br>With tap hole<br>White<br>Ebony matt black  | 4GA08001<br>4GA08033   | 448<br>520               | 4062373895580<br>4062373895597                                   |
| 55 035 16<br>225 1 25 165<br>470 280 165  | Artic 1000x470mm<br>tabletop washbasin,<br>mounting with Artic<br>furniture<br>With tap hole<br>White<br>Ebony matt black | 4GA0A401<br>4GA0A433   | 469<br>545               | 4062373895726<br>4062373895733                                   |



#### MOUNTING



YOU CAN INSTALL MOST OF THE PRODUCTS YOURSELF. HOWEVER, THIS SYMBOL MEANS THAT WE RECOMMEND THAT YOU CONSULT A SKILLED PROFESSIONAL, SUCH AS A PLUMBER, A TILER OR AN ELECTRICIAN.

# **FURNITURES**

The concept of "Form Follows Function" means that perfect function inevitably leads to beautiful form. This design principle produces solutions that are both aesthetically pleasing and smart. The Graphic and Artic ranges of furniture are perfect examples. Graphic features a graphic design line that is ideal for small bathrooms, while Artic is more traditional. The first is neat and compact, the second more generous. However, there is one trait they both share: Form Follows Function.

#### TO THINK OF

Shelves or cabinets? Cabinets keep the dust off and help you to avoid having to look at all the packages and other things you need close at hand. However, shelves provide greater accessibility and allow you to display the items you enjoy looking at. Whatever you

choose, make sure to include a lot of storage space – even i your bathroom is small. For example, there is almost always room for a cabinet under the washbasin.

#### SMART SYMBOLS FOR SMART SOLUTIONS



#### SOFT CLOSE FURNITURE

The acoustics in a bathroom can result in loud, sudden noises being particularly irritating. With soft-close functionality, cabinet doors and drawers close gently and quietly.



#### MOISTURE RESISTAN

The wood used in gustavsberg bathroom furniture has been developed and tested for high durability in hot, humid bathroom environments. Smart design – e.G. The way our washbasins extend beyond the edge of our washbasins – protects the furniture from splashes and eliminates unnecessary moisture traps.




# ARTIC BATHROOM FURNITURE

Artic's timeless design makes all bathrooms more beautiful. Although Artic is a cultured range, the cabinets can easily 'swallow' everything you need to keep in a bathroom.

The units are based on standard dimensions and feature generous

storage areas and surface space, as well as a host of smart details.
Cabinet doors and carcases of the same colour create a harmonious
bathroom



#### HANDLES AND KNOBS

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks. To see the complete range, turn to page 53.



# MIRRORS AND LIGHTING FOR MIRRORS AND MIRROR CABINETS

To see the complete range, turn to page 50.



#### ARTIC BATHROOM CABINET WITH SINK

WIDTH 600 MM WITH MATT BLACK SINK

#### WIDTH 600 MM WITH WHITE SINK



Colour Dimensions\* White Width 600 mm Height 567 mm

ART-no GB71ACVU60TM01 Price EUR VAT 0% 1202

4065467174974

Depth 470 mm







Colour Dimensions\* Black ash wood Width 600 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1588
EAN 4065467175179

GB71ACVU60TK01







Colour Dimensions\* Ash grey Width 600 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU60TL01 Price EUR VAT 0% 1202 EAN

4065467175124







Colour Dimensions\* Peach Width 600 mm Height 567 mm Depth 470 mm

GB71ACVU60T001 ART-no Price EUR VAT 0% 1202 4065467175223 EAN





#### LEG FRAME WITH ADJUSTABLE FEET

Provides a more "furnished" feel in the bathroom, available in white or black





Leg frame for bathroom cabinet (the cabinet must always be fixed to the wall)

Colour White ART-no GB71ACLFVUWM Price EUR VAT 0% 257 4065467172062 EAN

Colour ART-no Matt black GB71ACLFVUBL Price EUR VAT 0% 242 EAN 4065467172079

Colour Dimensions\* White Width 600 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1247 EAN

GB71ACVU60TM33 4065467175278







Colour Dimensions\* Black ash wood Width 600 mm Height 567 mm Depth 470 mm

GB71ACVU60TK33 ART-no Price EUR VAT 0% 1633 EAN 4065467175377







Colour Dimensions<sup>3</sup> Ash grey Width 600 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1247 EAN

GB71ACVU60TL33 4065467175322







Colour Dimensions\* Peach Width 600 mm Height 567 mm Depth 470 mm

GB71ACVU60T033 ART-no Price EUR VAT 0% 1247 EAN 40654 4065467175421







Drawer insert, 600 mm; fits the bottom drawer only

Colour Black ART-no GB7199DRBL60 Price EUR VAT 0% 131 EAN 7391530079196



Push-open function for 600 mm drawer; order 1 per drawer

GB7199PU60 ART-no Price EUR VAT 0% 166 EAN 7391530079042



Matt black plug for bottom valve (for replacing the chromed version supplied)

Colour Matt black GB7199ACPOPBI ART-no Price EUR VAT 0% 99 6416931010515 EAN

#### WIDTH 800 MM WITH WHITE SINK



Colour Dimensions\* White Width 800 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU80TM01 Price EUR VAT 0% 1414 4065467174981









Colour Dimensions\*

Black ash wood Width 800 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU80TK01 Price EUR VAT 0% 1826 4065467175186 EAN







Colour Dimensions\* Ash grey Width 800 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU80TL01 Price EUR VAT 0% 1414 4065467175131 EAN







Colour Dimensions\*

Peach Width 800 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU80T001 Price EUR VAT 0% 1414 EAN 40654 4065467175230





#### WIDTH 800 MM WITH MATT BLACK SINK



Colour Dimensions\* White Width 800 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1484

GB71ACVU80TM33







Colour Dimensions\* Black ash wood Width 800 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1896 EAN 4065467175384

GB71ACVU80TK33







Colour Dimensions\* Ash grey Width 800 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU80TL33 1484 4065467175339







Colour Peach Dimensions\* Width 800 mm Height 567 mm

Depth 470 mm

ART-no

GB71ACVU80T033 Price EUR VAT 0% 1484 EAN 4065467175438





#### LEG FRAME WITH ADJUSTABLE FEET

Provides a more "furnished" feel in the bathroom, available in white or black





Leg frame for bathroom cabinet (the cabinet must always be fixed to the wall)

White Colour GB71ACLFVUWM Price EUR VAT 0% 257

4065467172062

Matt black Colour ART-no GB71ACLFVUBL Price EUR VAT 0% 242 4065467172079



Drawer insert, 800 mm; fits the bottom drawer only.

Colour Black ART-no GB7199DRBL80 Price EUR VAT 0% 204

7391530079202



Push-open function for 800 mm drawer; order 1 per drawer

**ART-no** GB7199PU80 Price EUR VAT 0% 186 7391530079059



Matt black plug for bottom valve (for replacing the chromed version supplied)

Colour Matt black ART-no GB7199ACPOPBL Price EUR VAT 0% 99 6416931010515



#### WIDTH 1000 MM WITH WHITE SINK



Colour Dimensions\* White

Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1490

GB71ACVU10TM011 4065467174998









Black ash wood Dimensions\* Width 1000 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU10TK011 Price EUR VAT 0% 1928 EAN

Colour











Colour Dimensions\* Ash grey Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1490 EAN

GB71ACVU10TL011 4065467175148











Peach Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1490 EAN 40654

GB71ACVU10T0011 4065467175247





# LEG FRAME WITH ADJUSTABLE FEET

Provides a more "furnished" feel in the bathroom, available in white or black





Leg frame for bathroom cabinet (the cabinet must always be fixed to the wall)

Colour GB71ACLFVUWM Art-no Price EUR VAT 0% 257 EAN 4065467172062

Colour Matt black ART-no GB7 Price EUR VAT 0% 242 GB71ACLFVUBL EAN 4065467172079

#### WIDTH 1000 MM WITH MATT BLACK SINK



Colour Dimensions\*

White Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU10TM331 1563 4065467175292







Colour Dimensions\*

Black ash wood Width 1000 mm Height 567 mm Depth 470 mm

GB71ACVU10TK331 ART-no Price EUR VAT 0% 2001 EAN 4065467175391









Colour Dimensions<sup>3</sup> Ash grey Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1563 EAN

GB71ACVU10TL331 4065467175346







Colour Dimensions\*

Peach Width 1000 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU10T0331 Price EUR VAT 0% 1563 EAN 40654 4065467175445







Drawer insert, 1000 mm; fits the bottom drawer only

Colour Black ART-no GB7199DRBL10 Price EUR VAT 0% 204 7391530079219



Push-open function for 1000 mm drawer; order 1 per drawer

**ART-no** GB7199PU10 Price EUR VAT 0% 186 7391530079066



Matt black plug for bottom valve (for replacing the chromed version supplied)

Colour Matt black ART-no GB7199ACPOPBL Price EUR VAT 0% 99 EAN 6416931010515

#### WIDTH 1000 MM WITH WHITE SINK two mixer holes



Colour Dimensions\*

White Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU10TM012 1490 4065467175100







Colour Dimensions\* Black ash wood Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU10TK012 1928 4065467175209







Colour Dimensions\* Ash grey Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU10TL012 1490 4065467175155







Colour Dimensions\*

Peach Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU10T0012 4065467175254











Leg frame for bathroom cabinet (the cabinet must always be fixed to the wall)

Colour White GB71ACLFVUWM Art-no Price EUR VAT 0% 257 4065467172062

Colour Matt black ART-no GB71ACLFVUBL Price EUR VAT 0% 242 4065467172079 EAN

#### WIDTH 1000 MM WITH MATT BLACK SINK two mixer holes



Colour Dimensions\* White Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1563 EAN 4065467175308

GB71ACVU10TM332







Colour Dimensions\* Black ash wood Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 2001 EAN

GB71ACVU10TK332 4065467175407







Colour Dimensions\* Ash grey Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU10TL332 1563 4065467175353







Colour Dimensions\*

Peach Width 1000 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% EAN

GB71ACVU10T0332 1563 4065467175452







Drawer insert, 1000 mm; fits the bottom drawer only.

Colour Black ART-no GB7199DRBL10 Price EUR VAT 0% 204 7391530079219 EAN

Push-open function for 1000 mm drawer; order 1 per drawer

**ART-no** GB7199PU10 Price EUR VAT 0% 186 7391530079066 EAN



Matt black plug for bottom valve (for replacing the chro-med version supplied)

Colour Matt black ART-no GB7199ACPOPBL Price EUR VAT 0% 99 6416931010515 EAN

#### WIDTH 1200 MM WITH WHITE SINK two mixer holes



Colour Dimensions\* White Width 1200 mm Height 567 mm Depth 470 mm

ART-no

GB71ACVU12TM01 Price EUR VAT 0% 1560 EAN 4065467175117







Colour Dimensions\* Black ash wood Width 1200 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU12TK01 Price EUR VAT 0% 2016 EAN 4065467175216







Colour Dimensions\* Ash grey Width 1200 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1560 EAN

GB71ACVU12TL01 4065467175162







Colour Dimensions' Peach Width 1200 mm Height 567 mm Depth 470 mm

ART-no GB71ACVU12T001 Price EUR VAT 0% 1560 EAN

4065467175261





LEG FRAME WITH ADJUSTABLE FEET Provides a more "furnished" feel in the bathroom, available in white or black





Leg frame for bathroom cabinet (the cabinet must always be fixed to the wall)

Colour White ART-no GB71ACLFVUWM Price EUR VAT 0% 257 4065467172062 EAN

Matte black GB71ACLFVUBL Colour ART-no Price EUR VAT 0% 242 4065467172079 FAN

#### WIDTH 1200 MM WITH MATTE BLACK SINK two mixer holes



Colour Dimensions<sup>3</sup>

White Width 1200 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1636 EAN 4065467175315

GB71ACVU12TM33







Colour Dimensions\*

Black ash wood Width 1200 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 2093 EAN

GB71ACVU12TK33 4065467175414







Colour Dimensions\* Ash grey Width 1200 mm Height 567 mm Depth 470 mm

ART-no ARI-no 900 1636 Price EUR VAT 0% 1636 EAN 4065467175360

GB71ACVU12TL33







Colour Dimensions<sup>3</sup>

Peach Width 1200 mm Height 567 mm Depth 470 mm

ART-no Price EUR VAT 0% 1636 FAN

GB71ACVU12T033 4065467175469







Drawer insert, 1200 mm; fits the bottom drawer only

Colour Black ART-no GB7199DRBL12 Price EUR VAT 0% 204 EAN 7391530079226



Push-open function for 1200 mm drawer; order 1 per drawer

**ART-no** GB7199PU12 Price EUR VAT 0% 186 EAN 7391530079073



Matte black plug for bottom valve (for replacing the chromed version supplied)

Colour Matte black ART-no GB7199ACPOPBL Price EUR VAT 0% 99 EAN 6416931010515

#### ARTIC MIRROR CABINET

#### WIDTH 600 MM



Colour Dimensions\* White

Width 600 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC60TM 1159 4065467171768











Black ash wood Width 600 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC60TK 4065467171829









Ash grey Width 600 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC60TL 1159 4065467171799







Colour

Dimensions\*

Peach Width 600 mm Height 662 mm Depth 132 mm

GB71ACMC60T0 ART-no Price EUR VAT 0% 1159 EAN 4065467171850





#### WIDTH 800 MM



Colour Dimensions\* White

Width 800 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC80TM 1205 4065467171775







Colour Dimensions\* Black ash wood Width 800 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC80TK 1325 4065467171836







Colour Dimensions\*

Ash grey Width 800 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC80TL 1205 4065467171805







Colour

Dimensions\*

Peach Width 800 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% 1205 EAN 4065467171867

GB71ACMC80T0





#### WIDTH 1000 MM



Colour Dimensions\*

White

(consists of 2 x 600 mm cabinets)

Width 1000 mm

ART-no Price EUR VAT 0% 1271 EAN 4065467171782

Height 662 mm Depth 132 mm

GB71ACMC10TM













Black ash wood Width 1000 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC10TK 4065467171843









Ash grey Width 1000 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% 1271 EAN 4065467171812

GB71ACMC10TL









Peach Width 1000 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% 1271 EAN 4065467171874

GB71ACMC10T0







WIDTH 1200 MM

Colour Dimensions\* White

Width 1200 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC12TM 2317 4065467175476







Colour Dimensions\*

Black ash wood Width 1200 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% EAN

GB71ACMC12TK 4065467175490







Dimensions\*

Ash grey Width 1200 mm Height 662 mm Depth 132 mm

ART-no Price EUR VAT 0% 2317 EAN 40654

GB71ACMC12TL 4065467175483







Colour Dimensions\*

Peach Width 1200 mm Height 662 mm Depth 132 mm

ART-no

GB71ACMC12T0 Price EUR VAT 0% 2317 EAN 4065467175506





#### MIRROR CABINET LIGHTING

The Artic mirror cabinet can be supplemented with lighting in two lengths and colours: Matt black or polished chrome. See page 52.



#### ARTIC WALL CABINET

#### WIDTH 600 MM, DEPTH 390 MM



Colour Dimensions\* White

Width 600 mm Height 550 mm Depth 390 mm

ART-no Price EUR VAT 0% EAN

GB71ACSC6039TM

4065467172000







Colour Dimensions\* Black ash wood Width 600 mm Height 550 mm Depth 390 mm

ART-no Price EUR VAT 0% EAN

GB71ACSC6039TK 4065467172024







Colour Dimensions\*

Ash grev Width 600 mm Height 550 mm Depth 390 mm

ART-no

GB71ACSC6039TL Price EUR VAT 0% 592 EAN 4065467172017







Colour Dimensions<sup>3</sup>

Width 600 mm Height 550 mm Depth 390 mm

ART-no Price EUR VAT 0% EAN

GB71ACSC6039T0 592 4065467172031





#### LEG FRAME WITH ADJUSTABLE FEET

Provides a more "furnished" feel in the bathroom, available in white or black



#### Leg frame with adjustable feet, 390 mm deep wall cabinet (the cabinet must always be fixed to the wall)

Colour White GB71ACLF39WM ART-no Price EUR VAT 0% 269 4065467172086

Colour Matt black GB71ACLF39BL ART-no Price EUR VAT 0% 253 4065467172093 EAN

# WIDTH 600 MM, DEPTH 320 MM



Colour Dimensions\*

White Width 600 mm

Height 550 mm Depth 320 mm

ART-no Price EUR VAT 0% EAN

GB71ACSC6032TM

4065467171966







Colour Dimensions\* Black ash wood Width 600 mm Height 550 mm Depth 320 mm

ART-no Price EUR VAT 0% EAN

GB71ACSC6032TK 685 4065467171980







Colour

Ash grey Width 600 mm Height 550 mm Depth 320 mm

ART-no Price EUR VAT 0% EAN

GB71ACSC6032TL 562 4065467171973









Peach Width 600 mm Height 550 mm Depth 320 mm

ART-no Price EUR VAT 0% FAN

GB71ACSC6032T0 562 4065467171997









Leg frame with adjustable feet, 320 mm deep wall cabinet

(the cabinet must always be fixed to the wall)

White Colour ART-no GB71ACLF32WM Price EUR VAT 0% 264 4065467172109

Matt black Colour GB71ACLF32BL ART-no Price EUR VAT 0% 249 4065467172116

EAN

## ARTIC HIGH CABINET

## WIDTH 400 MM, DEPTH 390 MM









Colour Dimensions\* White Width 400 mm Height 1650 mm Depth 390 mm

GB71ACTC40TM ART-no Price EUR VAT 0% 1005 4065467171928 EAN

Colour Dimensions' Black ash wood Width 400 mm Height 1650 mm Depth 390 mm

GB71ACTC40TK ART-no Price EUR VAT 0% 1226 4065467171942 EAN

Colour Dimensions<sup>3</sup> Ash grey Width 400 mm Height 1650 mm Depth 390 mm

ART-no Price EUR VAT 0% EAN

GB71ACTC40TL 1005 4065467171935

Colour Dimensions\* Peach Width 400 mm Height 1650 mm Depth 390 mm

GB71ACTC40T0 ART-no Price EUR VAT 0% 1005 4065467171959 EAN





## LEG FRAME WITH ADJUSTABLE FEET

Provides a more "furnished" feel in the bathroom, available in white or black





Leg frame with adjustable feet, 390 mm deep high cabinet (the cabinet must always be fixed to the wall)

White Colour ART-no GB71ACLF39WM Price EUR VAT 0% 269 EAN 4065467172086

Matt black Colour ART-no GB71ACLF39BL Price EUR VAT 0% 253 4065467172093





LAUNDRY BASKET

Pull-out laundry basket for the lower section of the high cabinet

Art-no GB7 Price EUR VAT 0% 205 GB71GBLB30 7391530074801

## WIDTH 300 MM, DEPTH 320 MM









Colour Dimensions\* White Width 300 mm Height 1650 mm Depth 320 mm

ART-no GB71ACTC30TM Price EUR VAT 0% 953 EAN 4065467171881





Colour Dimensions\* Black ash wood Width 300 mm Height 1650 mm Depth 320 mm

ART-no GB71ACTC30TK Price EUR VAT 0% 1163 EAN 4065467171904





Colour Dimensions\* Ash grey Width 300 mm Height 1650 mm Depth 320 mm

ART-no GB71ACTC30TL Price EUR VAT 0% 953 EAN 4065467171898





Colour Dimensions\* Peach Width 300 mm Height 1650 mm Depth 320 mm

ART-no GB71ACTC30T0
Price EUR VAT 0% 953
EAN 4065467171911





## LEG FRAME WITH ADJUSTABLE FEET

Provides a more "furnished" feel in the bathroom, available in white or black





**Leg frame with adjustable feet, 320 mm deep high cabinet** (the cabinet must always be fixed to the wall)

 Colour
 White

 ART-no
 GB71ACLF32WM

 Price EUR VAT 0% 264

 EAN
 4065467172109

 Colour
 Matt black

 ART-no
 GB71ACLF32BL

 Price EUR VAT 0%
 249

 EAN
 4065467172116

## **GRAPHIC BATHROOM FURNITURE**

Graphic features slightly daintier dimensions than most other bathroom furniture units. The design is based on the repetition of graphic shapes and dimensions; for example, three wall cabinets on top of each other are exactly the same height as a high cabinet

making it easy to furnish with Graphic. Moreover, wall cabinets and high cabinets are available in two depths to suit both large and small bathrooms. Cabinet doors and carcases of the same colour create a harmonious bathroom.



## HANDLES AND KNOBS

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks. To see the complete range, turn to page 53.



## MIRRORS AND LIGHTING FOR MIRRORS AND MIRROR CABINETS

To see the complete range, turn to page 50



## GRAPHIC BATHROOM CABINET WITH SINK

## WIDTH 450 MM



Colour Dimensions<sup>3</sup> White Width 450 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU45DHWB 1060 7391530068657







Colour Dimensions\*

Width 450 mm Height 565 mm Depth 410 mm

GB71GCVU45GRWB ART-no Price EUR VAT 0% EAN







Green Width 450 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU45GNWB 1252 7391530071145





## WIDTH 600 MM



Colour Dimensions<sup>3</sup> White Width 600 mm Height 565 mm Depth 410 mm

GB71GCVU60DHWB ART-no Price EUR VAT 0% EAN

1111 7391530068664





Colour

Width 600 mm Height 565 mm Depth 410 mm

GB71GCVU60GRWB ART-no Price EUR VAT 0% EAN





Colour Dimensions\* Green Width 600 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU60GNWB 1315 7391530071169







Drawer insert, 450 mm

Colour Dimensions\*

White Width 350 mm Height 135 mm Depth 205 mm

GB71GCDR45 ART-no Price EUR VAT 0% 114 EAN 7391530068374



Drawer insert, 600 mm

Colour Dimensions\* White Width 500 mm Height 135 mm Depth 205 mm

GB71GCDR60 ART-no Price EUR VAT 0% 114 EAN 7391530068381

#### WIDTH 800 MM



Colour Dimensions<sup>3</sup> White Width 800 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU80DHWB 1222 7391530068671





Colour

Dimensions\*

Grey Width 800 mm Height 565 mm Depth 410 mm

GB71GCVU80GRWB Price EUR VAT 0% 1381 EAN 7391530068718







Green Width 800 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU80GNWB 1445 7391530071183







Drawer insert, 800 mm

Colour Dimensions\*

White Width 700 mm Height 135 mm Depth 205 mm

ART-no GB71GCDR80 Price EUR VAT 0% 175 EAN 7391 7391530068398

## WIDTH 1000 MM



Colour Dimensions\* White Width 1000 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU10DHWB 1345 7391530068688





Colour Dimensions\* Grey Width 1000 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU10GRWB 1517 7391530068725



Green





Width 1000 mm Height 565 mm Depth 410 mm

ART-no Price EUR VAT 0% EAN

GB71GCVU10GNWB 1588

7391530071206







Drawer insert, 1000 mm

Colour White Width 900 mm Height 135 mm Dimensions\*

Depth 205 mm

ART-no GB71GCDR10 Price EUR VAT 0% 175 EAN 7391 7391530068404

## **GRAPHIC MIRROR CABINET**

## GRAPHIC MIRROR CABINET, WIDTH 450 MM



Dimensions\* Width 450 mm Height 550 mm Depth 160 mm





Colour

ART-no GB71GCMC45DH Price EUR VAT 0% 472 EAN 7391530068084

White

Colour ART-no GB71GCMC45GR

Price EUR VAT 0% 533
FAN 7391530068121

Colour Green GB71GCMC45GN ART-no

Price EUR VAT 0% 558 EAN 7391530071220

## GRAPHIC MIRROR CABINET, WIDTH 600 MM







Dimensions\* Width 600 mm Height 550 mm Depth 160 mm





White GB71GCMC60DH Colour ART-no ARI-no
Price EUR VAT 0% 575
FAN 7391530068091

Colour ART-no

Grey GB71GCMC60GR

Price EUR VAT 0% 649 EAN 7391 7391530068138

Colour Green ART-no GB71GCMC60GN Price EUR VAT 0% 681 EAN 7391530071237

## GRAPHIC MIRROR CABINET, WIDTH 800 MM



Dimensions\* Width 800 mm Height 550 mm Depth 160 mm





ART-no GB7 Price EUR VAT 0% 645 GB71GCMC80DH EAN 7391530068107

White

Colour

Colour

Grey GB71GCMC80GR ART-no Price EUR VAT 0% 727 EAN 7391530068145

Colour Green GB71GCMC80GN ART-no

Price EUR VAT 0% 762 7391530071244 EAN

## GRAPHIC MIRROR CABINET, WIDTH 1000 MM



Dimensions\* Width 1000 mm Height 550 mm Depth 160 mm





Colour ART-no GB71GCMC10DH Price EUR VAT 0% 690 EAN 7391 7391530068114

White

Colour Grey GB71GCMC10GR ART-no Price EUR VAT 0% 780

7391530068152 EAN Colour Green

ART-no GB71GCMC10GN Price EUR VAT 0% 816 7391530071251

#### MIRROR CABINET LIGHTING

**The Graphic mirror cabinet** can be supplemented with lighting in two lengths and colours: Matt black or polished chrome. See page 52.



## **GRAPHIC WALL CABINET**

#### DFPTH 160 MM



Colour White Dimensions<sup>3</sup>

Width 600 mm Height 550 mm Depth 160 mm

GB71GCSC6016DH ART-no

Price EUR VAT 0% 476 7391530068244 EAN









Colour Dimensions\*

Grev Width 600 mm Height 550 mm Depth 160 mm

GB71GCSC6016GR ART-no

Price EUR VAT 0% 538 EAN 7391 7391530068251







Colour Green Width 600 mm Dimensions\* Height 550 mm Depth 160 mm

GB71GCSC6016GN ART-no

Price EUR VAT 0% 564

EAN 7391530071282





#### DFPTH 320 MM



Colour White

Dimensions Width 600 mm

Height 550 mm Depth 320 mm

GB71GCSC6032DH ART-no

Price EUR VAT 0% 562

7391530068275 EAN





Colour Dimensions\*

Grev

Width 600 mm Height 550 mm Depth 320 mm

GB71GCSC6032GR ART-no

Price EUR VAT 0% EAN 634

7391530068282





Colour Dimensions'

Green Width 600 mm

Height 550 mm Depth 320 mm

GB71GCSC6032GN ART-no

Price EUR VAT 0% 664 EAN

7391530071299





## **GRAPHIC STORAGE CUBE**

Height 275 mm Depth 160 mm

Dimensions\* Width 300 mm



Colour ART-no Price EUR VAT 0% 352





Colour ART-no GB71GCOS30GR Price EUR VAT 0% 397 EAN 7391530071039



Colour ART-no GB71GCOS30GN Price EUR VAT 0% 438 7391530071053 EAN





## GRAPHIC TOP PANEL FOR WALL CABINET

## FOR WALL CABINET, DEPTH 160 MM









White

Width 600 mm Height 19 mm Depth 200 mm

ART-no GB71GCTP6016DH Price EUR VAT 0% 450 7391530068305

EAN

Colour

Dimensions\*



Grey Width 600 mm

Height 19 mm Depth 200 mm

ART-no GB71GCTP6016GR

Price EUR VAT 0%

7391530068770

EAN

Colour Dimensions\*

Width 600 mm Height 19 mm Depth 200 mm

ART-no GB71GCTP6016GN Price EUR VAT 0% 533

EAN

7391530071305



Intended for two 600 mm cabinets fitted next to each other.

Colour White

Dimensions\* Width 1200 mm Height 19 mm Depth 200 mm

GB71GCTP1216DH ART-no Price EUR VAT 0% 493 7391530068312 FAN



Intended for two 600 mm cabinets

fitted next to each other. Grey Width 1200 mm Colour

Dimensions\*

Height 19 mm Depth 200 mm

GB71GCTP1216GR ART-no Price EUR VAT 0% 557

EAN 7391530068787



Intended for two 600 mm cabinets fitted next to each other.

Green Colour

Dimensions\* Width 1200 mm

Height 19 mm Depth 200 mm

GB71GCTP1216GN ART-no

Price EUR VAT 0% 584 EAN 7391530071312

FOR WALL CABINET, DEPTH 320 MM





Colour Dimensions\* White Width 600 mm

Height 19 mm Depth 360 mm

GB71GCTP6032DH ART-no 585

Price EUR VAT 0%

7391530068329 EAN

Colour Dimensions

Grey Width 600 mm

Height 19 mm Depth 360 mm

GB71GCTP6032GR ART-no

Price EUR VAT 0%

7391530068794 EAN



Colour Dimensions'

Width 600 mm

Height 19 mm Depth 360 mm

GB71GCTP6032GN ART-no Price EUR VAT 0% 686

EAN 7391530071329



Intended for two 600 mm cabinets fitted next to each other

Colour

White Width 1200 mm Dimensions\* Height 19 mm Depth 360 mm

GB71GCTP1232DH ART-no

Price EUR VAT 0% 644 7391530068336 FAN



Intended for two 600 mm cabinets fitted next to each other.

Grey

Width 1200 mm Dimensions\*

Height 19 mm Depth 360 mm

ART-no GB71GCTP1232GR Price EUR VAT 0% 721

EAN 7391530068800



Intended for two 600 mm cabinets fitted next to each other.

Green Colour

Dimensions\* Width 1200 mm

Height 19 mm Depth 360 mm

ART-no GB71GCTP1232GN

Price EUR VAT 0% 755 EAN 7391530071336

## **GRAPHIC HIGH CABINET**

#### DEPTH 160 MM



| Colour      | White          |
|-------------|----------------|
| Dimensions* | Width 300 mm   |
|             | Height 1650 mm |
|             | Denth 160 mm   |

ART-no GB71GCTC16DH ART-no Price EUR VAT 0% 727 EAN 739153006 7391530068183

Colour

GB71GCTC16GR ART-no Price EUR VAT 0% 822 EAN 739153006 7391530068190

Grev Colour Green Dimensions\* Width 300 mm Dimensions\* Width 300 mm Height 1650 mm Height 1650 mm Depth 160 mm Depth 160 mm

> GB71GCTC16GN Price EUR VAT 0% 862 EAN 739153007 7391530071268

## DEPTH 320 MM



| Colour      | White          |
|-------------|----------------|
| Dimensions* | Width 300 mm   |
|             | Height 1650 mm |
|             | Depth 320 mm   |

7391530068213

Depth 320 mm GB71GCTC32DH ART-no

Grey

Dimensions\* Width 300 mm

Green Colour Dimensions\* Width 300 mm Height 1650 mm Depth 320 mm

GB71GCTC32GR ART-no Price EUR VAT 0% 969 EAN 7391530068220

Height 1650 mm

GB71GCTC32GN Price EUR VAT 0% 1014 EAN 7391530071275 EAN



ART-no



Price EUR VAT 0% 856 EAN 739153006



Colour






















## GRAPHIC BASE BATHROOM FURNITURE

Our popular Graphic range with Graphic Base: a simpler design and a lower price – so that even more people can enjoy the benefits a full functional bathroom.

While there are still all kinds of smart Graphic solutions to choose

from, Graphic Base is only available in white, and only with a smooth door finish. This, in turn, simplifies the choice of mixers and other accessories. We want it to be simple and straightforward for everyone to put together a neat and functional bathroom.

## BATHROOM CABINET WITH SINK



## HIGH CABINET




#### **COLOUR**



White

## MIRROR CABINET



## HANDLES AND KNOBS

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks. To see the complete range, turn to page 53.



## MIRRORS AND LIGHTING FOR MIRRORS AND MIRROR CABINETS

To see the complete range, turn to page 50.



## GRAPHIC BASE BATHROOM CABINET WITH SINK

#### WIDTH 450 MM



Colour Dimensions\* Width 450 mm Height 600 mm Depth 410 mm

ART-no GB71GBVU45AGWB

Price EUR VAT 0% 694 EAN 7391530074818







## WIDTH 600 MM



Colour Dimensions\* White Width 600 mm Height 600 mm Depth 410 mm

ART-no GB71GBVU60AGWB Price EUR VAT 0% EAN 729 7391530074825





#### WIDTH 800 MM



Colour Dimensions\*

White Width 800 mm Height 600 mm Depth 410 mm

ART-no Price FUR VAT 0% 802

GB71GBVU80AGWB 7391530074832





## **GRAPHIC BASE MIRROR CABINET**

#### WIDTH 450 MM



Colour Dimensions\* White Width 450 mm Height 550 mm Depth 157 mm

ART-no GB71GBMC45AG00 Price EUR VAT 0% EAN 415 7391530074764





#### WIDTH 600 MM



Colour Dimensions\* White Width 600 mm Height 550 mm Depth 157 mm

ART-no Price EUR VAT 0% EAN

GB71GBMC60AG00 508 7391530074771





## WIDTH 800 MM



Colour Dimensions\* White Width 800 mm Height 550 mm Depth 157 mm

ART-no Price EUR VAT 0% 568 EAN 739

GB71GBMC80AG00 7391530074788





## MIRROR CABINET LIGHTING

 $\textbf{The Graphic Base mirror cabinet} \ \text{can be supplemented with lighting in two lengths and} \\$ colours: Matt black or polished chrome. See page 52.



## GRAPIC BASE HIGH CABINET



Colour Dimensions\* Width 300 mm Height 1700 mm Depth 319 mm

ART-no GB71GBTC30AG Price EUR VAT 0% 557
EAN 47391530074795





## LAUNDRY BASKET



#### Pull-out laundry basket for the lower section of the high cabinet

Removable metal wire basket for easy transport to the laundry room.

Supplied complete with installation fittings and pull-out rails. Suitable for left- and right-hand installation

Colour

Dimensions\*

Grey Width 255 mm Height 460 mm Depth 260 mm

ART-no GB71GBLB30

Price EUR VAT 0% 205 EAN 7391530074801

## NORDIC<sup>3</sup> BATHROOM FURNITURE

## NORDIC<sup>3</sup> BATHROOM CABINET WITH SINK



Colour Dimensions\* Glossy white Width 600 mm Height 715 mm Depth 420 mm

GB71B032E4WB\* ART-no Price EUR VAT 0% 7391530066721 FAN



Colour Dimensions Light wood Width 600 mm Height 715 mm Depth 420 mm

GB71B032E9WB\* ART-no Price EUR VAT 0% 7391530066738 FAN



\* Delisted, delivery only from available stock

## NORDIC<sup>3</sup> HIGH CABINET



Colour Dimensions\* Glossy white Width 350 mm Height 1800 mm Depth 270 mm

GB71B03300E4\* ART-no Price EUR VAT 0% 455 EAN 739 7391530066776





Colour Dimensions<sup>3</sup> Light wood Width 350 mm Height 1800 mm Depth 270 mm

ART-no Price EUR VAT 0% 430 EAN 7391530066783

GB71B03300E9\*



\* Delisted, delivery only from available stock

## NORDIC<sup>3</sup> MIRROR CABINET



Glossy white Width 600 mm Colour Dimensions Height 700 mm Depth 150 mm

GB71A47900E4\* ART-no Price EUR VAT 0% 455 EAN 7391530066790





Light wood Width 600 mm Colour Dimensions\* Height 700 mm Depth 150 mm

GB71A03300E9\* ART-no Price EUR VAT 0% 481 EAN 7391530066806



\* Delisted, delivery only from available stock

## MIRRORS AND LIGHTING

## MIRROR WITH LIGHTING AND SHELF

## WIDTH 600 MM



Dimensions\* Width 600 mm Height 802 mm

GB7199ML60BL

Price EUR VAT 0% 345 EAN 8435324905793

ART-no

## WIDTH 800 MM



Width 800 mm Dimensions\*

Height 802 mm

ART-no GB7199ML80BL

Price EUR VAT 0% 396 EAN 8435324905809

## WIDTH 1000 MM



Dimensions\*

Width 1000 mm

Height 802 mm

GB7199ML10BL ART-no

Price EUR VAT 0% 456 EAN 8435 8435324905816 WIDTH 1200 MM



Dimensions\*

Width 1200 mm Height 802 mm

GB7199ML12BL

ART-no

Price EUR VAT 0% 525 EAN 8435 8435324905823

## **MIRRORS**

- All installation components supplied
- Simple installation with adjustable fitting

#### Can be supplemented with lighting

## Ø 600 MM



Round mirror

ART-no GB71GCMR60
Price EUR VAT 0% 166
EAN 7391530070995

## WIDTH 450 MM



## Rectangular mirror

 
 Dimensions\*
 Width 450 mm Height 650 mm

 ART-no
 GB7148804500U

 Price EUR VAT 0% 138

 EAN
 7391530070278

## Ø 800 MM



Round mirror

ART-no GB71GCMR80 Price EUR VAT 0% 185 EAN 7391530071008

#### WIDTH 600 MM



#### Rectangular mirror

 
 Dimensions\*
 Width 600 mm Height 650 mm

 ART-no
 GB7148806000U

 Price EUR VAT 0%
 162

 EAN
 7391530066882

## WIDTH 800 MM



#### Rectangular mirror

Rectangular mirror

 
 Dimensions\*
 Width 800 mm Height 650 mm

 ART-no
 GB7148808000U

 Price EUR VAT 0%
 189

 EAN
 5705387002177

## Ø 1000 MM



Round mirror

ART-no GB71GCMR10 Price EUR VAT 0% 203 EAN 7391530071015

## WIDTH 1000 MM



 
 Dimensions\*
 Width 1000 mm Height 650 mm

 ART-no
 GB7148801000U

 Price EUR VAT 0%
 195

 EAN
 7391530066905

## WIDTH 1200 MM



## Rectangular mirror

 
 Dimensions\*
 Width 1200 mm Height 650 mm

 Art-no
 GB7148801200U Price EUR VAT 0%

 EAN
 5705387002184

## LIGHTING FOR MIRROR CABINETS AND MIRRORS

## LENGTH 300 MM



Dimensions\* Width 300 mm Heiaht 40 mm Depth 108 mm

Colour GB71GCCL30 ART-no Price EUR VAT 0% 191 7391530068343 EAN

Colour Matt black ART-no GB71GCCL30BL Price EUR VAT 0% 191 EAN 406 4065467172284

LENGTH 500 MM



Dimensions\* Width 500 mm Height 40 mm Depth 108 mm

GB71GCCL50 ART-no Price EUR VAT 0% 248 7391530068350 EAN

Colour Matt black ART-no GB71GCCL50BL Price EUR VAT 0% 248

4065467172291 EAN



Dimensions\*

Width 45 mm Height 80 mm Depth 45 + 61 mm

Chrome/frosted glass Colour ART-no GB7148804601 (1 pcs) Price EUR VAT 0% 126 EAN 7391530066226

## LIGHTING FOR BATHROOM CABINET DRAWER OR FOR EFFECT LIGHTING BELOW BATHROOM CABINETS



Drawer lighting set with transformer

GB7199DLLRD ART-no Price EUR VAT 0% 108 5705387009022



Drawer lighting set without transformer

ART-no GB7199DLLR Price EUR VAT 0% 70

## ELECTRICAL SOCKET



White Colour ART-no GB711800220 Price EUR VAT 0% 67 7391530066103 EAN

## HANDLES AND KNOBS

Handles H9



Handles H2 Black/chrome Colour Dimensions<sup>3</sup> C-C between screws 128 mm ART-no GB7199H2CW128 Price EUR VAT 0% 25

7316181000405 FAN



Handles H4 Colour Chrome Dimensions\* C-C between screws 128 mm ART-no GB7199H4CR128 Price EUR VAT 0% 7316181000443 EAN C-C between screws Dimensions\*

160 mm GB7199H4CR160 ART-no Price EUR VAT 0% 15 EAN 7316181000450 Dimensions\* C-C between screws

224 mm GB7199H4CR224 ART-no ART-no 22 Price EUR VAT 0% 22 FAN 7316181000467

Handles H4

Handles H5

Colour



Colour C-C between screws Dimensions<sup>3</sup> 128 mm GB7199H4BL128 ART-no Price EUR VAT 0% EAN 15 7316181000474 C-C between screws 160 mm GB7199H4BL160 ART-no Price EUR VAT 0% 15 7316181000481 FAN

C-C between screws Dimensions\* 224 mm GB7199H4BL224 ART-no Price EUR VAT 0% EAN 22 7316181000498



C-C between screws Dimensions<sup>3</sup> 32 mm ART-no GB7199H5WH032 Price EUR VAT 0% 15 EAN 7316181000511 C-C between screws Dimensions\* 128 mm GB7199H5WH128 ART-no Price EUR VAT 0% EAN 7316181000528

White



Handles H8 Colour Chrome/black leather Dimensions\* C-C between screws 160 mm GB7199H8CB160 ART-no Price EUR VAT 0% 70 7391530071428 EAN Brass/brown leather Colour C-C between screws 160 mm Dimensions\* GB7199H8BN160 ART-no Price EUR VAT 0% 77 7391530071435 EAN Black/Black leather Colour C-C between screws 160 mm Dimensions\* GB7199H8BB160 ART-no Price EUR VAT 0% 70 7391530071442 EAN



Colour Black ash wood C-C between screws 128 mm GB7199H9BL128 ART-no Price EUR VAT 0% 4065467172215 EAN C-C between screws Dimensions<sup>3</sup> 256 mm GB7199H9BL256 ART-no Price EUR VAT 0% 27 EAN 40 4065467172239



Handles H9 Colour Natural oak C-C between screws 128 m**m** GB7199H9OK128 Dimensions\* ART-no Price EUR VAT 0% 22 4065467172222 EAN C-C between screws Dimensions 256 mm GB7199H9OK256 ART-no Price EUR VAT 0% 27 EAN 4065467172246



Dimensions C-C between screws 160 mm ART-no GB7199H10BL160 Price EUR VAT 0% 22 EAN 4065467172161 Dimensions<sup>3</sup> C-C between screws 256 mm GB7199H10BL256 ART-no

Black

Handles H10 Colour

Handles H10

Dimensions\*

Price EUR VAT 0% 22

Colour

ART-no

Price EUR VAT 0% 27 EAN 4065467172185



4065467172154 FAN C-C between screws Dimensions 256 mm GB7199H10BR256 ART-no

Brass

160 mm GB7199H10BR160

C-C between screws

Price EUR VAT 0% 27 EAN 40 4065467172178



#### Knob K3 for furniture units

Dimensions\* Length 65 mm Black leather/chrome Colour GB7199K3BCR00 ART-no Price EUR VAT 0% 24 EAN 7391530071473

Colour Brown leather/brass

ART-no GB7199K3BBR00 Price EUR VAT 0% 24

7391530071480



#### Knob K1 for furniture units or walls

Dimensions\* Diameter: 30 mm Colour Porcelain/brass GB7199K1PB000 ART-no Price EUR VAT 0% 7316181000412 EAN



#### Knob K2 for furniture units or walls

Dimensions\* Diameter 25 mm Colour Chrome GB7199K2CR000 ART-no Price EUR VAT 0% 13 7316181000504 EAN



#### Knob K5 for furniture units or walls

Dimensions\* Diameter 24 mm Colour GB7199K5BR000 ART-no Price EUR VAT 0% EAN 7316181000580

Colour GB7199K5CU000 ART-no Price EUR VAT 0% 7316181000597 FAN





#### Knob K6 for furniture units or walls

Diameter 27 mm Dimensions\* Colour Black GB7199K6BL000 ART-no Price EUR VAT 0% 7316181000603 EAN

Colour White ART-no GB7199K6WH000 Price EUR VAT 0% 13 7316181000610 EAN



#### Knob K7 for furniture units or walls

Dimensions\* Diameter 25 mm Colour Chrome GB7199K7CR000 ART-no Price EUR VAT 0%

7391530071343



## Knob K8 for furniture units or walls

EAN

Dimensions\* Diameter 28 mm Colour White marble/ brushed chrome GB7199K8WM000 ART-no Price EUR VAT 0% 52 7391530071374 EAN

Green marble/ Colour brushed chrome ART-no GB7199K8GM000

Price EUR VAT 0% 52 7391530071381 EAN



#### Knob K9 for furniture units or walls

Dimensions\* Diameter 16 mm Colour Brass GB7199K9BR000 ART-no

Price EUR VAT 0% 22 EAN 7391530071459

Colour Black

ART-no GB7199K9BL000

Price EUR VAT 0% 17

7391530071466



#### Knob K10 for furniture units or walls

Dimensions\* Width 60 mm Black Colour GB7199K10BL00 Price EUR VAT 0% 17 4065467172208

Colour Brushed brass ART-no GB7199K10BR00 Price EUR VAT 0% 17

4065467172192



#### Knob K11 for furniture units or walls

Dimensions\* Diameter 28 mm Black Colour ART-no GB7199K11BL00

Price EUR VAT 0% 13 4065467172260 EAN

Colour Chrome GB7199K11CR00 ART-no

Price EUR VAT 0% 13 EAN 4065467172277

Colour Brushed brass ART-no GB7199K11BR00

Price EUR VAT 0% 13

4065467172253



## Push open function for bathroom cabinet

An option if you prefer not to fit handles to the bathroom cabinet drawers

Push open set for 60 cm bathroom cabinet

ART-no GB7199PU60 

Push open set for 80 cm bathroom cabinet

GB7199PU80 ART-no Price EUR VAT 0% 186

7391530079059 EAN

Push open set for 100 cm bathroom cabinet ART-no GB7199PU10 Price EUR VAT 0% 186 EAN 7391530079066

Push open set for 120 cm bathroom cabinet

ART-no GB7199PU12 Price EUR VAT 0% 186

7391530079073

## ARTIC PRO FURNITURE FOR LAUNDRY AREAS

With Artic Pro – Gustavsberg's new range of products intended for the laundry area – you can make your laundry room or the laundry section of your bathroom as stylish as the rest of the bathroom.

The wall cabinet – in white – is slightly taller than most other similar cabinets in order to facilitate storage.

Worktop sections in white or matt black are available to order in bespoke sizes to fit your laundry room precisely.

A white side section with adjustable feet effectively conceals the washing machine or laundry basket from the side

## WALL CABINET **COVERING SIDE** Height Height Height 700 mm 700 mm 785 mm +/- 10 mm Depth Width Depth Width 390 mm 390 mm 600 mm 400 mm WORKTOP Available in custom lengths from 200 mm to 2,500 mm Thickness 30 mm 2500 mm Depth 625 mm Depth 621 mm Width 200 mm HANDLES AND KNOBS All handles and knobs fit all our bathroom furniture units. Thickness 30 mm

## ARTIC PRO WALL CABINET

To see the complete range, turn to page 45.

- Soft-close door
- Two movable wood shelves
- Ideal for use as a top cabinet in a laundry room

Several of the knobs can also be mounted on walls as towel hooks.

- Installation system for quick and easy fitting on the wall
- A variety of handles in different styles are available as extras
- Made of bathroom-class material for humid environments

## WIDTH 600 MM



## Colour White Dimensions\* Width 600 mm Height 700 mm Depth 390 mm

ART-no GB71ACSC6070TM Price EUR VAT 0% 587 EAN 4065467172048





## WIDTH 400 MM

Colour White
Dimensions\* Width 400 mm
Height 700 mm
Depth 390 mm

ART-no GB71ACSC4070TM Price EUR VAT 0% 526 EAN 4065467172055





## ARTIC PRO WORKTOP

- Available in bespoke lengths see the range of lengths in the item description
- Anti-fingerprint surface

- Extra scratch-proof and durable surface that is easy to keep clear
- Resistant to chemicals
- Free from nano-particles

## WHITE

Dimensions\* Length 200–740 mm NB! State the exact measurement in mm when ordering Depth 625 mm Thickness 30 mm

Art-no GB71WT0200TQ Price EUR VAT 0% 282 EAN 7391530079110 Dimensions\* Length 741–1400 mm

NB! State the exact measurement in mm when ordering Depth 625 mm Thickness 30 mm

Art-no GB71WT0741TQ
Price EUR VAT 0% 495
EAN 7391530079127

Dimensions\* Length 1401–1980 mm

NB! State the exact measurement in mm when ordering Depth 625 mm Thickness 30 mm

Art-no GB71WT1401TQ
Price EUR VAT 0% 678
EAN GB71WT1401TQ

Dimensions\* Length 1981–2500 mm

NB! State the exact measurement in mm when ordering Depth 625 mm Thickness 30 mm

Art-no GB71WT1981TQ Price EUR VAT 0% 834 EAN 7391530079141

## MATT BLACK



Dimensions\* Length 200–740 mm

NB! State the exact measure
ment in mm when ordering
Depth 625 mm
Thickness 30 mm

Art-no GB71WT0200TN Price EUR VAT 0% 282 EAN 7391530079158

Dimensions\* Length 741-1400 mm

NB! State the exact measurement in mm when ordering Depth 625 mm Thickness 30 mm

 Art-no
 GB71WT0741TN

 Price EUR VAT 0%
 495

 EAN
 7391530079165

Dimensions\* Lenath 1401–1980 mm

NB! State the exact measure ment in mm when ordering Depth 625 mm Thickness 30 mm


Art-no GB71WT1401TN Price EUR VAT 0% 678 EAN 7391530079172 Dimensions\* Length 1981–2500 mm

NB! State the exact measurement in mm when ordering Depth 625 mm Thickness 30 mm

Art-no GB71WT1981TN
Price EUR VAT 0% 834
EAN 7391530079189

## ARTIC PRO ANGLE FITTING AND BRACKET FOR INSTALLING THE WORKTOP

Number of brackets and angle fittings needed for your chosen lenght of worktop, please see mounting instruction on www.gustavsberg.com




Angle fitting

 Art-no
 GB71WTBRKT

 Price EUR VAT 0%
 169

 EAN
 7391530079080



Bracket

 Art-no
 GB71WTCONS

 Price EUR VAT 0%
 169

 EAN
 7391530079097

## ARTIC PRO COVERING SIDE

- Matches the depth of the worktop
- Conceals the washing machine or laundry basket
- The adjustable foot lifts the side section a little way off the floor to eliminate the risk of moisture damage



Colour White

Dimensions\* Height 855–870 mm

Depth 621 mm Thickness 30 mm

Art-no GB71WTSPAG Price EUR VAT 0% 169

EAN 7391530079103



# MIXERS

The development is steadily moving towards higher demands in order to build a more sustainable community - and that is a development we at Gustavsberg welcome. Among other things, by launching New Nautic mixers with technology adapted to new environmental standards and requirements.

We want to take part in making buildings more sustainable, beautiful, and easier to maintain over time. That will is built-in to the New Nautic series, our most sustainable mixer ever. At gustavsberg.com you can read more about New Nautic and about all our other mixers.

## TO THINK OF

A mixer should be nice to look at – but it is the inside that makes the real difference. So go for quality. At Gustavsberg, you will find energy and water-saving technology in even the most exquisitely designed mixers. Do you have young children? Then choose a thermostatic mixer that regulates the water temperature and eliminates the risk of scalding.

## SMART SYMBOLS FOR SMART SOLUTIONS



#### COLD-START

Innovative technology ensures that the mixer supplies 100% cold water from its start position – facing forward – eliminating unnecessary use of hot water. Saves energy and money every time you use it.



## ECO-STOP

A smart eco-function that allows individual setting of the max flow of the mixer. This makes it simple for you to adjust the max flow, saving water and energy on your own terms. The function is fully adjustable for individual setting.



#### ECO-FLOW

The mixer features an effective, optimised flow of water. You therefore enjoy the same wonderful, functional experience as always, but using less water and energy. Kind on the environment—and on your wallet.



#### SENSOR-CONTROLLED MIXER

The smart sensor technology automatically helps you to save energy and avoid wasting water. The mixer turns on when you place your hands in the appropriate position, and shuts off again as soon as you remove them. During cleaning, cover the sensor eye to disable the mixer temporarily. Powered by a standard battery or transformer.



#### EVEN TEMPERATURE

Thermostatic mixers feature built-in automatic scald protection and hot-water safety stop with type-approved non-return valves. This means that the mixers react quickly to the changes in temperature and pressure that can arise in the water flow, and even out the differences.



#### SAFE TOUCH

All thermostatic mixers from gustavsberg are fitted with a safe touch function, which means they are designed to lead the hot water along the rear side of the mixer. This minimises the heat level on the front side of the thermostat, thus reducing the risk of burns.



#### LEAD-FREE

The mixer is made of material whose total weight includes less than 0.1% lead. As such, it is an eco-smart mixer that meets stringent requirements with reference to lead content. The mixer features a discreet laser marked symbol on its rear side to facilitate traceability.



#### ELECTRONIC SHUT-OFF VALVE

The smart self-closing valve increases water safety in your kitchen. Choose between three timing settings when the valve is open. A discreet LED lamp (green, blue, yellow) communicates your selected time setting and turns off when the valve is closed.



#### LEAKAGE BREAKER

If water comes into contact with the detector, the valve closes immediately and the leakage breaker's red LED lamp will flash. Even if the valve is closed, the LED lamp flashes if there are leakages from other devices.



## DUAL FUNCTION

The mixer is operated as normal wit a lever, but is also fully controllable with the digital control. A LED light communicates the selected temperature. For smarter use, flow and temperature can be programmed in three favourite settings that are activated via quick select.



#### OUICK EIT

The mixer is installed using a quick fit nut that is simply pushed up to its stop position and then tightened. This smart solution simplifies installation and saves time money and sore backs!



#### SMART INSIDE

Thanks to the smart, replaceable components, the mixer can be upgraded in the future to add new, even smarter functions. This extends the mixer's lifetime and makes it even more sustainable.



## **ESTETIC WASHBASIN MIXERS**


- Organic design idiom that matches bathrooms of all kinds
- The extra tall model suits both kitchen sinks and top-mounted bathroom sinks
- Eco-stop, adjustable maximum flow

- Adjustable max, temperature for improved scald protection
- Type approved flexible water connection for easier installation
- Available in several color options

| 117 21                                       |   | Estetic washbasin mixer  | ART-no  | Price EUR<br>VAT 0% | EAN   |
|--|---|--|---|---------------------|---|
| 155<br>105<br>25° ME 340                     |   | Chrome<br>Matt white<br>Matt black   | GB41218051<br>GB41218051 41<br>GB41218051 53    | 199<br>354<br>354   | 7393792230391<br>7393792230414<br>7393792232197 |
| G1/2   | U | (2)  |   |                     |   |
| 165 21<br>295<br>295<br>296<br>197<br>29 340 | 1 | Estetic washbasin mixer with high body  Chrome Matt white Matt black           | GB41218251<br>GB41218251 41<br>GB41218251 53    | 273<br>486<br>486   | 7393792230421<br>7393792230445<br>7393792232197 |
| Min 30<br>Max 45<br>G 1 1/4                  |   | SUPPLEMENTS Estetic push-down valve with porcelain plug White Matt white Black | GB41636575 25<br>GB41636575 41<br>GB41636575 23 | 78<br>94<br>94      | 7393792230797<br>7393792230803<br>7393792230810 |

## **EPIC WASHBASIN MIXERS**

- Contemporay design
- Eco-flow for efficient water- and energy consumption
- Soft move ceramic inside ensures soft and precice manouvering
- Adjustable max. temperature for improved scald protection
- Approved flexible water connection for easier installation
- Available in several color options



## **NEW NAUTIC WASHBASIN MIXERS**

- Energy calssification A saves water and energy
- Grip-friendly lever with clear color marking for hot and cold water
- Cold-start, supplies only cold water when the lever is in straight forward position (applies to energy class A)
- Eco-flow for efficient water- and energy consumption
- Eco-stop, adjustable maximum flow limitation

- Soft move, ceramic seal ensures soft and precice manouvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Directed water angle provides less splashing and plenty of room for hands
- Patented quick mounting nut for easy installation

| 25, 105   | Washbasin mixer with spout 150 mm, with energy and water   | ART-no                                   | Price EUR<br>VAT 0% | EAN   |
|---|--|--|---------------------|---|
| 140<br>19° 72<br>19° 72<br>350 8 Ø Ø34-37         | Saiving (eco-flow) and adjustable maximum flow (eco-stop) functions Chrome, Energy class A, Cold-start function, water connection G3/8 Chrome, Energy class A, Cold-start function, lead-free  | GB41216047<br>GB41216047R<br>GB412160470 | 160<br>160<br>193   | 7393792234788<br>7393792234856<br>7393792235013 |
| 25 105<br>140<br>107 72<br>350 9 034-37           | Washbasin mixer with self-closing hand spray and wall attachment, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions Chrome, Energy class A, Cold-start function Chrome, Energy class A, Cold-start function, lead-free                                     | GB41216147<br>GB412161470                | 228<br>274          | 7393792234993<br>7393792234986                  |
| G 1/2 010<br>G 1/2 105                            | Washbasin mixer with self-closing hand spray and wall attachment, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions and with shut-off for dishwasher/washing machine Chrome, Energy class A, Cold-start function   | GB41216187                               | 298                 | 7393792234962                                   |
| 350 g 034-37<br>G 1/2<br>G 1/2                    |  |  |                     |   |
| 167<br>167<br>108<br>350 g Ø34-37                 | Washbasin mixer with spout 150 mm, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions Chrome, Energy class A, Cold-start function Chrome, Energy class A, Cold-start function, water connection G3/8 Chrome, Energy class A, Cold-start function, lead-free | GB41216045<br>GB41216045R<br>GB412160450 | 198<br>198<br>234   | 7393792235082<br>7393792235099<br>7393792235129 |
| 25 150<br>167<br>77 108<br>350 0 034-37           | Washbasin mixer with spout 150 mm, with self-closing hand spray and wall attachment, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions Chrome, Energy class A, Cold-start function Chrome, Energy class A, Cold-start function, lead-free                  | GB41216145<br>GB412161450                | 278<br>334          | 7393792235068<br>7393792235051                  |
| 25 150<br>167<br>77 108<br>350 \$ 634-37<br>6 1/2 | Washbasin mixer with spout 150 mm with self-closing hand spray and wall attachment, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions and with shut-off for dishwasher/washing machine Chrome, Energy class A, Cold-start function                         | GB41216185                               | 365                 | 7393792235075                                   |

## NEW NAUTIC CARE WASHBASIN MIXERS

- Energy classification A saves water and energy
- Function adapted lever with clear color marking for hot and cold water
- Laminar aerator that counteracts aerosols
- Cold-start, supplies only cold water when the lever is in straight forward position (applies to energy class A)
- Eco-flow for efficient water- and energy consumption
- Eco-stop, adjustable maximum flow limitation

- Soft move, ceramic seal ensures soft and precice manouvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Directed water angle provides less splashing and plenty of room for hands
- Coated flexible water connection for improved hygiene
- Ceramic seal to prevent dripping and ensure a long service life
- Patented quick mounting nut for easy installation

| 25 160                                  | New Nautic washbasin mixer with 160mm lever, with energy and water saiving (eco-flow) and adjustable maximum flow   | ART-no                      | Price EUR<br>VAT 0% | EAN                            |
|---|---|-----------------------------|---------------------|--------------------------------|
| 10 72                                   | (eco-stop) functions Chrome, Energy class A, Cold-start function, lead-free   | GB41216047064               | 211                 | 7393792235006                  |
| 010                                     |   |                             |                     |                                |
| 25 160<br>150                           | New Nautic washbasin mixer with swivel spout 150 mm, lever<br>160mm, with energy and water saiving (eco-flow) and<br>adjustable maximum flow (eco-stop) functions |                             |                     |                                |
|   | Chrome, Energy class A, Cold-start function, lead-free  | GB41216045064               | 269                 | 7393792235112                  |
| 193<br>57 108 - 159<br>1000 1934-37 193 | Chrome with self-closing hand spray and wall attachment, hose 1,75m, energy class A, Cold-start function, lead-free   | GB41216145064               | 385                 | 7391530080444                  |
| G3/8 550 g G3437                        |   |                             |                     |                                |
|   | SUPPLEMENTS   |                             |                     |                                |
| 66mm Min 16 Max 47 Max 90 G1 1/4 G1 1/4 | Push-down valve Bottom plug for washbasins without overflow   | GB41636575 01<br>GB41637445 | 38<br>26            | 7393792214308<br>7393792221719 |
|   |   |                             |                     |                                |

## ATLANTIC WASHBASIN MIXERS

- Adjustable max. temperature for improved scald protection
- Eco-flow for efficient water- and energy consumption
- Cold-start, supplies only cold water when the lever is in straight forward position
- Ceramic seal to prevent dripping and ensure a long service life
- Type-approved, flexible water connection for simpler installation
- Backflow protection in accordance with SS-EN 1717 [AA]
- Atlantic is also available in models that contain less than 0.1% lead



## NORDIC<sup>3</sup> WASHBASIN MIXERS

- Contemporary design by Propeller
- Soft move ceramic seal ensures soft and precice manouvering
- Adjustable max. temperature for improved scald protection
- Type approved flexible water connection for easier installation






|   |   | ART-no     | Price EUR<br>VAT 0% | EAN           |
|---|---|------------|---------------------|---------------|
|   | Nordic³ washbasin mixer   |            |                     |               |
|   | Chrome  | GB41213451 | 143                 | 7393792233132 |
|   | Chrome with self-closing hand spray and wall attachment, hose 1,75m | GB41213461 | 200                 | 7393792233149 |
| 1 |   |            |                     |               |
|   |   |            |                     |               |
|   |   |            |                     |               |

## NORDIC PLUS WASHBASIN MIXERS


- Contemporary design by Propeller
- Soft move ceramic seal ensures soft and precice manouvering
- Adjustable max. temperature for improved scald protection
- Type approved flexible water connection for easier installation






|   | ART-no     | Price EUR<br>VAT 0% | EAN           |
|---|------------|---------------------|---------------|
| Nordic Plus washbasin mixer   |            |                     |               |
| Chrome  | GB41213751 | 143                 | 7393792233217 |
| Chrome with self-closing hand spray and wall attachment, hose 1,75m | GB41213761 | 200                 | 7393792233224 |
|   |            |                     |               |
|   |            |                     |               |
|   |            |                     |               |

## METIC WASHBASIN MIXERS




## DYNAMIC WASHBASIN MIXERS



## **NEW NAUTIC BIDET MIXER**

- Grip-friendly lever with clear color marking for hot and cold water
- Eco-stop, adjustable maximum flow limitation
- Soft move, ceramic seal ensures soft and precice manouvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Patented quick mounting nut for easy installation





|  | ART-no     | Price EUR<br>VAT 0% | EAN           |
|--|------------|---------------------|---------------|
| New Nautic bidet mixer with ball jointed aerator, with bottom valve and lift bar |            |                     |               |
| Chrome   | GB41216071 | 224                 | 7393792235563 |
|  |            |                     |               |

## SENSORIC 1.0 SENSOR OPERATED WASHBASIN MIXERS

- 9V system, Batteries (AA standard) are included.
- Battery-box hidden inside mixer body
- Self calibrating sensor
- Possible to add a 240 V supply (3m cable)
- Leed & Breeam adapted Flow, limited to 1,9 or 4,5 I/min (PCA areators included in package)
- Can be modified for pre-temperature or cold water only
- Backflow protection AA
- Max flow time 1 min
- Lead free (>0,1% Pb)
- 3/8 connections with filter and check valves
- Projection 11,5mm, +5

| 140 35   |   | Sensoric 1.0 washbasin mixer                          | ART-no     | Price EUR<br>VAT 0% | EAN           |
|--|---|---|------------|---------------------|---------------|
| 133 5°   Q   Q   Q   Q   Q   Q   Q   Q   Q                                   | 7 | Chrome, lead-free                                     | GB41218881 | 350                 | 7391530080826 |
| G3/8   |   | Po  |            |                     |               |
| 140 35   |   | Sensoric 1.0 washbasin mixer with 160mm distance ring |            |                     |               |
| 199<br>100 5°<br>100 5°<br>100 5°<br>100 100 100 100 100 100 100 100 100 100 |   | Chrome, lead-free                                     | GB41218281 | 370                 | 7391530080925 |
| G3/8   | U | Po  |            |                     |               |
| 140 35   |   | Sensoric 1.0 washbasin mixer with 240mm distance ring |            |                     |               |
| 279<br>240<br>240<br>232-37  |   | Chrome, lead free                                     | GB41218481 | 400                 | 7391530080932 |

## ESTETIC THERMOSTATIC SHOWER MIXERS

- · Organic design idiom that matches bathrooms of all kinds
- Available in multiple color options
- Safe fouch function minimises the heat on the front side of the fauce
- Reacts quickly to changes in the temperature and pressure of the water flow to ensure an even water temperature.
- Shut-off button on the temperature side at comfort temperature: 38°C
- Built-in automatic hot water shut-off for scald protection
- Adjustable max. temperature for improved scald protection
- Ceramic cut-off for drip-free operation and a long service life
- Type-approved non-return valves in the inlet
- Can be supplemented with Estetic bathtub spout or combined with all spouts for bathtub mixters



## LOGIC THERMOSTATIC SHOWER MIXERS

- Organic design by Jon Eliasson
- Safe Touch function minimizes the heat on the front side of the faucet
- Built-in automatic scald protection and hot-water block
- Shut-off button on the temperature side at comfort temperature: 38°C
- Adjustable max. temperature for improved scald protection
- Reacts quickly to changes in temperature and pressure that can occur in the system
- Can be supplemented with a bathtub spout



## **NAUTIC THERMOSTATIC SHOWER MIXERS**

- $\bullet\,$  Safe Touch function minimizes the heat on the front side of the faucet
- Reacts quickly to changes in temperature and pressure that can occur in the system
- Shut-off button on the temperature side at comfort temperature: 38°C
- Adjustable max. temperature for improved scald protection
- Built-in automatic scald protection and hot-water block
- Shut-off button on the volume side for comfort flow
- Ceramic shut-off for longer service life and reduced risk of leakage
- Opportunity for function adaptation with optional levers
- Can be supplemented with a bathtub spout

| <b>!</b> *        |      | Nautic thermostatic shower mixer with outlet down,   | ART-no                     | Price EUR<br>VAT 0% | EAN                            |
|-------------------|------|--|----------------------------|---------------------|--------------------------------|
| C-C T             | 6    | non-return valves, ceramic cartridge  Chrome  Chrome, lead free  | GB41215304<br>GB41215304 0 | 231<br>275          | 7393792225625<br>7393792229159 |
| G1/2 70           | 1    | Pb Pb  |                            |                     |                                |
| C-C 70 38 38 G1/2 |      | Nautic thermostatic shower mixer with outlet up, non-return valves, ceramic cartridge  Chrome                                    | GB41215324                 | 276                 | 7393792225656                  |
|                   |      | Nautic self close thermostatic shower mixer with non-return valves, with adjustable flow and flushing time approx 30 sec  Chrome | GB41215365                 | 552                 | 7393792233361                  |
| G1/2 70           | A BU | Nautic thermostatic shower mixer with wing knobs, ceramic cartridge and non-return valves  Chrome                                | GB41215304066              | 324                 | 7393792228619                  |
| G1/2 70           | 1 W  | Nautic thermostatic shower mixer with wing knob and lever 160mm, ceramic cartridge and non-return valves  Chrome                 | GB41215304067              | 343                 | 7393792232098                  |

## ATLANTIC THERMOSTATIC SHOWER MIXER

- Built-in automatic hot water block for scald protection
- Adjustable max. temperature for improved scald protection
- Safe Touch, minimises the heat on the front side of the mixer
- Block button on the temperature side at comfort temperature: 38°C
- Reacts quickly to changes in the flow pressure and temperature to

maintain a constant water temperature

- Ceramic shut-off to prevent dripping and ensure a long service life
- Type-approved non-return valves in the inlet
- Backflow protection in accordance with SS-EN 1717 [EB]
- Can be supplemented with a bathtub spout



## NORDIC<sup>3</sup> THERMOSTATIC SHOWER MIXERS

- Scandinavian design mixer by Jon Eliasson.
- Safe Touch function minimises the heat on the front side of the mixer
- Built-in automatic hot water shut-off for scald protection
- Shut-off button on the temperature side at comfort temperature: 38°C
- Adjustable max. temperature for improved scald protection
- Reacts quickly to changes in temperature and pressure that can occur in the system
- Can be supplemented with a bathtub spout



## BATHTUB SPOUT FOR THERMOSTATIC MIXERS

Suits Estetic, Logic, Nautic, Atlantic and Nordic<sup>3</sup> thermostatic shower mixers

#### MOVABLE BATHTUB SPOUT:

Increases safety when children play in the bath

The spout does not interfere w'th the bath space

When the spout is directed straight the water comes out of the spout, when turned under the mixer the water is directed to the hand shower

Functions stated on the spout

FIXED BATHTUB SPOUT:
With pull-diverter
Contain less than 0.1% lead


| M20x1,5<br>G1/2 | Swivel spout with automatic resetting to bath position<br>Chrome 115mm | ART-no<br>GB41638760       | Price EUR<br>VAT 0% | EAN 7393792228633              |
|-----------------|--|----------------------------|---------------------|--------------------------------|
| 85 M20x1,5      | Spout with pull-operated diverter<br>Chrome<br>Chrome, lead-free       | GB41636820<br>GB41636820 0 | 111<br>133          | 7393792215411<br>7393792230308 |
| G1/2            | Pb   |                            |                     |                                |

## BATHTUB SPOUT FOR ESTETIC SHOWER MIXERS

Suits Estetic, Logic, Nautic, Atlantic and Nordic<sup>3</sup> thermostatic shower mixers

With pull diverter placed on the spout, directs the waterflow Available in several colours


ART-no Price EUR





|                            |              | VAT 0% |               |
|----------------------------|--------------|--------|---------------|
| Outlet spout with diverter |              |        |               |
|                            |              |        |               |
| Chrome                     | GB41638860   | 170    | 7393792230605 |
| Matt white                 | GB4163886041 | 302    | 7393792230629 |
| Mattblack                  | GB4163886053 | 302    | 7393792232241 |
|                            |              |        |               |
|                            |              |        |               |
|                            |              |        |               |
|                            |              |        |               |

## **BATH FILLER**





| Bath filler thermostatic mixer with spout*                     | ART-no     | Price EUR<br>VAT 0% | EAN           |
|--|------------|---------------------|---------------|
| Chrome   | GB41217143 | 698                 | 7393792217316 |
| Spout (should be ordered separately) *Delisted from 30.03.2023 | GB41638390 | 88                  | 7393792226639 |


## **NEW NAUTIC SHOWER MIXERS**

- A classic single-lever mixer for shower and bath, available in several variants and models.
- All mixers can be combined with any shower set.
- Adjustable maximum temperature for increased scald protection
- Functional and timeless Scandinavian design.
- It is possible to have the standard lever on a previously installed mixer replaced with an extended model.
- Single-lever Care mixer is made of brass of Lead-free DZR quality.



## NAUTIC THERMOSTATIC BATHTUB MIXER

- Diverter placed on the spout directs the waterflow
- Safe Touch function minimizes the heat on the front side of the faucet
- Built-in automatic scald protection and hot-water block
- Shut-off button on the temperature side at comfort temperature: 38°C
- Shut-off button on the volume side for comfort flow
- Adjustable max. temperature for improved scald protection
- Reacts quickly to changes in temperature and pressure that can occur in the system
- Type-approved non-return valves in the inlet
- Suitable for function adaptation with optional knobs





|   | ART-no     | Price EUR<br>VAT 0% | EAN           |
|---|------------|---------------------|---------------|
| Nautic thermostatic bath mixer with non-return valves and ceramic cartridge |            |                     |               |
| Chrome The package consists of:   | GB41215333 | 344                 | 7393792225663 |
| Chrome  | GB41215304 | 231                 | 7393792225625 |
| Spout with pull-operated diverter, chrome                                   | GB41636820 | 111                 | 7393792215411 |
|   |            |                     |               |

## RAIN SHOWER HEADS, ROUND AND SQUARE, WITH THERMOSTATIC MIXERS

- Ultra-slim rain shower head,  $\emptyset$  250 mm / 250 x 250 mm
- Easy to clean: The design of the shower nozzles makes it simple to wipe away any limescale deposits
- The rain shower head and shower arm are turnable and can be adjusted to suit individual preferences
- A 400 mm shower arm means plenty of shower space
- Telescopically adjustable height: 770–1165 mm
- Adjustable wall fitting (50–130 mm) for simple installation
- Three-function hand shower with delightful jet patterns
- Mounted on a slider, the hand shower ensures a wonderful shower experience for users of any height

- Change-over function in the flow handle
- Built-in automatic hot water shut-off for scald protection
- $\bullet\,$  Shut-off button on the temperature side at comfort temperature: 38°C
- Safe Touch function minimises the heat on the front side of the mixer
- The mixer reacts quickly to changes in the temperature and pressure of the water flow to ensure an even water temperature
- Backflow protection in accordance with SS-EN 1717 [EB]
- The shower set can be fitted using screws or glue
- Can be combined with Gustavsberg bathtub spouts

| ESTETIC               |  |  |  |                     |   |
|-----------------------|--|--|--|---------------------|---|
| 125                   |  | G3 Round shower kit with Estetic thermostatic shower mixer, with superslim shower head Ø250mm, with built-in diverter, with 3 function hand shower     | ART-no                                   | Price EUR<br>VAT 0% | EAN   |
| 250                   | 6  | Chrome<br>Matt black   | GB41218330<br>GB41218330 53              | 701<br>1198         | 7393792231374<br>7393792233613                  |
| 770-1165              |  | ACCESSORIES Turnable bathtub spout with built-in change-over   | GB41638760                               | 177                 | 7393792228633                                   |
|                       | RAIN RAIN-JET JET  | function, chrome 115mm<br>Bathtub spout with built-in change-over<br>function, Matt black  | GB41638860 53                            | 302                 | 7393792232241                                   |
| -267                  |  | Soap dish Shower bar - extension 1060 mm, chrome Shower bar - extension 1060 mm, matt black  | GB41639513<br>GB41639512<br>GB4163951253 | 18<br>81<br>136     | 7393792231831<br>7393792231824<br>7391530080437 |
| -1                    |  | faa de   |  |                     |   |
| 400 50-130            |  | G4 Square shower kit with Estetic thermostatic shower mixer, with superslim shower head 250x250mm, with built-in diverter, with 3 function hand shower |  |                     |   |
| 250                   | es 00  | Chrome<br>Matt black   | GB41218335<br>GB4121833553               | 723<br>1236         | 7393792231381<br>7393792233620                  |
| 770-1165              | 1 1  | ACCESSORIES Turnable bathtub spout with built-in change-over function, chrome 115mm  | GB41638760                               | 177                 | 7393792228633                                   |
|                       | RAIN BAIN-JET JET  | Bathtub spout with built-in change-over function, Matt black   | GB4163886053                             | 302                 | 7393792232241                                   |
|                       |  | Soap dish Shower bar - extension 1060 mm, chrome Shower bar - extension 1060 mm, matt black  | GB41639513<br>GB41639512<br>GB4163951253 | 18<br>81<br>136     | 7393792231831<br>7393792231824<br>7391530080437 |
| 267                   | 0 0  | Shower Bar - extension rood min, matt black  | GB4103731233                             | 136                 | 7371330000437                                   |
| ATLANTIC              |  |  |  |                     |   |
| 125 50-130<br>125 290 | - CONTRACTOR - CON | G3 Round shower kit with Atlantic thermostatic shower mixer, with superslim shower head Ø250mm, with built-in diverter, with 3 function hand shower    |  |                     |   |
| 60                    | 9  | Chrome ACCESSORIES   | GB41215030                               | 669                 | 7393792233309                                   |
| 770-1165              |  | Turnable bathtub spout with built-in change-over function, chrome 115mm  | GB41638760                               | 177                 | 7393792228633                                   |
|                       |  | Soap dish<br>Shower bar - extension 1060 mm, chrome  | GB41639513<br>GB41639512                 | 18<br>81            | 7393792231831<br>7393792231824                  |
| 25                    | RAIN RAIN JET JET  | Can Be   |  |                     |   |
| NAUTIC                | ~  | G3 Round shower kit with Nautic thermostatic shower  |  |                     |   |
| 50-130                | - TOTAL DE   | mixer, with superslim shower head 0250mm, with built-in diverter, with 3 function hand shower  |  |                     |   |
| 250                   | 0  | Chrome   | GB41215330                               | 669                 | 7393792231237                                   |
| 770-1165              | 1  | ACCESSORIES Turnable bathtub spout with built-in change-over function, chrome 115mm  | GB41638760                               | 177                 | 7393792228633                                   |
|                       |  | Soap dish<br>Shower bar - extension 1060 mm, chrome  | GB41639513<br>GB41639512                 | 18<br>81            | 7393792231831<br>7393792231824                  |
| 274                   | SAIN SAIN JET JET  |  |  |                     |   |

EAN

7393792231428

7393792228633

7393792231831

7393792231824

699

177

18

81


#### NAUTIC, CONTINUATION







|   | ART-no     | Price EUR<br>VAT 0% | EAN           |
|---|------------|---------------------|---------------|
| G4 Square shower kit with Nautic thermostatic shower mixer, with superslim shower head 250x250mm, with built-in diverter, with 3 function hand shower |            |                     |               |
| Chrome  | GB41215335 | 688                 | 7393792231244 |
| ACCESSORIES   |            |                     |               |
| Turnable bathtub spout with built-in change-over function, chrome 115mm   | GB41638760 | 177                 | 7393792228633 |
| Soap dish   | GB41639513 | 18                  | 7393792231831 |
| Shower bar - extension 1060 mm, chrome  | GB41639512 | 81                  | 7393792231824 |
|   |            |                     |               |





















## RAIN SHOWER HEADS, ROUND AND SQUARE

- Easy to clean: the design of the shower nozzles makes it simple to wipe away any limescale deposits
- A 400 mm shower arm means plenty of shower space
- Telescopically adjustable height: 840–1240 mm

- Adjustable wall fitting (50–130 mm) for simple installation
- Three-function hand shower with delightful jet patterns
- Mounted on a slider, the hand shower ensures a wonderful shower experience for users of any height

GB41215635

GB41638760

GB41639513

GB41639512


- 1.75 m chromed hose ensures consistency in the design
- The shower set can be fitted using screws or glue

| 125 250 130 |                   | G3 fixed Round shower set with superslim shower head 0250mm, with diverter, with 3 function hand shower            | ART-no     | Price EUR<br>VAT 0% | EAN           |
|-------------|-------------------|--|------------|---------------------|---------------|
| 840-1240    | RAIN SAPE-JET JET | Chrome   | GB41103230 | 424                 | 7393792231190 |
| 125         |                   | G4 fixed Square shower set with superslim shower head 250x250mm, with diverter, with 3 function hand shower Chrome | GB41103235 | 446                 | 7393792231206 |
| 840-1240    | RAIN PLAN-JET     |  |            |                     |               |

## SHOWER SETS, ROUND AND SQUARE


- Shower sets that combine modern, stylish design with excellent function
- Easy to clean: The design of the shower nozzles makes it simple to remove limestone deposits
- PVC-free shower hose, 1.75 m

- Wall fitting with adjustable c-c dimensions
- 3-function hand shower with push button
- Simple and flexible installation
- Can be affixed with screws or glue
- Can be combined with all Gustavsberg shower and bathtub mixers



## SHOWER SET, ATLANTIC

- Water- and energy-saving hand shower
- PVC-free shower hose, 1.75 m
- Wall brackets with adjustable c-c measurement
- 3-function hand shower
- The shower set can be mounted with screws or glue
- Built-in automatic hot water block for scald protection
- Block button on the temperature side at comfort temperature 38°C
- Adjustable max. temperature for improved scald protection
- Safe Touch function minimises the heat on the front side of the mixer
- Reacts quickly to changes in the flow pressure and temperature to maintain a constant water temperature
- Ceramic shut-off to prevent dripping and ensure a long service life
- Type-approved non-return valves in the inlet
- Backflow protection in accordance with SS-EN 1717 [EB]



# NAUTIC ART-no Price EUR VAT 0% Shower set GB41103250 with Nautic thermostatic mixer\* Chrome \* Delisted from 31.05.2023 \* Delisted from 31.05.2023

#### **SHOWER SETS**

- Water- and energy-saving hand shower
- Easy clean the design of the shower nozzles makes it simple to remove limestone deposits
- PVC free shower hose, 1.75 m
- 3-function hand shower

- Soap shelf with hooks
- Wall fitting with adjustable c-c dimensions
- Wall fixations adapted for gluing or traditional screw-mounting
- Can be combined with all our bathtub and shower mixers
- Flow at 3 bar pressure 7,8 litres/min, 5,5 litres/min.

| A The state of the | Gustavsberg shower set with stand 870mm, soap holder, three sprays and hose 1,75m*         | ART-no                    | Price EUR<br>VAT 0% | EAN                            |
|--|--|---------------------------|---------------------|--------------------------------|
| max 870  | * Delisted from 31.05.2023   | GB41103250                | 103                 | 7393792227407                  |
| A B max 720  | Gustavsberg shower set with satnd 720 mm, soap holder, three sprays and hose 1,75m  Chrome | GB41106250                | 90                  | 7391530081021                  |
|  | Fixed shower set, lenght 1070mm  Chrome/matt chrome  | GB41103355                | 174                 | 7393792233385                  |
| max 870  | Legionella shower set with black spiral hose and emptying valve  Chrome  Chrome, lead-free | GB41103216<br>GB411032160 | 255                 | 7393792225366<br>7393792229326 |

#### NEW NAUTIC KITCHEN MIXERS

- Energy classification B or C saves water and energy
- Grip-friendly lever with clear color marking for hot and cold water
- Cold-start, supplies only cold water when the lever is in straight forward position (applies to energy class B)
- Eco-flow for efficient water- and energy consumption
- Eco-stop, adjustable maximum flow limitation

- Soft move, ceramic seal ensures soft and precice manouvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Patented quick mounting nut for easy installation
- All components made of food graded material

| J.U             |        |  | ART-no                                   | Price EUR<br>VAT 0% | EAN   |
|-----------------|--------|--|--|---------------------|---|
| 215             |        | New Nautic sink mixer with with high swivel spout 110°, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions  |  |                     |   |
| 63437 216       | 1 )    | Chrome, Energy class B, Cold-start function Chrome, Energy class B, Cold-start function, water connection  | GB41206056<br>GB41206056R                | 224<br>224          | 7393792235464<br>7393792235471                  |
| 200 2           | 9      | G3/8<br>Chrome, Energy class B, Cold-start function, lead-free   | GB412060560                              | 269                 | 7393792235457                                   |
| Ø10             |        |  |  |                     |   |
| 215             | $\cap$ | New Nautic sink mixer with with high swivel spout 110°, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions and with shut-off for dishwasher/washing machine   |  |                     |   |
|                 | 1 1    | Chrome, Energy class B, Cold-start function Chrome, Energy class B, Cold-start function, water connection  | GB41206096<br>GB41206096R                | 261<br>261          | 7393792234764<br>7393792234832                  |
| 200 2004.37 210 | 9      | G3/8 Chrome, Energy class B, Cold-start function, lead-free  | GB412060960                              | 315                 | 7393792235419                                   |
| GIZ             | (\$    |  |  |                     |   |
| 200             |        | New Nautic sink mixer with with high swivel 110° D-spout, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions and with shut-off for dishwasher/washing machine |  |                     |   |
| 200 204-37 245  |        | Chrome, Energy class C<br>Chrome, Energy class C, water connection G3/8  | GB41206097<br>GB41206097R                | 236<br>236          | 7393792234757<br>7393792234825                  |
| 61/2            | 15     | 8808   |  |                     |   |
| ,28 245         |        | New Nautic sink mixer with swivel spout 110°, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions  |  |                     |   |
| 155             |        | Chrome, Energy class C Chrome, Energy class C, water connection G3/8 Chrome, Energy class B, Cold-start function, lead-free  | GB41206055<br>GB41206055R<br>GB412060550 | 202<br>202<br>269   | 7393792235310<br>7393792235327<br>7393792235365 |
| 350 2 034.37    |        |  |  |                     |   |
|                 |        |  |  |                     |   |
| 28 245          |        | New Nautic sink mixer with swivel spout 110°, with energy<br>and water saiving (eco-flow) and adjustable maximum flow<br>(eco-stop) functions and with shut-off for dishwasher/<br>washing machine   |  |                     |   |
| 15              |        | Chrome, Energy class C   | GB41206095                               | 243                 | 7393792235297                                   |
| 350 034-37      | 3      | Chrome, Energy class C, water connection G3/8 Chrome, Energy class B, Cold-start function, lead-free   | GB41206095R<br>GB412060950               | 243<br>292          | 7393792235303<br>7393792235341                  |
| G1/Z            |        |  |  |                     |   |

#### **NEW NAUTIC CARE KITCHEN MIXERS**

- Energy classification B saves water and energy
- Grip-friendly lever with clear color marking for hot and cold water
- Laminar aerator that counteracts aerosols
- All components made of food graded material
- Cold-start, supplies only cold water when the lever is in straight forward position
- Eco-flow for efficient water- and energy consumption
- Eco-stop, adjustable maximum flow limitation

- Soft move, ceramic seal ensures soft and precice manouvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Coated flexible water connection for improved hygiene
- Ceramic seal to prevent dripping and ensure a long service life
- Patented quick mounting nut for easy installation
- Eco-stop, adjustable maximum flow limitation

|                                |     |   | ART-no        | Price EUR<br>VAT 0% | EAN           |
|--------------------------------|-----|---|---------------|---------------------|---------------|
| 38 215                         |     | New Nautic sink mixer with high swivel spout, 160mm lever, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions  |               |                     |               |
| 370                            | 1 ) | Chrome, Energy class B, Cold-start function, lead-free  | GB41206056064 | 323                 | 7393792235440 |
| 350 2 210                      |     | <b>606006</b>   |               |                     |               |
| 205_                           |     | New Nautic sink mixer with high swivel spout, 160mm lever, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions and with shut-off for dishwasher/washing machine |               |                     |               |
| 270 034-37 210                 |     | Chrome, Energy class B, Cold-start function, lead-free  | GB41206096064 | 386                 | 7393792235402 |
| 912                            |     | 606006  |               |                     |               |
| 28 245                         |     | New Nautic sink mixer with swivel spout, 160mm lever, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions   |               |                     |               |
| 180<br>15° 145<br>150 E Ø34-37 |     | Chrome, Energy class B, Cold-start function, lead-free  | GB41206055064 | 323                 | 7393792235358 |
| 010                            |     | 606006  |               |                     |               |
| 28 245<br>160                  |     | New Nautic sink mixer with swivel spout, 160mm lever, with energy and water saiving (eco-flow) and adjustable maximum flow (eco-stop) functions and with shut-off for dishwasher/washing machine      |               |                     |               |
| 350 8 034-37                   |     | Chrome, Energy class B, Cold-start function, lead-free  | GB41206095064 | 386                 | 7393792235334 |
| G1/2                           |     | 606006  |               |                     |               |

#### **EPIC KITCHEN MIXERS**

- Modern, comtemporary design
- Eco-flow for efficient water- and energy consumption
- Soft move ceramic inside ensures soft and precice manouvering
- Swiveling 110°spout

- Adjustable max, temperature for improved scald protection
- Available in multiple color options

| 2-  |              | Epic sink mixer with high swivel spout 110°   | ART-no                                       | Price EUR<br>VAT 0% | EAN   |
|---|--------------|---|--|---------------------|---|
| 510 Ann   | The second   | Chrome Matt black Brushed brass   | GB41209956<br>GB41209956 53<br>GB41209956 24 | 236<br>356<br>356   | 7393792233798<br>7393792233811<br>7393792233804 |
| 63 a 32 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5   | 777          | Epic sink mixer with high swivel spout 110° and with shut-off for dishwasher/washing machine  Chrome Matt black Brushed brass | GB41209996<br>GB41209996 53<br>GB41209996 24 | 284<br>426<br>426   | 7393792233828<br>7393792233842<br>7393792233835 |
| 0 34-37 And 1 And |              | Epic sink mixer with high swivel pull-out spout 110°  Chrome Matt black Brushed brass   | GB41209959<br>GB41209959 53<br>GB41209959 24 | 295<br>444<br>444   | 7393792233859<br>7393792233873<br>7393792233866 |
| 032<br>400<br>430<br>63/8   | <b>3 3 3</b> | Shut-off for dishwasher/washing machine Chrome Matt black Brushed brass   | GB41639755<br>GB41639755 53<br>GB41639755 24 | 58<br>88<br>88      | 7393792234252<br>7393792234276<br>7393792234269 |


#### ATLANTIC KITCHEN MIXERS

- Adjustable max. temperature for improved scald protection
- Pivoting spout 110° (0° and 60° block included)
- Eco-flow for efficient water- and energy consumption
- Cold-start, supplies only cold water when the lever is in straight forward position
- Ceramic seal to prevent dripping and ensure a long service life
- Type-approved, flexible water connection for simpler installation
- Backflow protection in accordance with SS-EN 1717 [AA]
- Also available in model containing less than 0,1% lead and with energy classification B



#### ATLANTIC KITCHEN MIXER WITH ELECTRONIC SHUT-OFF VALVE

- Provides a more water secure home environment
- Contemporary, modern desig in combination with excelent function
- $\bullet\,$  Soft move ceramic inside ensures soft and precice manouvering
- Pivoting spout 110° (0° and 60° block included)
- Adjustable max. temperature for improved scald protection
- Type-approved, flexible water connection for simpler installation
- Self-closing shut of valve; 3, 6 or 12 hours
- Multi-colored LED light signals function
- Including leakage detector, leakage shut-off and water alert
- Motorised valve with ceramic seal





|   | ART-no     | Price EUR<br>VAT 0% | EAN           |
|---|------------|---------------------|---------------|
| Atlantic sink mixer with high swivel spout 110° and with electronic shut-off for dishwasher/washing machine |            |                     |               |
| Chrome  | GB41205086 | 974                 | 7393792233286 |
|   |            |                     |               |
|   |            |                     |               |
|   |            |                     |               |

#### NORDIC PLUS SPIRAFLEX KITCHEN MIXER

- Two spray patterns; normal or shower spray
- Contemporary, modern desig by Propeller
- Soft move ceramic inside ensures soft and precice manouvering
- Pivoting spout
- Adjustable max. temperature for improved scald protection
- Type-approved, flexible water connection for simpler installation





| ART-no                | Price EUR<br>VAT 0%   | EAN                   |
|-----------------------|-----------------------|-----------------------|
| ex swivel spout 110°, |                       |                       |
| GB41203758            | 450                   | 7393792233255         |
|                       |                       |                       |
|                       |                       |                       |
|                       |                       |                       |
|                       | ex swivel spout 110°, | ex swivel spout 110°, |

#### NORDIC PLUS SPIRAFLEX KITCHEN MIXER WITH ELECTRONIC SHUT-OFF VALVE

- Two spray patterns; normal or shower spray
- Provides a more water secure home environment
- Contemporary, modern desig by Propeller, combined with excelent function
- Soft move ceramic inside ensures soft and precice manouvering
- Pivoting spout 110° (0° and 60°)

- Adjustable max. temperature for improved scald protectio
- Type-approved, flexible water connection for simpler installation
- Self-closing shut of valve; 3, 6 or 12 hours
- Multi-colored LED light signals function
- Including leakage detector, leakage shut-off and water alert
- Motorised valve with ceramic seal





|  | ART-no     | Price EUR<br>VAT 0% | EAN           |
|--|------------|---------------------|---------------|
| Nordic Plus sink mixer with high Sipraflex swivel spout 110°, with two spray options and with electronic shut-off for dishwasher/washing machine |            |                     |               |
| Chrome   | GB41203788 | 1236                | 7393792233262 |
|  |            |                     |               |
|  |            |                     |               |

#### NORDIC PLUS KITCHEN MIXERS


- Contemporary, modern desig by Propeller
- Soft move ceramic inside ensures soft and precice manouvering
- Pivoting spout 110° (0° and 60°)

- Adjustable max. temperature for improved scald protection
- Type-approved, flexible water connection for simpler installation

| .30 <u>.</u> 245    |   |  | ART-no     | Price EUR<br>VAT 0% | EAN           |
|---------------------|---|--|------------|---------------------|---------------|
| 335                 |   | Nordic Plus sink mixer with high swivel spout 110 Chrome   | GB41203756 | 204                 | 7393792233231 |
| 265<br>034<br>350 E |   |  |            |                     |               |
| 30 245              |   | Nordic Plus sink mixer with high swivel spout 110 and with shut-off for dishwasher/washing machine |            |                     |               |
| 335                 |   | Chrome   | GB41203796 | 258                 | 7393792233248 |
| 350 E               | 4 |  |            |                     |               |

#### NORDIC<sup>3</sup> KITCHEN MIXERS


- Grip-friendly lever with clear color marking for hot and cold water
- Ceramic seal to prevent dripping and ensure a long service life
- Soft move, ceramic seal ensures soft and precice manouverin
- Spout pivots through 110° (60° lock included)
- Adjustable max. temperature for improved scald protection
- All components made of food graded material
- Type approved flexible water connection for easier installation
- Backflow protection in accordance with SS-EN 1717 [AA]



#### **METIC KITCHEN MIXERS**



#### **DYNAMIC KITCHEN MIXERS**



#### **OUTDOOR TAP**

- Simple to install and serve
- Can be fitted to old, existing pipe:
- Cutable in length
- Self-draining downwards, which helps protect the façade
- Frost-proof even if a hose is connected
- For wall thicknesses of max 400 mm or max 1000 mm
- With removable key or knot

| 0 18                           | Outdoor tap with approved non-return valve and key, self-draining.                      | ART-no                 | Price EUR<br>VAT 0% | EAN                            |
|--------------------------------|---|------------------------|---------------------|--------------------------------|
| G 1/2 Min 30<br>Max 400 / 1000 | Selfdraining for wall thickness max 400mm<br>Selfdraining for wall thickness max 1000mm | FG0105060<br>FG0105070 | 74<br>98            | 7393792213141<br>7393792213165 |
| G 1/2 Min 30 Max 400           | Outdoor faucet with non-return valve and key Selfdraining for wall thickness max 400mm  | FG0105061              | 92                  | 7393792213257                  |

### SHOWERS

With unequal-sided measurement combinations and details such as smart elevating hinges that raise the door when you open it, durable toughened glass and adjustable wall profiles that create a straight shower, even with angled walls, we can supply the perfect solution every time – even in small bathrooms. All our shower doors are reversible for right/left-hanc installation, and can open both outwards and inwards to save precious space. They are fitted with polished profiles and door handles in a stylish design.

#### TO THINK OF

Installing a new shower wall requires preparation and planning because in many bathrooms, the shower corner jostles for position with the washbasin, toilet and other fittings and furnishings. In such cases, what are needed are smart and flexible solutions that take up as little space

as possible. For larger bathrooms, you can use any of the shower doors in the large, generous dimensions. Choose between straight and rounded models. Irrespective of your personal taste or how much space you have available, our shower products give you every opportunity to find a solution that matches your needs.

#### SMART SYMBOLS FOR SMART SOLUTIONS



#### REVERSIBLE

All our shower doors are reversible for right/left-hand installation, and can open both outwards and inwards which helps save precious space.



#### ELEVATING HINGE

The elevating hinge is a smart detail that lifts the shower walls 5 mm every time you open it. This minimises wear on both the floor and the shower doors. A practical function that provides a sense of authentic luxury.

## 6 0 SQUARE SHOWER DOORS TWO STRAIGHT DOORS FITTED IN LINE 100X100 CM • Pre-fitted door profiles for quickand simple installation • Doors reversible for right/left-hand installation Polished profiles and door handles ART-no GB51SRDR1010CR EAN-no 7391530073996 FOR ADDITIONAL INFORMATION VISIT GUSTAVSBERG.COM

#### OUR SHOWER DOORS & SHOWER WALLS

Our new range features simple-to-fit shower walls and doors in authentic Scandinavian design that are easy to mix and match, making it simple to accommodate the specific requirements of any bathroom.



Round shower doors fitted in a corner
Available dimensions combinations\*)
80x80 cm 80x100 cm 90x100 cm
80x90 cm 90x90 cm 100x100 cm



Square shower doors fitted in a corner Available dimensions combinations\*) 80x80 cm 80x100 cm 90x100 cm 80x90 cm 90x90 cm 100x100 cm



Square - two straight doors fitted in a line

Available dimensions\*)

80 cm 90 cm 100 cm

Combine these three door dimensions as you



Square shower door fitted in a niche Available dimensions\*) 80 cm 90 cm 100 cm



Square shower wall fitted in a corner Available dimensions\*) 80 cm 90 cm 100 cm



Square shower wall and Square shower door fitted in a corner

Available dimensions combinations\*)

80x80 cm 80x100 cm 90x100 cm

100x100 cm

90x90 cm

80x90 cm




Square bathtub door Available dimensions\*) 70 cm 80 cm



SMALL DETAILS CAN MAKE A BIG DIFFERENCE. SUCH AS POLISHED PROFILES AND DOOR HANDLES IN A STYLISH DESIGN.








THE ADJUSTABLE WALL PROFILE MEANS THAT YOU CAN BE SURE OF A STRAIGHT SHOWER EVEN IF YOUR BATHROOM HAS ANGLED WALLS. YOU CAN SUPPLEMENT THE SHOWER DOORS WITH AN EXTENSION PROFILE FOR GREATER ADJUSTABILITY.




THE LACK OF A FLOOR PROFILES MAKES THE SHOWERS EASY TO USE AND SIMPLE TO KEEP CLEAN. THE DOORS CLOSE WITH A TIGHTLY SEALING MAGNETIC STRIP AND FEATURE A RUBBER STRIP AGAINST THE FLOOR THAT STOPS SPLASHES.

#### SQUARE SHOWER DOORS FOR CORNER FITTING

- Reversible for right/left-hand installation
- Pre-fitted door profiles for quick and simple installatior
- Tempered safety glass, 6 mm
- Polished chrome or matt balck profiles and door handlas
- Elevating hinges raise the door 5 mm on opening
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- Opening angle: 180 degrees
- Unequal-sided dimension combinations possible
- Extension profile, 20 mm, as an optional extr
- No floor profiles, for a hygienic and easy-to-clean shower
- Space to drill holes for externally routed pipes



| POLISHED CHROME PROFILES                       | $\label{eq:alpha} A \times B \ width \ dimension/adjustability \ in \ mm$  | ART-no   | Price EUR<br>VAT 0% | EAN  |
|--|--|--|---------------------|--|
| Square shower doors, 80 x 80<br>Consists of:   | 790–810 x 790–810 mm Square shower door, 80 with magnetic profile and door handle Square shower door, 80 with magnetic profile and door handle           | GB51SRDR8080CR<br>GB51SRDR80CR<br>GB51SRDR80CR | 1016<br>508<br>508  | <b>7391530073941</b><br>7391530073521<br>7391530073521 |
| Square shower doors, 80 x 90<br>Consists of:   | 790–810 x 890–910 mm  Square shower door, 80 with magnetic profile and door handle Square shower door, 90 with magnetic profile and door handle          | GB51SRDR8090CR<br>GB51SRDR80CR<br>GB51SRDR90CR | 1031<br>508<br>525  | <b>7391530073958</b><br>7391530073521<br>7391530073538 |
| Square shower doors, 80 x 100<br>Consists of:  | 790–810 x 990–1010 mm<br>Square shower door, 80 with magnetic profile and door handle<br>Square shower door, 100 with magnetic profile and door handle   | GB51SRDR8010CR<br>GB51SRDR80CR<br>GB51SRDR10CR | 1048<br>508<br>540  | <b>7391530073965</b><br>7391530073521<br>7391530073545 |
| Square shower doors, 90 x 90<br>Consists of:   | 890–910 x 890–910 mm<br>Square shower door, 90 with magnetic profile and door handle<br>Square shower door, 90 with magnetic profile and door handle     | GB51SRDR9090CR<br>GB51SRDR90CR<br>GB51SRDR90CR | 1048<br>525<br>525  | <b>7391530073972</b><br>7391530073538<br>7391530073538 |
| Square shower doors, 90 x 100<br>Consists of:  | 890–910 x 990–1010 mm<br>Square shower door, 90 with magnetic profile and door handle<br>Square shower door, 100 with magnetic profile and door handle   | GB51SRDR9010CR<br>GB51SRDR90CR<br>GB51SRDR10CR | 1063<br>525<br>540  | <b>7391530073989</b><br>7391530073538<br>7391530073545 |
| Square shower doors, 100 x 100<br>Consists of: | 990–1010 x 990–1010 mm<br>Square shower door, 100 with magnetic profile and door handle<br>Square shower door, 100 with magnetic profile and door handle | GB51SRDR1010CR<br>GB51SRDR10CR<br>GB51SRDR10CR | 1078<br>540<br>540  | <b>7391530073996</b><br>7391530073545<br>7391530073545 |
| Accessories: Extension profile                 | Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.   | GB51ACCEXTP                                    | 57                  | 7391530073675  |
|  |  |  |                     |  |



#### MATT BLACK PROFILES

Square shower doors, 80 x 80 Consists of:

Square shower doors, 80 x 90 Consists of:

Square shower doors,  $80 \times 100$ Consists of:

Square shower doors, 90 x 90 Consists of:

Square shower doors,  $90 \times 100$ Consists of:

Square shower doors, 100 x 100 Consists of:

Accessories: Extension profile



#### 790-810 x 790-810 mm

Square shower door, 80 with magnetic profile and door handle Square shower door, 80 with magnetic profile and door handle

#### 790-810 x 890-910 mm

Square shower door, 80 with magnetic profile and door handle Square shower door, 90 with magnetic profile and door handle

#### 790-810 x 990-1010 mm

Square shower door, 80 with magnetic profile and door handle Square shower door, 100 with magnetic profile and door handle 890–910 x 890–910 mm
Square shower door, 90 with magnetic profile and door handle

#### Square shower door, 90 with magnetic profile and door handle

890–910 x 990–1010 mm Square shower door, 90 with magnetic profile and door handle Square shower door, 100 with magnetic profile and door handle

#### 990-1010 x 990-1010 mm

Square shower door, 100 with magnetic profile and door handle Square shower door, 100 with magnetic profile and door handle

Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.

#### GB51SRDR8080BL GB51SRDR80BL

GB51SRDR80BL 644 4062373900512 GB51SRDR80BL 644 4062373900512 GB51SRDR8090BL 1307 7391530078243 GB51SRDR80BL 644 4062373900512

GB51SRDR90BL 663 4062373900536
GB51SRDR8010BL 1326 7391530078250
GB51SRDR80BL 644 4062373900512
GB51SRDR10BL 683 4062373900543

1287

7391530078236

 GB51SRDR9090BL
 1325
 7391530078267

 GB51SRDR90BL
 663
 4062373900536

 GB51SRDR90BL
 663
 4062373900536


 GB51SRDR9010BL
 1345
 7391530078274

GB51SRDR90BL 663 4062373900536 GB51SRDR10BL 683 4062373900543 GB51SRDR1010BL 1365 7391530078281 GB51SRDR10BL 683 4062373900543

GB51SRDR10BL 683 4062373900543 GB51SRDR10BL 683 4062373900543 GB51ACCEXTPBL 80 4062373900628

Detailed dimension sketches of each of the sizes are available at www.gustavsberg.com

#### SQUARE FOLDING SHOWER DOORS FOR CORNER FITTING




| POLISHED PROFILES                             | A $\times$ B width dimension/adjustability in mm   | ART-no   | Price EUR<br>VAT 0%        | EAN  |
|---|--|--|----------------------------|--|
| Square folding doors, 80x80<br>Consists of:   | 790-810 x 790-810 mm<br>Square folding door, 80 with magnetic profile<br>Square folding door, 80 with magnetic profile   | GB51SRFD8080CR<br>GB51SRFD80LCR<br>GB51SRFD80RCR | <b>1938</b><br>951<br>951  | <b>7391530078380</b><br>4062373900635<br>4062373900666 |
| Square folding doors, 80x90<br>Consists of:   | 790–810 x 890–910 mm<br>Square folding door, 80 with magnetic profile<br>Square folding door, 90 with magnetic profile   | GB51SRFD8090CR<br>GB51SRFD80LCR<br>GB51SRFD90RCR | 1952<br>951<br>980         | <b>7391530078397</b><br>4062373900635<br>4062373900673 |
| Square folding doors, 90x80<br>Consists of:   | 790–810 x 990–1010 mm<br>Square folding door, 80 with magnetic profile<br>Square folding door, 100 with magnetic profile | GB51SRFD9080CR<br>GB51SRFD90LCR<br>GB51SRFD80RCR | 1952<br>980<br>951         | <b>7391530078441</b><br>4062373900642<br>4062373900666 |
| Square folding doors, 80x100<br>Consists of:  | 890–910 x 890–910 mm<br>Square folding door, 90 with magnetic profile<br>Square folding door, 90 with magnetic profile   | GB51SRFD8010CR<br>GB51SRFD80LCR<br>GB51SRFD10RCR | <b>1966</b><br>951<br>1010 | <b>7391530078403</b><br>4062373900635<br>4062373900680 |
| Square folding doors, 100x80<br>Consists of:  | 890–910 x 790–810 mm<br>Square folding door, 90 with magnetic profile<br>Square folding door, 80 with magnetic profile   | GB51SRFD1080CR<br>GB51SRFD10LCR<br>GB51SRFD80RCR | 1966<br>1010<br>951        | <b>7391530078458</b><br>4062373900659<br>4062373900666 |
| Square folding doors, 90x90<br>Consists of:   | 890-910 x 990-1010 mm  Square folding door, 90 with magnetic profile Square folding door, 100 with magnetic profile      | GB51SRFD9090CR<br>GB51SRFD90LCR<br>GB51SRFD90RCR | 1966<br>980<br>980         | <b>7391530078410</b><br>4062373900642<br>4062373900673 |
| Square folding doors, 90x100<br>Consists of:  | 990-1010 x 990-1010 mm  Square folding door, 100 with magnetic profile Square folding door, 100 with magnetic profile    | GB51SRFD9010CR<br>GB51SRFD90LCR<br>GB51SRFD10RCR | 1980<br>980<br>1010        | <b>7391530078427</b><br>4062373900642<br>4062373900680 |
| Square folding doors, 100x90<br>Consists of:  | 990-1010 x 790-810 mm<br>Square folding door, 100 with magnetic profile<br>Square folding door, 80 with magnetic profile | GB51SRFD1090CR<br>GB51SRFD10LCR<br>GB51SRFD90RCR | 1980<br>1010<br>980        | <b>7391530078465</b><br>4062373900659<br>4062373900673 |
| Square folding doors, 100x100<br>Consists of: | 990–1010 x 890–910 mm Square folding door, 100 with magnetic profile Square folding door, 90 with magnetic profile       | GB51SRFD1010CR<br>GB51SRFD10LCR<br>GB51SRFD10RCR | 1994<br>1010<br>1010       | <b>7391530078434</b><br>4062373900659<br>4062373900680 |

 $Detailed\ dimension\ sketches\ of\ each\ of\ the\ sizes\ are\ available\ at\ www.gustavsberg.com$ 

#### ROUND SHOWER DOORS FOR CORNER FITTING


- Reversible for right/left-hand installation
- Pre-fitted door profiles for quick and simple installation
- Tempered safety glass, 6 mm
- Polished chrome or matt balck profiles and door handles
- Elevating hinges raise the door 5 mm on opening
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- Opening angle: 180 degrees
- Unequal-sided dimension combinations possible
- Extension profile, 20 mm, as an optional extra
- No floor profiles, for a hygienic and easy-to-clean shower
- Space to drill holes for externally routed pipes



Detailed dimension sketches of each of the sizes are available at www.gustavsberg.com

#### SQUARE SHOWER DOORS FOR NICHE FITTING


- Reversible for right/left-hand installation
- Pre-fitted door profiles for quick and simple installation
- Tempered safety glass, 6 mm
- Polished chrome or matt balck profiles and door handles
- Elevating hinges raise the door 5 mm on opening
- Adjustable wall profile, 30 mm, for a straight shower even with angled walls
- Opening angle: 180 degrees
- Extension profile, 20 mm, as an optional extra
- ullet Space to drill holes for externally routed pipes on the door's hinged side



Detailed dimension sketches of each of the sizes are available at www.gustavsberg.com

#### SQUARE FOLDING SHOWER DOOR FOR NICHE FITTING

- Folding door that takes up less space
- Ideal for use where space is at a premium as the foldability ofter solves the problem
- Inon-reversible doors; choose from the models designed for right- and left-hand installation, respectively
- Pre-fitted door profiles for quick and easy installation
- Toughened safety glass, 6 mm
- Polished profiles, with the door handle integrated into the glass
- Elevating hinges lift the door 5 mm when opened
- 25 mm adjustable wall profile, which ensures a level shower even if the walls are angled
- Opening angle: 180 degrees
- Extra-width profile, 20 mm as an optional extra
- No floor profiles means a shower that is hygienic and easy to clean but the solution does required an incline towards the floor drain
- Space for cutting holes for external pipework



|  | A = width dimension/adjustability in mm  | ART-no  | Price EUR<br>VAT 0% | EAN  |
|--|--|---|---------------------|--|
| POLISHED PROFILES, LEFT<br>HINGED DOOR             |  |   |                     |  |
| Square folding door for niche, 80<br>Consists of:  | 790–810 mm<br>Square shower door, 80 with magnetic profile   | GB51SRFD80NILCR<br>GB51SRFD80LCR<br>GB51ACCPROF | 1107<br>951<br>136  | 7391530078472<br>4062373900635<br>7391530073637        |
| Square folding door for niche, 90<br>Consists of:  | Square niche profile  890–910 mm  Square shower door, 90 with magnetic profile Square niche profile      | GB51SRFD90NILCR<br>GB51SRFD90LCR<br>GB51ACCPROF | 1121<br>980<br>136  | 7391530078489<br>4062373900642<br>7391530073637        |
| Square folding door for niche, 100<br>Consists of: | 990–1010 mm  Square shower door, 100 with magnetic profile Square niche profile                          | GB51SRFD10NILCR<br>GB51SRFD10LCR<br>GB51ACCPROF | 1135<br>1010<br>136 | <b>7391530078496</b><br>4062373900659<br>7391530073637 |
| Accessories: Extension profile                     | Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side. | GB51ACCEXTP                                     | 57                  | 7391530073675  |




|   |  |                 | Price EUR |               |
|---|--|-----------------|-----------|---------------|
|   | A = width dimension/adjustability in mm  | ART-no          | VAT 0%    | EAN           |
| POLISHED PROFILES, RIGHT<br>HINGED DOOR |  |                 |           |               |
| Square folding door for niche, 80       | 790–810 mm   | GB51SRFD80NIRCR | 1107      | 7391530078502 |
| Consists of:                            | Square shower door, 80 with magnetic profile   | GB51SRFD80RCR   | 951       | 4062373900666 |
|   | Square niche profile   | GB51ACCPROF     | 136       | 7391530073637 |
| Square folding door for niche, 90       | 890–910 mm   | GB51SRFD90NIRCR | 1121      | 7391530078519 |
| Consists of:                            | Square shower door, 90 with magnetic profile   | GB51SRFD90RCR   | 980       | 4062373900673 |
|   | Square niche profile   | GB51ACCPROF     | 136       | 7391530073637 |
| Square folding door for niche, 100      | 990–1010 mm  | GB51SRFD10NIRCR | 1135      | 7391530078526 |
| Consists of:                            | Square shower door, 100 with magnetic profile  | GB51SRFD10RCR   | 1010      | 4062373900680 |
|   | Square niche profile   | GB51ACCPROF     | 136       | 7391530073637 |
| Accessories: Extension profile          | Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side. | GB51ACCEXTP     | 57        | 7391530073675 |
|   |  |                 |           |               |



Detailed dimension sketches of each of the sizes are available at www.gustavsberg.com

#### SQUARE SHOWER WALL


- Fixed wall can be combined with Square shower door.
- Reversible for right/left-hand installation
- Tempered safety glass 6 mm
- Polished chrome or matt balck profiles and wall brace
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- The brace can also be used as a shower curtain roo
- Space to drill holes for externally routed pipes



Detailed dimension sketches of each of the sizes are available at www.gustavsberg.com

#### SQUARE SHOWER WALL - MATT BLACK


- Reversible for right-/left-hand installation
- Tempered safety glass, 6 mm
- Profiles and wall brace in matt black anodised aluminium
- Bars on the outside of the glass to facilitate cleaning
- Adjustable wall profile, 10 mm, for a straight shower even with angeled walls
- The brace can be used as a curtain rai



 $Detailed \ dimension \ sketches \ of each \ of the \ sizes \ are \ available \ at \ www.gustavsberg.com. There you \ will \ also \ find \ all \ other \ models \ and \ sizes \ in \ our \ complete \ shower \ range$ 

#### **SQUARE BATHTUB DOOR**

- Reversible for right/left-hand installation
- Tempered safety glass 6 mm
- Polished profile
- Elevating hinges that raise the door 5 mm on opening
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- Opening angle, 180 degrees



 $Detailed\ dimension\ sketches\ of\ each\ of\ the\ sizes\ are\ available\ at\ www.gustavsberg.com$ 

## **BATHTUB**

A hot bath lowers the pulse and boosts circulation in the body. Few things are as de-stressing and relaxing as slipping into a warm bath after a long, hectic – and possibly chilly – day. That's why you need to take care when choosing your tub, because the model you select will have to perform heroic deeds no other piece of furniture in your home can handle. What's most important: appearance, size or function? Or is everything equally important?

#### TO THINK OF

Big or small? Built-in or free-standing? In this catalogue you will find all kinds of standard bathtubs from Gustavsberg, take for example the combi-tubs, they are perfect for people who also use their bath tubs as their shower. These tubs have a flat section at the foot end.

and the drain is positioned in the middle. The head end is gently angled and comfortable. Tiling-in bathtubs Ideal for people who have plenty of space and appreciate square design. Perfect for two people to bath together; features two sloping head.

#### SMART SYMBOLS FOR SMART SOLUTIONS



#### GLAZEPLUS

Our bathtubs are available with an extra surface treat- ment called "glazeplus". This is a crystal-clear polymer film that protects the surface of your bathtub against dirt and limescale deposits – which facilitates cleaning and reduces the amount of detergent you need to use.



#### ANTI-SLIP

The bathtub is available with an anti-slip treatment where quartz sand has been burned into the enamel in an aesthetically neutral pattern. The surface counteracts the risk of slipping when entering or leaving the bathtub. Moreover, it is located at the foot end of the tub so that it does not affect the overal bathing experience.



#### SUPPORT HANDLES

You can order the bathtub with support handles on the rim to improve safety and ease of use



#### BASIN MODELS FOR ENAMELLED TITANIUM STEEL BATHTUBS WITH FRONT PANEL FRAMES OR FEET



Combi-tubs are perfect for people who also use their bathtubs as their shower. These tubs have a flat section at the foot end, and the drain is positioned in the middle. The head end is gently angled and comfortable.



Available in sizes 1500 x 700, 1570 x 700 and 1600 x 700 mm.



Bathtub models 1400 and 1700 feature a traditional basin shape. It has a depth of 420 mm, which means that it is comfortable and practical for both baths and showers.

Available in sizes 1400 x 700 and 1700 x 700 mm.



The, Duo tub is designed for two people bathing at the same time with its two angled head ends and centred drain. Depth 420 mm.

Available in size 1600 x 700 mm.



Sitting tub model 1051 is designed for people who have a really small bathroom but who cannot do without a bath. Depth of the sitting area is 310 mm. Depth of the foot area is 420 mm.

Available in size 1050 x 650 mm.



The Claw-foot bathtub features an oval basin with two enclosing head ends and a centred drain. It has a depth of 420 mm.


Available in sizes 1580 x 680 and 1680 x 730 mm.



Bathtub 1300 features a traditional basin shape. It is comfortable and practical for both baths and showers, with a depth of 420 mm.

Price EUR VAT 0%

Available in size 1300 x 700 mm.





| Fits all bathtubs expect sitting tub 1050<br>Only a single handle can be fitted to bath-<br>tub models<br>1603, 1607 and 1707. |              |     |               |
|--|--------------|-----|---------------|
| 2 handles  | GB208B080901 | 480 | 4038565022362 |
|  |              |     |               |
|  |              |     |               |
| NB! The bathtub must be ordered featuring holes for handles.   |              |     |               |





| Handle, high<br>Fits sitting tub | 1050 |
|----------------------------------|------|
|                                  |      |



Handles








NB! The bathtub must be ordered featuring holes for handles.


#### Supplement Anti-slip and Glazeplus For art-no of antislip and glazeplus supplement, please contact local representative office

#### PLACEMENT ANTI-SLIP TREATMENT




1300, 1400, 1570, 1700


Bathtub




Bathtub, Combi 1504, 1574, 1604



Bathtub, Duo 1603, 6316, 6368




Bathtub, Combi 1607, 1707



Sitting tub 1051

#### ENAMELLED TITANIUM STEEL BATHTUBS WITH FULL- OR HALF-FRONT PANEL FRAME

- Enamelled, titanium alloy sheet steel of the highest quality
- Complete with front panel frame, fitted bottom valve and drain pipe
- The front panel frame can be slid sideways and back, allowing room to route pipes along the walls
- Adjustable feet, 25 mm
- Full front panel features a slidable lower section to facilitate cleaning
- Glazeplus available as an option for simple, eco-friendly cleaning
- Front panel frame in black or white for several models



#### ART-no Price EUR EAN VAT 0% 1574 Bath 1570x700mm Water volume: 189 litres Basin pictures: see page 94. Without overflow hole and w/o feet, with bottom valve GB2115740100 7391530071718 7416 Frame incl. one full front and end panel GB2174160100 382 7391530071893 7416-56 Frame incl. one full front and end GB2174165600 488 7391530071909 panel, black 1574 Bath 1570x700mm Without overflow hole and w/o feet, with White GB2115740100 748 7391530071718 6416 Frame incl. one half front and end panel GB2164160100 310 7391530071954 Water volume: 189 litres Basin pictures: see page 94. 1604 Bath 1600x700mm Without overflow hole and w/o feet, with bottom valve GB2116040100 722 7391530071640 7416 Frame incl. one full front and end panel GB2174160100 382 7391530071893 7416-56 Frame incl. one full front and end GB2174165600 488 7391530071909 panel, black 1604 Bath 1600x700mm Without overflow hole and w/o feet, with bottom valve GB2116040100 7391530071640 White 722 6416 Frame incl. one half front and end panel GB2164160100 310 7391530071954 Water volume: 186 litres Basin pictures: see page 94. 1603 Duo bath 1600x700mm With equal bath sides, central bottom valve, w/o overflow hole and w/o feet GB2116030100 4038565003958 White 754 7416 Frame incl. one full front and end panel GB2174160100 382 7391530071893 7416-56 Frame incl. one full front and end GB2174165600 488 7391530071909 panel, black 1603 Duo bath 1600x700mm With equal bath sides, central bottom valve, w/o overflow hole and w/o feet GB2116030100 4038565003958 6416 Frame incl. one half front and end panel GB2164160100 7391530071954 All the bathtubs listed above are available to order with Glazeplus, a non-slip bottom surface, and/or support handles. For article numbers please contact local representative office.

#### ART-no Price EUR EAN VAT 0% Water volume: 190 litres Basin pictures: see page 94. 1607 Combi bath 1600x700mm With level shower area, bottom valve, w/o overflow hole and w/o feet White GB2116070100 1651 7391530061887 7416 Frame incl. one full front and end panel GB2174160100 382 7391530071893 7416-56 Frame incl. one full front and end GB2174165600 7391530071909 488 panel, black 1607 Combi bath 1600x700mm With level shower area, bottom valve, w/o overflow hole and w/o feet White GB2116070100 1651 7391530061887 6416 Frame incl. one half front and end panel GB2164160100 310 7391530071954 1700 Bath 1700x700mm Water volume: 190 litres Basin pictures: see page 94. Without overflow hole and w/o feet, with bottom valve White GB2117000100 634 4038565003323 7417 Frame incl. one full front and end panel GB2174170100 411 7391530071916 Water volume: 190 litres 1707 Combi bath 1700x700mm Basin pictures: see page 94. With level shower area, bottom valve, w/o overflow hole and w/o feet GB2117070100 7391530061894 1651 7417 Frame incl. one full front and end panel GB2174170100 7391530071916 1051 Sit-in bath 1050x650mm Water volume: 106 litres Basin pictures: see page 94. Without overflow hole and w/o feet, with bottom valve 4038565003866 White GB2110510100 869 7410 Frame incl. one full front and end panel GB2174100100 7391530071855 All the bathtubs listed above are available to order with Glazeplus, a non-slip bottom surface, and/or support handles. For article numbers please contact local representative office.

#### FRONTLESS BATHTUBS IN ENAMELLED TITANIUM STEEL

- Enamelled, titanium alloy sheet steel of the highest quality
- Enamelled exterior
- Without front panel for easier cleaning

- Complete with fitted bottom valve and drain pipe
- Adjustable feet, 25 mm
- Anti-slip treated bottom surface available as an option for a safer tub

|                          |                              |  | ART-no       | Price EUR<br>VAT 0% | EAN           |
|--------------------------|------------------------------|--|--------------|---------------------|---------------|
| Water volume: 186 litres | Basin pictures: see page 94. | 6316 Bath 1580x680mm<br>With waste pipe, w/o overflow                                  |              |                     |               |
|                          |                              | White with white feet and white bottom plug  | GB2063160101 | 1685                | 4038565006713 |
|                          |                              | 6316 Bath 1580x680mm<br>With waste pipe, w/o overflow                                  |              |                     |               |
|                          |                              | White w/o feet, with chromed bottom plug   | GB2063160001 | 1508                | 4038565006836 |
|                          |                              | Black w/o feet, with chromed bottom plug   | GB2063165601 | 1964                | 4038565006720 |
| 1440                     |                              | *) Choose feet in your choice of colour to complete the set-up.                        |              |                     |               |
| 1580                     | U                            | Complementary feet for baths 6316 and 6368. NB! Remember to order two pairs per tub    |              |                     |               |
| 420                      |                              | White, pair  | GB2921200353 | 139                 | 7391530033549 |
| 420 min 550              |                              | Black, pair  | GB2921200359 | 164                 | 7391530060194 |
|                          |                              |  |              |                     |               |
| Water volume: 209 litres | Basin pictures: see page 94. | 6368 Bath 1680x730mm<br>With waste pipe, w/o overflow                                  |              |                     |               |
|                          |                              | White with white feet and white bottom plug  | GB2063680101 | 1755                | 4038565006768 |
|                          |                              | 6368 Bath 1680x730mm<br>With waste pipe, w/o overflow                                  |              |                     |               |
|                          |                              | White w/o feet, with chromed bottom plug   | GB2063680001 | 1584                | 4038565006751 |
| 1540                     |                              | Black w/o feet, with chromed bottom plug   | GB2063685601 | 2098                | 4038565006775 |
| 590 0                    |                              | *) Choose feet in your choice of colour to complete the set-up.                        |              |                     |               |
|                          |                              | Complementary feet for baths 6316 and 6368.<br>NB! Remember to order two pairs per tub |              |                     |               |
| 1680 730 730             |                              | White, pair  | GB2921200353 | 139                 | 7391530033549 |
| 420 min 550              |                              | Black, pair  | GB2921200359 | 164                 | 7391530060194 |
|                          |                              | All the bathtubs listed above are available to order wit                               |              | 1. 1                |               |

#### BASIN MODELS FOR ENAMELLED TITANIUM STEEL BATHTUBS FOR TILING IN



Tiling-in bathtubs 2940, 2941, 2942 and 2945 feature a traditional basin shape.

This basin model is comfortable and practical for both baths and showers and is available in several sizes. Depth 420 mm.

Available in sizes 1400-1700 x 700 mm.



Tiling-in bathtubs Combi 3410 and 3411 are perfect for people who want to use their bathtub as a shower as well. The tub features a generous flat area in the foot end for showering and a centred drain. The head end is sloped for a very comfortable bath. Depth 420 mm.

Available in sizes 1600 x 700 and 1700 x 700 mm.



Tiling-in bathtubs, Duo 1220 and 1380 designed for two people bathing at the same time. It has two sloping head ends and a centred drain. Depth 420 mm.

Available in sizes 1600 x 700 and 1700 x 750.



Tiling-in bathtubs 6830, 6831 Ideal for people who have plenty of space and appreciate square design. Perfect for two people to bath together; features two sloping head ends and a centred drain. Extra deep 450 mm.

Available in sizes 1800 x 800 and 1900 x 900 mm.




Tiling-in bathtubs, Offset 2570 and 2580 are available in left- and right-hand models. The bath is mainly designed for small bathrooms.


Depth 420 mm.


Available in size 1570 x 700 mm.





#### PLACEMENT ANTI-SLIP TREATMENT











Bathtub 3400, 3500, 3600, 3970

Bathtub, Combi 6830, 6831

Bathtub, Duo 1220, 1380

Bathtub, Combi 3410, 3411

Bathtub Offset 2570, 2580

#### PLACEMENT OPTIONS FOR RIM-MOUNTED MIXERS

 State placement option desired. If no option is stated, the mixer will be placed in position 1







Bathtub, Duo 1220, 1380



Bathtub, Duo 6830, 6831 Rim-mounted mixer not an option



Bathtub, Combi 3410 and 3411 Rim-mounted mixer not an option




Bathtub, Offset 2570



Bathtub, Offset 2580

#### ACCESSORIES - SKANDIC RIM-MOUNTED BATHTUB MIXER

- High quality, pure and simple design
- Automatic scald protection and hot-water block
- Mixer must be ordered together with the bathtub
- State placement option desired. If no option is stated, the mixer will be placed in position 1





| Bath filler thermostatic mixer* with spout **   | ART-no                   | Price EUR<br>VAT 0% | EAN                            |
|---|--------------------------|---------------------|--------------------------------|
| Chrome Spout (should be ordered separately)   | GB41217143<br>GB41638390 | 698<br>88           | 7393792217316<br>7393792226639 |
| *Cost for making hole in bathtub for mixer<br>charged separately<br>** Delisted from 30.03.2023 |                          |                     |                                |

#### ENAMELLED TITANIUM STEEL BATHTUBS FOR TILING-IN

- Made from premium quality titanium alloy stee
- Spacinos head end for comfortable bathing and footend made for showering
- Foot set and overflow system ordered separately
- Optional grab bar and anti-slip bottom for added safety
- Glazeplus as an option for fast and gentle cleaning

|   |   |   |  | ART-no   | Price EUR<br>VAT 0%      | EAN  |
|---|---|---|--|--|--------------------------|--|
| Water volume: 144 litres                      |   | 9 | 2940 Bath 1400x700mm With owerflow hole  White Foot set (4 pcs) Overflow system Drain plug and owerflow knob, chrome | GB2083400100<br>GB208B231500<br>GB2924300155<br>GB2924300156 | 650<br>142<br>225<br>45  | 4038565004948<br>4038565006850<br>4015211111069<br>4015211103378 |
| 700 000 479                                   | 0 |   | 305  |  |                          |  |
| Water volume: 159 litres                      |   | 9 | 2941 Bath 1500x700mm With owerflow hole  White Foot set (4 pcs) Overflow system Drain plug and owerflow knob, chrome | GB2083500100<br>GB208B231500<br>GB2924300155<br>GB2924300156 | 544<br>142<br>225<br>45  | 4038565010185<br>4038565006850<br>4015211111069<br>4015211103378 |
| 700 (0.40 4%)                                 | • |   | 305  |  |                          |  |
| Water volume: 173 litres                      |   | 9 | 2942 Bath 1600x700mm With owerflow hole  White Foot set (4 pcs) Overflow system Drain plug and owerflow knob, chrome | GB2083600100<br>GB208B231500<br>GB2924300155<br>GB2924300156 | 544<br>142<br>225<br>45  | 4038565004986<br>4038565006850<br>4015211111069<br>4015211103378 |
| 700   | 0 |   |  |  |                          |  |
| Water volume: 188 litres                      |   | D | 2945 Bath 1700x700mm With owerflow hole White Foot set (4 pcs) Overflow system Drain plug and owerflow knob, chrome  | GB2083970100<br>GB208B231500<br>GB2924300155<br>GB2924300156 | 594<br>142<br>225<br>45  | 4038565000520<br>4038565006850<br>4015211111069<br>4015211103378 |
| 700   | 0 |   | 305  |  |                          |  |
| Water volume: 176 litres                      |   | 9 | 1220 Bath 1600x700mm With owerflow hole  White Foot set (4 pcs) Overflow system Drain plug and owerflow knob, chrome | GB2081220100<br>GB208B231500<br>GB2924300155<br>GB2924300156 | 1324<br>142<br>225<br>45 | 4038565009189<br>4038565006850<br>4015211111069<br>4015211103378 |
| 700 485 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |   |   | All the bathtubs listed above are available to order support handles. For article numbers please contact             | with Glazeplus, a n<br>ct local representati                 | on-slip botto            | om surface, and/or   |

#### ART-no Price EUR EAN VAT 0% Water volume: 209 litres 1380 Bath 1700x750mm With owerflow hole GB2081380100 1324 4038565000636 4038565006850 Foot set (4 pcs) GB208B231500 142 Overflow system GB2924300155 225 4015211111069 GB2924300156 4015211103378 Drain plug and owerflow knob, chrome Water volume: 189 litres 3410 Bath 1600x700mm With owerflow hole GB2083410100 1082 4038565021754 4038565006850 Foot set (4 pcs) GB208B231500 142 Overflow system, drain plug and owerflow knob chrome GB208B619901 325 4038565077522 3411 Bath 1700x700mm Water volume: 201 litres With owerflow hole White GB2083411100 1082 4038565021761 Foot set (4 pcs) GB208B231500 4038565006850 Overflow system, drain plug and owerflow knob chrome GB208B619901 325 4038565077522 Water volume: 250 litres 6830 Bath 1800x800mm With owerflow hole White GB2086830100 4038565007673 1788 Foot set (4 pcs) GB208B231500 142 4038565006850 GB2924300155 4015211111069 Overflow system 225 Drain plug and owerflow knob, chrome GB2924300156 4015211103378 6831 Bath 1900x900mm With owerflow hole Water volume: 280 litres GB2086831100 2046 4038565007468 Foot set (4 pcs) GB208B231500 4038565006850 142 Overflow system GB2924300155 225 4015211111069 Drain plug and owerflow knob, chrome GB2924300156 4015211103378 45 2570 Bath 1570x700mm, Left Water volume: 174 litres White GB2082570100 1378 4038565000230 Foot set (4 pcs) GB208B231500 4038565006850 142 GB2924300155 225 4015211111069 Drain plug and owerflow knob, chrome GB2924300156 4015211103378 45 Water volume: 174 litres 2580 Bath 1570x700mm, Right With owerflow hole White GB2082580100 1378 4038565000254 Foot set (4 pcs) GB208B231500 142 4038565006850 GB2924300155 4015211111069 225 Overflow system Drain plug and owerflow knob, chrome GB2924300156 45 4015211103378

## ALL ABOUT TITANIUM STEEL & ENAMEL



TITANIUM STEEL AND ENAMEL – AN EXTREMELY DURABLE COMBINATION

TITANIUM ALLOY SHEET STEEL MAKES OUR BATHTUBS EXTREMELY DURABLE. THE ENAMEL IS BUILT UP OF SEVERAL THIN LAYERS – A TECHNIQUE WHICH MAKES IT HIGHLY FLEXIBLE AND ALLOWS IT TO MOVE WITH THE STEEL, ELIMINATING THE RISK OF CRACKING.



#### **HYGIENIC**

A HARD SURFACE THAT IS SO SMOOTH AND TIGHT THAT NEITHER DIRT NOR BACTERIA CAN GAIN A FOOTHOLD MAKES IT HYGIENIC AND EASY TO KEEP CLEAN.



#### KNOCK-PROOF

AN ULTRA-THIN SURFACE THAT IS BOTH STRONG AND FLEXIBLE. SO THERE IS NO NEED TO WORRY – EVEN IF YOU SHOULD HAPPEN TO DROP SOMETHING IN THE TUB.



#### WARM

ENAMELLED TITANIUM STEEL IS A GOOD CONDUCTOR. THE HOT WATER QUICKLY HEATS THE SURFACE OF THE TUB (INCLUDING THE EDGES WHERE YOU REST YOUR NECK) TO PROVIDE AN EVEN MORE DELIGHTFUL BATH EXPERIENCE.



#### SCRATCH-PROOF

THE SURFACE IS MORE DURABLE THAN MATERIALS SUCH AS CAST MARBLE, ACRYLIC AND CAST IRON, AND IT IS HIGHLY RESISTANT TO CRACKS AND SCRATCHES.



#### HARD-WEARING

HIGHLY RESISTANT TO THE CHEMICALS USED IN COSMETICS AND BATH SALTS, FOR EXAMPLE. NOT EVEN NAIL VARNISH WILL LEAVE A MARK ON THE SURFACE.

### ACCESSORIES

Our bathroom accessories are created to provide long, faithful service in a humid environment. The units follow the same refined, Scandinavian design idiom as other products from Gustavsberg, so you don't have to scrimp on quality, function or form when applying your own personal style to your bathroom. Take a little time to choose handles and knobs for your drawers and cabinets, as they play a significant role in the overall impression. To see our full range of handles and knobs, please turn to the furniture pages. Several of the knobs can also be used as towel hooks on walls.

#### TO THINK OF

Gustavsberg supplies a well thought-out selection of accessories. Always go for quality that lasts and design that you will enjoy for years and years. And make sure to seal all holes and cavities in bathroom walls thoroughly with silicone. Make sure not to damage

the damp course in your bathroom. If you drill any holes, make sure to seal them tightly. Ask your reseller or fitter about the conditions that apply to your wall material. Plan carefully, and position your accessories with care.



#### BATHROOM ACCESSORIES ROUND

- Design featuring rounded lines
- Chromed surface finish

#### • Can be fitted with screws or glue

|        |                                       | ART-no     | Price EUR<br>VAT 0% | EAN           |
|--------|---------------------------------------|------------|---------------------|---------------|
| 509 60 | Round towel rail 450 mm Chrome        | GB41103701 | 45                  | 7393792233972 |
| 60 59  | Round towel hanger hook Chrome        | GB41103704 | 18                  | 7393792233989 |
| 59     | Round double towel hanger hook Chrome | GB41103705 | 29                  | 7393792234221 |
| 90 60  | Round toilet paper holder<br>Chrome   | GB41103707 | 41                  | 7393792233996 |
| 353    | Round toilet brush and holder Chrome  | GB41103710 | 62                  | 7393792234009 |

#### **BATHROOM ACCESSORIES SQUARE**

- Design distinguished by straight lines and rounded corners
- Fits well in style to most bathroom collections
- Material: solid brass

- Available in different suface finnishes
- Can be fitted with screws or glue

|                             |   | ART-no  | Price EUR<br>VAT 0% | EAN   |
|-----------------------------|---|---|---------------------|---|
| 485                         | Square towel rail 450 mm<br>Chrome<br>Matt black<br>Brushed brass       | GB41103901<br>GB41103901 53<br>GB41103901 24    | 88<br>132<br>132    | 7393792234016<br>7393792234054<br>7393792234092 |
| 50                          | Square towel hanger hook<br>Chrome<br>Matt black<br>Brushed brass       | GB41103904<br>GB41103904 53<br>GB41103904 24    | 20<br>30<br>30      | 7393792234023<br>7393792234061<br>7393792234108 |
| 68                          | Square toilet paper holder<br>Chrome<br>Matt black<br>Brushed brass     | GB41103907<br>GB41103907 53<br>GB41103907 24    | 47<br>71<br>71      | 7393792234030<br>7393792234078<br>7393792234115 |
| 368                         | Square toilet brush and holder<br>Chrome<br>Matt black<br>Brushed brass | GB41103910<br>GB4110391053<br>GB4110391024      | 71<br>106<br>106    | 7393792234047<br>7393792234085<br>7393792234122 |
| Min 35<br>Max 90<br>G 1 1/4 | Push-down valve<br>Chrome<br>Matt black<br>Brushed brass                | GB41636575 01<br>GB41636575 53<br>GB41636575 24 | 38<br>57<br>94      | 7393792214308<br>7393792234214<br>7393792234207 |

#### WATER TRAPS FOR WASHBASINS

- Adjustable height and depth
- Available in different suface finnishes
- Suit all washbasins in our range

| 032 141-238 |    | Chrome<br>Matt black<br>Brushed brass | GB41109938<br>GB41109938 53<br>GB41109938 24 | 75<br>150<br>150 | 7393792234139<br>7393792234146<br>7393792234153 |
|-------------|----|---------------------------------------|--|------------------|---|
| G11/4       | -1 | Water trap for floor connection       |  |                  |   |
| 141-238     |    | Chrome                                | GB41109939                                   | 103              | 7393792234160                                   |
|             |    | Matte black                           | GB4110993953                                 | 204              | 7393792234177                                   |
| 048         |    | Brushed brass                         | GB4110993924                                 | 204              | 7393792234184                                   |
| 721-918     |    |                                       |  |                  |   |






|  |                                       | ART-no        | Price EUR<br>VAT 0% | EAN           |
|--|---------------------------------------|---------------|---------------------|---------------|
| SHOWERSETS SPARE PA  | ARTS                                  |               |                     |               |
|  | Gustavsberg shower set 1103250        |               |                     |               |
|  | Hand shower with three sprays, chrome | GB4163872501  | 33                  | 7393792227742 |
| A  | Hose 1,75 m, chrome                   | GB4163626600  | 47                  | 7393792208666 |
| max 870  | Shower slider, chrome                 | GB4163872601  | 41                  | 7393792227759 |
| C  | Wall brackets (2 pcs), chrome         | GB41638727 02 | 36                  | 7393792227766 |
| //G1/2   | Soap holder, transparent              | GB41638728 01 | 24                  | 7393792227773 |
|  |                                       |               |                     |               |
|  | Dynamic                               |               |                     |               |
|  | Бупапіс                               |               |                     |               |
| 620  | Hand shower with three sprays, chrome | GB41637562    | 70                  | 7393792219754 |
|  |                                       |               |                     |               |
| G1/2   |                                       |               |                     |               |
|  | Coloric                               |               |                     |               |
|  | Hand shower with three sprays, chrome | GB41637562    | 70                  | 7393792219754 |
| 1) 2) 3) 680   | Hose 1,75 m, chrome                   | GB4163626600  | 47                  | 7393792208666 |
| // G1/2  |                                       |               |                     |               |
|  |                                       |               |                     |               |
| 390  | G1                                    |               |                     |               |
| 50-130   | Hand shower, chrome                   | GB41638467    | 56                  | 7393792226424 |
|  | Hose 1,75 m, chrome                   | GB4163626600  | 47                  | 7393792208666 |
|  | Set for side mount, chrome            | GB41638464    | 52                  | 7393792226394 |
| 920-1320   | Wall bracket, chrome                  | GB41638466    | 28                  | 7393792226417 |
|  | Diverter, chrome                      | GB41638465    | 70                  | 7393792226400 |
|  | Shower slider, chrome                 | GB41638472    | 38                  | 7393792226462 |
| 390  |                                       |               |                     |               |
| -50-130  | G2                                    |               |                     |               |
| and the state of t | Hand shower, chrome                   | GB41638468    | 50                  | 7393792226431 |
|  | Hose 1,75 m, chrome                   | GB4163626600  | 47                  | 7393792208666 |
| 920-1320   | Set for side mount, chrome            | GB41638464    | 52                  | 7393792226394 |
|  | Wall bracket, chrome                  | GB41638466    | 28                  | 7393792226417 |
|  | Diverter, chrome                      | GB41638465    | 70                  | 7393792226400 |
|  | Shower slider, chrome                 | GB41638472    | 38                  | 7393792226462 |
| _  |                                       | 1             |                     | 1             |





## **SPARE PARTS**











|  | ART-no        | Price EUR<br>VAT 0% | EAN           |
|--|---------------|---------------------|---------------|
| G3                                     |               |                     |               |
| Hand shower Round, chrome              | GB41639440    | 50                  | 7393792231466 |
| Hose 1,75 m, chrome                    | GB4163626600  | 47                  | 7393792208666 |
| Shower bar - extension 1060 mm, chrome | GB41639512    | 81                  | 7393792231824 |
| Wall bracket, chrome                   | GB41639444    | 65                  | 7393792231503 |
| Diverter, chrome                       | GB41639439    | 70                  | 7393792231459 |
| Showerslider, chrome                   | GB41639445    | 35                  | 7393792231510 |
| Shower head Round, chrome              | GB41639442    | 199                 | 7393792231480 |
| Spare part seals kit                   | GB41639446    | 27                  | 7393792231527 |
| G4                                     |               |                     |               |
| Hand shower Square, chrome             | GB41639441    | 50                  | 7393792231473 |
| Hose 1,75 m, chrome                    | GB4163626600  | 47                  | 7393792208666 |
| Shower bar - extension 1060 mm, chrome | GB41639512    | 81                  | 7393792231824 |
| Wall bracket, chrome                   | GB41639444    | 65                  | 7393792231503 |
| Diverter, chrome                       | GB41639439    | 70                  | 7393792231459 |
| Showerslider, chrome                   | GB41639445    | 35                  | 7393792231510 |
| Shower head Square, chrome             | GB41639443    | 239                 | 7393792231497 |
| Spare part seals kit                   | GB41639446    | 27                  | 7393792231527 |
| Nordic Plus                            |               |                     |               |
| Hand shower with two sprays, chrome    | GB41636265 00 | 49                  | 7393792208635 |
| Hose 1,75 m, chrome                    | GB4163626600  | 47                  | 7393792208666 |
| Soap holder, transparent               | GB4163626444  | 15                  | 7393792215619 |
|  |               |                     |               |
| Nordic                                 |               |                     |               |
| Hand shower, chrome                    | GB41636261 00 | 65                  | 7393792208543 |
| Hose 1,75 m, chrome                    | GB4163626600  | 70                  | 7393792208666 |
| Shower slider, chrome                  | GB4163625500  | 35                  | 7393792210638 |
| Wall brackets (2 pcs), chrome          | GB4163625400  | 239                 | 7393792210683 |
| Soap holder, transparent               | GB4163626444  | 15                  | 7393792215619 |



|  |  | ART-no         | Price EUR<br>VAT 0% | EAN           |
|--|--|----------------|---------------------|---------------|
| HAND SHOWERS   |  |                |                     |               |
| 120  | <b>Round hand shower,</b> 3-function hand shower with push button      |                |                     |               |
| 263  | Chrome   | GB41639440     | 50                  | 7393792231466 |
|  | Matt black   | GB4163944053   | 193                 | 7393792233668 |
| -807   | Square hand shower, 3-function hand shower with push button            |                |                     |               |
| 263  | Chrome   | GB41639441     | 50                  | 7393792231473 |
|  | Matt black   | GB41639441 53  | 75                  | 7393792233675 |
| 32   | G1 hand shower   |                |                     |               |
| 200  | Single function hand shower  | GB41638467     | 56                  | 7393792226424 |
| G1/2<br>Ø22  | G2 hand shower   |                |                     |               |
| 200<br>G1/2  | Single function hand shower  | GB41638468     | 50                  | 7393792226431 |
| HANDSPRAYS SPARE PA  | RTS  |                |                     |               |
|  | <b>Self-closing hand spray</b> for washbasin, bidet and kitchen mixers |                |                     |               |
| Service of the servic | Chrome   | GB4163386033   | 28                  | 7393792218412 |
|  | Self-closing brush   |                |                     |               |
|  |  |                |                     |               |
|  | White  | GB41633861 25  | 81                  | 7393792219013 |
| <u> </u>   |  |                |                     |               |
| G1/2 G1/2  | Hose   |                |                     |               |
|  | Chrome, covered with plastic, lenght 1,75m                             | GB4163626300   | 21                  | 7393792208598 |
| (( (( )  | Chrome, covered with plastic, lenght 2,0m                              | GB416362630020 | 24                  | 7393792220484 |
|  | Chrome, lenght 1,75m   | GB4163626600   | 47                  | 7393792208666 |
|  | Matt black, lenght 1,75m   | GB4163757253   | 56                  | 7393792233651 |
|  | Wall bracket for hand spray with 3-positions                           |                |                     |               |
|  | Chrome   | GB41637575     | 15                  | 7393792219792 |
|  |  | I              |                     |               |



|        |   | ART-no  | Price EUR<br>VAT 0% | EAN   |
|--------|---|---|---------------------|---|
|        | Handshower set for wallmounted mixers  Chrome                       | GB41634210                                      | 85                  | 7393792200707                                   |
| LEVERS | Nordic Lever after 2002   | GB41636617 01                                   | 31                  | 7393792213950                                   |
| P      | Nautic<br>Lever   | GB41637250                                      | 40                  | 7393792219266                                   |
|        | Logic Lever Chrome  | GB4163851401                                    | 35                  | 7393792227599                                   |
| 2,5mm  | Coloric  Lever for washbasin mixer  Lever for bath and shower mixer | GB41637406<br>GB41637407                        | 50<br>50            | 7393792221788<br>7393792221795                  |
|        | Estetic  Lever Chrome  Lever Matte Black  Lever Matte White         | GB41639332 01<br>GB41639332 53<br>GB41639332 41 | 69<br>116<br>116    | 7393792230896<br>7393792230902<br>7393792230919 |
|        | Nordic <sup>3</sup> Lever   | GB4163906201                                    | 28                  | 7393792229470                                   |
|        | NordicPlus Lever  | GB41639510                                      | 28                  | 7393792232029                                   |
|        | Nordic for disabled mixer  Lever 160mm                              | GB4163543001                                    | 48                  | 7393792206648                                   |
|        | Nautic for disabled mixer   |   |                     |   |

Lever 160mm

Lever 160mm painted red-blue

GB4163736001

GB4163736301

50

7393792217910

7393792226684

|                      |   | ART-no                   | Price EUR<br>VAT 0% | EAN                            |
|----------------------|---|--------------------------|---------------------|--------------------------------|
| 160 —                | New Nautic for disabled mixer                           |                          |                     |                                |
|                      |   |                          |                     |                                |
|                      | Lever 160mm painted red-blue                            | GB41639801 01            | 52                  | 7393792217910                  |
|                      |   |                          |                     |                                |
|                      | Cover plug for lever                                    | GB41634828 01            | 15                  | 7393792215244                  |
|                      |   |                          |                     |                                |
|                      |   |                          |                     |                                |
| SPOUTS               |   |                          |                     |                                |
| M20x1,5              | Swivel spout with automatic resetting to bath position, |                          |                     |                                |
|                      | for mixers produced from 2013                           |                          |                     |                                |
|                      | Chrome 115mm  | GB41638760               | 177                 | 7393792228633                  |
| G1/2                 |   |                          |                     |                                |
|                      |   |                          |                     |                                |
| 115                  |   |                          |                     |                                |
| <b>├</b>             | Spout   |                          |                     |                                |
|                      | •   |                          |                     |                                |
| M20x1,5              | Chrome 85 mm  | GB41633631               | 83                  | 7393792206082                  |
|                      | Chrome 150 mm<br>Chrome 200 mm                          | GB41633632<br>GB41633633 | 83<br>83            | 7393792206099                  |
|                      | Chrome 250 mm   | GB41633614               | os<br>89            | 7393792203739<br>7393792206075 |
|                      | Chrome 350 mm   | GB41633616               | 94                  | 7393792204491                  |
|                      | Chrome 400 mm   | GB41633624               | 130                 | 7393792206549                  |
|                      |   |                          |                     |                                |
| G1/2                 | Swivel spout with diverter, automatic resetting         |                          |                     |                                |
| 85                   | to bath position  |                          |                     |                                |
|                      | Chrome 250 mm   | GB41635272               | 193                 | 7393792204934                  |
| <u>+</u>             |   |                          |                     |                                |
| L                    | Chrome 350 mm   | GB41635270               | 193                 | 7393792204910                  |
|                      |   |                          |                     |                                |
| CARTRIDGES, SPAREPAR | RTS   |                          |                     |                                |
| FOR THERMOSTATIC MIX | ERS   |                          |                     |                                |
|                      | Cartridge   |                          |                     |                                |
| 10                   | Cartridge (ecotemp included)                            | GB4163567601             | 36                  | 7393792210041                  |
|                      | Soft closing  | GB4163465001             | 48                  | 7393792204514                  |
|                      | Skandic 03 mini   | GB41636654 01            | 41                  | 7393792219709                  |
|                      | Coloric   | GB41637415               | 26                  | 7393792221412                  |
|                      | 0.0.0   | 65 11667 116             | 20                  | 7070772221112                  |
|                      |   |                          |                     |                                |
|                      | Cartridge for thermostatic mixers from 01.05.2010       | GB4163833401             | 63                  | 7393792225861                  |
|                      |   |                          |                     |                                |
| A Solution           |   |                          |                     |                                |
| _                    |   |                          |                     |                                |
|                      | Handrant against a satisfact ( )                        |                          |                     |                                |
|                      | Headpart ceramic cartridge for flow                     |                          |                     |                                |
|                      | Ceramic   | GB4163403501             | 21                  | 7393792203760                  |
| G1/2                 |   |                          |                     |                                |



|                               |   | ART-no                    | Price EUR<br>VAT 0% | EAN           |
|-------------------------------|---|---------------------------|---------------------|---------------|
|                               | Non-return valve with filter for thermostatic mixer  2pcs in packet | GB41632698 02             | 16                  | 7393792207041 |
|                               | Nordic flow control knob (from 2004)  Chrome                        | GB41636479 01             | 18                  | 7393792213967 |
|                               | Nordic temperature control knob (from 2004)  Chrome                 | GB4163648001              | 23                  | 7393792213974 |
|                               | Nautic flow control knob  Chrome                                    | GB4163780401              | 18                  | 7393792220170 |
|                               | Nautic temperature control knob  Chrome                             | GB41637810 01             | 20                  | 7393792220118 |
|                               | Skandic 03 flow control knob  Chrome                                | GB41636465 01             | 69                  | 7393792214230 |
|                               | Skandic 03 temperature control knob  Chrome                         | GB41636460 01             | 67                  | 7393792214247 |
|                               | Nautic flow and temperature control handle  Chrome                  | GB41637840 02             | 16                  | 7393792220088 |
| OTHER SPARE PARTS  85 M20x1,5 | Diverter with outlet spout  |                           |                     |               |
|                               | Chrome, lead-free   | GB41636820<br>GB416368200 | 111                 | 7393792215411 |


| M20x1.5         |  | ART-no  | Price EUR<br>VAT 0% | EAN   |
|-----------------|--|---|---------------------|---|
| G1/2            | <b>Diverter</b> with automatic resetting to bath position  Chrome  | GB41637315                                      | 111                 | 7393792217606                                   |
| inv. M20x1.5    |  |   |                     |   |
| G1/2            | <b>Diverter</b> for Coloric bath mixer   |   |                     |   |
|                 | Chrome   | GB41637416                                      | 43                  | 7393792221771                                   |
| ○ (10 mm)       | Diverter   |   |                     |   |
| G1/2<br>(10 mm) | Chrome   | GB41636577 01                                   | 20                  | 7393792217354                                   |
| 50000C          | Diverter   |   |                     |   |
|                 | Chrome   | GB41634799 0001                                 | 18                  | 7393792204811                                   |
| M20x1.5         | Inlet nipple for mixers with return valve  |   |                     |   |
|                 | Chrome   | GB41634756 01                                   | 19                  | 7393792216494                                   |
| G1/2            | Ejector  | GB41634213                                      | 45                  | 7393792219723                                   |
|                 | Aerator  |   |                     |   |
|                 | For bathtube mixers For kitchen, bidet and spouts For kitchen mixers, casted spouts and washabsin mixers | GB41634555 01<br>GB41630129 01<br>GB41630131 01 | 19<br>21<br>15      | 7393792209946<br>7393792209250<br>7393792209939 |
|                 | For Skandic 03 kitchen mixers to 2007 05<br>For Skandic 03 kitchen mixers from 2007 05 and               | GB41636437 01                                   | 43                  | 7393792216814                                   |
|                 | Coloric washbasin mixers   | GB41637337 01                                   | 31                  | 7393792219921                                   |
|                 | For Skandic 03 mini mixers For Coloric bathtub mixers  | GB41636912 01<br>GB41637387 01                  | 18<br>16            | 7393792216142<br>7393792221764                  |
| 000             | Shut-off for kitchen mixer   |   |                     |   |
|                 | Chrome   | GB41635762 3301                                 | 27                  | 7393792207232                                   |
|                 | X-seal for kitchen mixer (2pc in package)  | GB41633971 02                                   | 10                  | 7393792203951                                   |







| Å |  |
|---|--|
|   |  |

#### **ACCESSORIES**














|   | ART-no        | Price EUR<br>VAT 0% | EAN           |
|---|---------------|---------------------|---------------|
| Rubber seals for ceramic cartridge                | GB41633513 01 | 10                  | 7393792203937 |
|   |               |                     |               |
| Soft pex hose M10X1 (2 pcs in package)            | GB41637161 02 | 30                  | 7393792217279 |
|   |               |                     |               |
|   |               |                     |               |
|   |               |                     |               |
| Wallbracket                                       |               |                     |               |
| For copper and Soft pex pipes OD12/15             | FG0115080     | 70                  | 7393792203166 |
|   |               |                     |               |
| Wallbracket with concealed piping                 |               |                     |               |
| For copper and steel pipes OD12/15                | FG0115050     | 51                  | 7393792204996 |
| For Soft pex pipes OD15x2,5                       | FG0115061     | 69                  | 7393792212007 |
| For Soft pex pipes OD16x2,2                       | FG0115062     | 62                  | 7393792212014 |
| Couplings   |               |                     |               |
| Chrome eccentric (2pcs in packet)                 | GB41631765 02 | 16                  | 7393792215732 |
| Matt black rosette for eccentric (2pcs in packet) | GB41639921 02 | 31                  | 7393792235778 |
| <br>Key for outdoor faucet                        | FG0640560     | 10                  | 7393792203845 |
|   |               |                     |               |
| Ceramic push down valve                           |               |                     |               |
| White   | GB41636575 25 | 78                  | 739379223079  |
| Black   | GB41636575 23 | 94                  | 7393792230810 |
|   |               |                     |               |
| Bottom plug for washbasins without overflow       | GB41637445    | 26                  | 7393792221719 |
|   |               |                     |               |
|   |               |                     |               |

| G1 1/4 180 |
|------------|
|            |
|            |
| 0          |

|   | ART-no        | Price EUR<br>VAT 0% | EAN           |
|---|---------------|---------------------|---------------|
| Bottom plug for washbasins without overflow | GB41636574 01 | 41                  | 7393792231596 |
| Pop-up waste                                | GB41637450    | 37                  | 7393792219211 |
| Waste bar                                   | GB41630305    | 11                  | 7393792218702 |
| Flow meter                                  | GB43000012    | 76                  | 7393792225137 |
| Instrument                                  | GB4300001410  | 40                  | 7393792226875 |





325 T 1977 - 1986



325 X 1985 - 1995



NORDIC-BASIC 390 1992 - 2002



NORDIC-BASIC 390 1992 - 2002



**SKANDIC 330** 1995 - 2005



STANDARD SEAT GB192 9900 226



STANDARD SEAT











STANDARD SEAT GB191 9901 702





NP-11 PUSHBUTTON GB192 9900 237



NT-21 PUSHBUTTON GB192 9900 208



ST-17 CISTERN GB192 9900 283



ST-24 CISTERN COVER WITH PUSHBUTTON GB192 9900 338



NP-20 OUTLET VALVE



ST OUTLET VALVE GB192 9900 282



ST OUTLET VALVE



ST OUTLET VALVE GB192 9900 282



ST OUTLET VALVE



NC VALVEBALL GB192 9900 260



NC VALVEBALL GB192 9900 260



NC VALVEBALL GB192 9900 260



NC VALVEBALL GB192 9900 260



NC VALVEBALL GB192 9900 260



CISTERN SEALING GB192 9900 216



CISTERN SEALING GB192 9900 216



CISTERN SEALING GB192 9900 320



CISTERN SEALING GB192 9900 320



CISTERN SEALING GB192 9900 344



9GN00210



GB-INLET VALVE 9GN00210



GB-INLET VALVE 9GN00210



GB-INLET VALVE 9GN00210



GB-INLET VALVE 9GN00210

1. CISTERN COVER



TF-11 RUBBER MEMBRANE GB192 9900 229



MEMBRANE GB192 9900 229



REPLACEMENT OUTLET VALVE, DUO GB19299M2937





REPLACEMENT OUTLET VALVE, DUO GB19299M2937



GB19299T2800 2. PUSHBUTTON GB192 99T2 951 SINGLE GB192 99T2 952



TF-9 FILTER GB192 9900 228



GB192 9900 228



1. CISTERN COVER GB19299U1931 2. PUSHBUTTON GB192 99T2 951 PUSHBUTTON SINGLE GB192 99T2 952



1. CISTERN COVER 2. PUSHBUTTON GB192 99T2 951 GB192 99T2 952



REPLACEMENT GB19299M2937

## WC SPARE PARTS 1998 -





CLASSIC 360-364 1998 - 2007



NORDIC 23XX 2002 -

0



ARTIC 43XX 2005 - 2018



LOGIC 56XX 2007 - 2013



**NAUTIC 55XX** 2010 - 2017





HARD PLASTIC SEAT AND COVER. WHITE GB191 9901 601



STANDARD SEAT





GB191 9901 610



AND COVER GB191 9902 002



HARD PLASTIC



HARD PLASTIC



STANDARD COVER 9M246101



CISTERN SEALING GB192 9900 344





CISTERN SEALING GB192 9900 504



CISTERN SEALING 5696 GB1929900506 GB192 1100 209



ACTUATOR DUAL. GB19299P0108 ACTUATOR DUAL, CHROME GB19299P0110



1. CISTERN COVER GB192 99T1 929 2. PUSHBUTTON GB192 99T2 951 SINGLE GB192 99T2 952



0

00

CISTERN COVER GB192 99K1 931 2. PUSHBUTTON GB192 99T2 951

GB192 99T2 952



CISTERN COVER 2. PUSHBUTTON GB19299N2951

GB192 99T2 952



1. CISTERN COVER 8193 B9 01 2. PUSHBUTTON GB192 99T2 951

GB192 99T2 952



ACTUATOR SINGLE, WHITE GB19299P0109 ACTUATOR SINGLE, GB19299P0111



BOTTOM VALVE GASKET TWICO GB192 99TK 962





BOTTOM VALVE GASKET TWICO GB192 99TK 962



BOTTOM VALVE GASKET TWICO GB192 99TK 962



BOTTOM VALVE GASKET TWICO GB19299TK962



OUTLET VALVE GB19299N2953 SINGLE BUTTON GB19299N2953 + GB19299N2952



OUTLETVALVE DUO BUTTON\* GB19299N2953 SINGLE BUTTON GR19299NI2953 + GB19299N2952



OUTLETVALVE **DUO BUTTON** GB19299N2953 SINGLE BUTTON GB19299N2953 + GB19299N2952



OUTLETVALVE **DUO BUTTON** GB19299N2953 SINGLE BUTTON GB19299N2953 + GB19299N2952



OUTLET VALVE GB19299P0102



OUTLET VALVE WITH PUSHBUTTON 9GN01761 Order with sealing GB1929900344



OUTLET VALVE WITH PUSHBUTTON 9GN01761 Order with sealing GB192990032



OUTLET VALVE WITH PUSHBUTTON 9GN01761 Order with sealing GB1929900540



WITH PUSHBUTTON 9GN01761 Order with cistern sealing

OUTLET VALVE



GB-INLET VALVE GB19299N0105



GB-INLET VALVE 9GN00210



GB-INLET VALVE\* 9GN00210



GB-INLET VALVE 9GN00210



9GN00210



MEMBRANE GB19299P0106



\*Also fits for Nordic 339, 393U and 398






NAUTIC 2017 -





SEAT STANDARD 9M246101



OUTLET VALVE 9GN00100



ACTUATOR DUAL, HIGH VERSION, CHROME

9GN00561



ACTUATOR SINGLE, HIGH VERSION, CHROME 9GN00661



ACTUATOR DUAL, LOW VERSION, CHROME 9GN01161



NORDIC<sup>3</sup> 2017 -



432

SEAT STANDARD 9M646101



OUTLET VALVE 9GN01761 Order with sealing GB19299P0204



GB-INLET VALVE 9GN00210



PUSHBUTTON 9GS01561




ESTETIC 2016 - 2017





SEAT STANDARD 9M106101



OUTLET VALVE GB19299P0802



GB-INLET VALVE GB19299N0105



PUSHBUTTON GB19299P0801



ESTETIC 2017 -





SEAT STANDARD 9M106101




OUTLET VALVE 9GN00100





PUSHBUTTON 87569961

#### SPARE PARTS FOR NAUTIC WC, FROM 2010 - 2017




|    |   | ART-no         | Price EUR<br>VAT 0% | EAN           |
|----|---|----------------|---------------------|---------------|
| SP | ARE PARTS FOR NAUTIC WC, FROM 2010 - 2017                     |                |                     |               |
| 1  | Cistern, complete   | GB19299N0100   | 192                 | 7391530070353 |
| 2  | Tank seal   | GB19299P0114   | 13                  | 4025416099345 |
| 3  | Cistern fixation set  | 92226100       | 11                  | 7391530063744 |
| 4  | Foot cover  | GB1929903410   | 16                  | 7391530055374 |
| 5  | Fill valve complete   | GB19299N0105   | 82                  | 4025416099123 |
| 6  | Membrane  | GB19299P0106   | 10                  | 4025416099109 |
| 7  | Cisternvalve without filter                                   | GB1929900503   | 29                  | 7391530059464 |
| 8  | Push button, single chrome                                    | GB19299P0113   | 18                  | 4025416099178 |
|    | Replacement button vandal-proof                               | GB19299NNV36   | 178                 | 7391530071633 |
| 9  | Actuator single, white  | GB19299P0109   | 30                  | 4025416099284 |
|    | Actuator single, chrome                                       | GB19299P0111   | 37                  | 4025416099291 |
| 10 | Push button, duo chrome                                       | GB19299P0112   | 22                  | 4025416099307 |
| 11 | Actuator dual, white  | GB19299P0108   | 34                  | 4025416099260 |
|    | Actuator dual, chrome   | GB19299P0110   | 39                  | 4025416099277 |
| 12 | Hinges soft-close/quick-release                               | 92095761       | 41                  | 4062373896747 |
| 13 | Cistern Nautic  | GB185580001200 | 136                 | 7391530061900 |
| 14 | Outlet valve  | GB19299P0102   | 67                  | 4025416099031 |
| 15 | Seat and cover standard                                       | 9M246101       | 32                  | 4047289920007 |
| 16 | Seat and cover hard plastic, stainless steal hinges           | 9M256101       | 65                  | 4047289984108 |
| 17 | Seat and cover Slimseat, soft-close, quick-release, white     | 8M45S101       | 116                 | 4062373839379 |
|    | Seat and cover hard plastic, soft-close, quick-release, white | 9M26S101       | 107                 | 4047289984191 |
|    | Seat and cover hard plastic, soft-close, quick-release, black | 9M26S136       | 130                 | 4047289984207 |
| 18 | Fixation details for soft-close seat and cover (2013-)        | 92241461       | 41                  | 4051202163198 |
| 19 | Buffer set for seat and cover                                 | 92242001       | 16                  | 4051202163112 |
| 23 | Fixation set  | 92242500       | 14                  | 4051202166557 |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |
|    |   |                |                     |               |




|     |   | ART-no         | Price EUR | EAN           |
|-----|---|----------------|-----------|---------------|
|     |   | ARI-no         | VAT 0%    | EAN           |
| SPA | ARE PARTS FOR NAUTIC HF WC, FROM 2017                         |                |           |               |
|     |   |                |           |               |
| 1   | Cistern, complete   | GB19299N0100   | 192       | 7391530070353 |
| 2   | Cistern Nautic  | GB185580001200 | 136       | 7391530061900 |
| 3   | Outlet valve  | 9GN00100       | 67        | 4051202546090 |
| 4   | Fill valve, side inlet  | 9GN00200       | 50        | 4051202546106 |
| 5   | Inlet tube flex. hose w.connector                             | 9GN01000       | 81        | 4051202546151 |
| 6   | Membrane  | 9GN00300       | 38        | 4051202546175 |
| 7   | Actuator dual, high version, chrome                           | 9GN00561       | 59        | 4051202546229 |
| 8   | Actuator single, high version, chrome                         | 9GN00661       | 54        | 4051202546137 |
|     | Replacement button vandal-proof                               | GB19299NNV36   | 178       | 7391530071633 |
| 9   | Actuator dual, flat version                                   | 9GN01161       | 59        | 4051202546182 |
| 10  | Wood screw bag  | GB1929900365   | 25        | 4022693590664 |
| 11  | Valve house gasket  | 9GN00400       | 32        | 4051202546168 |
| 12  | Fixation set  | 92242500       | 14        | 4051202166557 |
| 13  | Cistern fixation set  | 92226100       | 11        | 7391530063744 |
| 15  | Hinges soft-close/quick-release                               | 92095761       | 41        | 4062373896747 |
| 16  | Cisternvalve without filter                                   | GB1929900503   | 29        | 7391530059464 |
| 17  | Foot cover  | GB1929903410   | 16        | 7391530055374 |
| 18  | Seat and cover standard                                       | 9M246101       | 32        | 4047289920007 |
| 19  | Seat and cover hard plastic, stainless steal hinges           | 9M256101       | 65        | 4047289984108 |
| 20  | Seat and cover Slimseat, soft-close, quick-release, white     | 8M45S101       | 116       | 4062373839379 |
|     | Seat and cover hard plastic, soft-close, quick-release, white | 9M26S101       | 107       | 4047289984191 |
|     | Seat and cover hard plastic, soft-close, quick-release, black | 9M26S136       | 130       | 4047289984207 |
| 21  | Dumper set for soft-close seat and cover (2013-)              | 92242400       | 64        | 4051202163105 |
| 22  | Buffer set for seat and cover                                 | 92242001       | 16        | 4051202163112 |
|     |   |                |           |               |
|     |   |                |           |               |
|     |   |                |           |               |
|     |   |                |           |               |
|     |   |                |           |               |
|     |   |                |           |               |
|     |   |                |           |               |
|     |   |                |           |               |

## SPARE PARTS FOR NORDIC WC, FROM 2002 -




|      |   | ART-no         | Price EUR<br>VAT 0% | EAN           |
|------|---|----------------|---------------------|---------------|
| SP   | ARE PARTS FOR NORDIC WC, FROM 2002 -  |                |                     |               |
| J1 / | ARET ARTS FOR NORDIO WO, FROM 2002  |                |                     |               |
|      | Cistern with inner tank   | GB184700S11200 | 196                 | 4062373847176 |
| 1    | Complete outlet valve with pushbutton (must be ordered with sealing GB1929900320) | 9GN01761       | 57                  | 4062373890448 |
| 2    | Outlet valve with pushbutton Duo, Twico 2   | GB19299N2953   | 47                  | 4025416281726 |
| 3    | Pushbutton Single chrome, Twico 2   | GB19299T2952   | 25                  | 7391530057347 |
| _    | Pushbutton Single chrome  | GB19299K1951   | 30                  | 7391530054407 |
| 4    | Pushbutton Duo chrome, Twico 2  | GB19299T2951   | 25                  | 7391530057330 |
|      | Pushbutton Duo chrome, Twico 1  | GB19299T1951   | 44                  | 7391530054339 |
|      | Pushbutton Duo chrome for outlet valve GB19299N2953                               | GB19299N2951   | 27                  | 4025416311034 |
| 5    | Cisterncover Twico 1/Twico 2, white   | GB19299K1931   | 19                  | 7391530054490 |
| 6    | Adapter, Kega to Twico 2  | GB19299KT959   | 32                  | 7391530057491 |
| 7    | GB-inlet valve  | 9GN00210       | 51                  | 4062373894026 |
| 8    | Membrane for inlet valve GB1929901972   | GB19299P0206   | 44                  | 4025416500261 |
|      | Memebrane for inlet valve 9GN00210  | 9GN00300       | 38                  | 4025416500261 |
| 9    | Outlet valve gasket   | GB19299TK962   | 17                  | 7391530054360 |
|      | Outlet valve gasket   | 9GN00400       | 32                  | 4051202546168 |
| 10   | Cisternsealing  | GB1929900320   | 16                  | 7391530029979 |
| 11   | Stainless steel hinges for seat and cover GB1919902070                            | GB1919901840   | 36                  | 7391530070421 |
|      | Stainless steel hinges for hard plastic seat and cover 1919902050 and 1919902060, | GB1919901834   | 72                  | 7391530054537 |
| 13   | Cisternvalve without filter   | GB1929900503   | 29                  | 7391530059464 |
| 14   | Cistern bolts (2 pcs)   | GB1929900319   | 30                  | 7391530059457 |
| 16   | Footcover   | GB1929903410   | 16                  | 7391530055374 |
| 17   | Seat and cover standard   | GB1919902002   | 30                  | 7391530051833 |
| 18   | Seat and cover soft-close, white  | 8M56S101       | 108                 | 4062373888643 |
|      | Cover for dumper (2 pcs) for seat and covers GB1919902055,                        |                |                     |               |
|      | GB1919902065, 9M11S101, 9M11S136  | GB1919901841   | 10                  | 7391530073644 |
| 19   | Wood screw bag  | GB1929900365   | 25                  | 4022693590664 |
|      | Complete outlet valve with pushbutton   | GB1929900168   | 16                  | 7391530070452 |
|      | Dumper set for seat and cover 8M56S101  | 92096600       | 63                  | 4062373902936 |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |
|      |   |                |                     |               |

## SPARE PARTS FOR LOGIC WC, 2007- 2013




|     |   | ART-no       | Price EUR | EAN           |
|-----|---|--------------|-----------|---------------|
|     |   |              | VAT 0%    |               |
| SPA | ARE PARTS FOR LOGIC WC, 2007- 2013  |              |           |               |
|     |   |              |           |               |
| 1   | Complete outlet valve with pushbutton (must be ordered with sealing GB1929900320) | 9GN01761     | 57        | 4062373890448 |
| 2   | Outlet valve with pushbutton Duo, Twico 2   | GB19299N2953 | 47        | 4025416281726 |
| 3   | Pushbutton Duo chrome for outlet valve 9GS01600                                   | 9GS01561     | 22        | 4051202546236 |
|     | Pushbutton Duo chrome, Twico 2  | GB19299T2951 | 25        | 7391530057330 |
|     | Pushbutton Duo chrome for outlet valve GB19299N2953                               | GB19299N2951 | 27        | 4025416311034 |
| 4   | Cisterncover Twico 2  | 8193B901     | 19        | 4047289794004 |
| 5   | Outlet valve gasket for 9GS01600  | 9GS01700     | 9         | 4051202546250 |
|     | Outlet valve gasket   | GB19299TK962 | 17        | 7391530054360 |
| 6   | Membrane for inlet valve 9GS01300   | 9GS01400     | 9         | 4051202546212 |
|     | Membrane for inlet valve GB1929901972   | GB19299P0206 | 44        | 4025416500261 |
|     | Memebrane for inlet valve 9GN00210  | 9GN00300     | 38        | 4025416500261 |
| 8   | GB-inlet valve  | 9GN00210     | 51        | 4062373894026 |
| 9   | Cisternsealing for WC 5695  | GB1929900506 | 22        | 7391530070384 |
| 10  | Cistern bolts (2 pcs)   | GB1929900319 | 30        | 7391530059457 |
| 11  | Foot cover  | GB1929903410 | 16        | 7391530055374 |
| 12  | Wood screw bag  | GB1929900365 | 25        | 4022693590664 |
|     | Plugs for floor WC fastening holes, white   | GB1929900168 | 16        | 7391530070452 |
| 13  | Hard seat and cover with stainless steel hinges                                   | 9M016101     | 77        | 4022693981974 |
|     | Seat and cover soft-close, white  | 9M11S101     | 201       | 5708590283258 |
|     | Seat and cover soft-close, black  | 9M11S136     | 314       | 5708590283265 |
| 14  | Cisternvalve without filter   | GB1929900503 | 29        | 7391530059464 |
| 16  | Stainless steel hinges for seat and cover 9M016101                                | 9M010161     | 36        | 4022693989956 |
|     | Fixation details for soft-close seat and covers 9M11S101 and 9M11S136             | GB1919901845 | 36        | 4022693989956 |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |
|     |   |              |           |               |

## SPARE PARTS FOR ARTIC WC, FROM 2005 - 2018




|    |   | ART-no       | Price EUR<br>VAT 0% | EAN           |
|----|---|--------------|---------------------|---------------|
| SP | ARE PARTS FOR ARTIC WC, FROM 2005 - 2018  |              |                     |               |
|    |   |              |                     |               |
| 1  | Pushbutton Duo chrome, Twico 2  | GB19299T2951 | 25                  | 7391530057330 |
|    | Pushbutton Duo chrome for outlet valve GB19299N2953                               | GB19299N2951 | 27                  | 4025416311034 |
|    | Pushbutton Duo chrome for outlet valve 9GS01600                                   | 9GS01561     | 22                  | 4051202546236 |
| 2  | Cistern cover   | GB1929900500 | 25                  | 7391530059440 |
| 3  | Outlet valve with pushbutton Duo  | GB19299N2953 | 47                  | 4025416281726 |
| 4  | Outlet valve gasket for 9GS01600  | 9GS01700     | 9                   | 4051202546250 |
|    | Outlet valve gasket   | GB19299TK962 | 17                  | 7391530054360 |
| 5  | Complete outlet valve with pushbutton (must be ordered with sealing GB1929900504) | 9GN01761     | 57                  | 4062373890448 |
| 6  | Membrane for inlet valve GB1929901972   | GB19299P0206 | 44                  | 4025416500261 |
| 7  | GB-inlet valve  | 9GN00210     | 51                  | 4062373894026 |
| 9  | Outlet connection   | 87110000     | 70                  | 4015211194062 |
| 10 | Cistern sealing   | GB1929900504 | 16                  | 7391530059471 |
| 11 | Cisternvalve without filter   | GB1929900503 | 29                  | 7391530059464 |
| 13 | Cistern bolts   | GB1929900505 | 31                  | 7391530059488 |
| 14 | Floorfastening set  | GB1929900381 | 30                  | 7391530056227 |
| 15 | Seat and cover soft-close, white  | 9M16S101     | 156                 | 4047289718109 |
|    | Seat and cover soft-close, black  | 9M16S136     | 238                 | 4047289718116 |
| 16 | Fixation details for soft-close seat and covers 9M16S101 and 9M16S136 (2013-)     | 92241761     | 41                  | 4051202163341 |
| 17 | Buffer set for seat and cover   | 92242201     | 18                  | 4051202163167 |
| 21 | Dumper set for soft-close seat and cover (2013-)                                  | 92242400     | 64                  | 4051202163105 |
|    |   |              |                     |               |
|    |   |              |                     |               |

## SPARE PARTS FOR ESTETIC WC, FROM 2016 - 09.2017




|    |   | ART-no               | Price EUR  | EAN                            |
|----|---|----------------------|------------|--------------------------------|
|    |   |                      | VAT 0%     |                                |
| SP | ARE PARTS FOR ESTETIC WC, FROM 2016 - 09.2017   |                      |            |                                |
| 1  | Cistern, White  | GB18830001200        | 184        | 7391530070827                  |
|    | Cistern, Matt white   | GB18830041200        | 231        | 7391530070810                  |
|    | Cistern, Matt white   | GB188300SW200        | 231        |                                |
|    | Cistern, Black  | GB18830036200        | 231        | 7391530070803                  |
| 2  | Push button Duo, mattchrome   | GB19299P0801         | 19         | 7391530070834                  |
| 3  | Outlet valve  | GB19299P0802         | 67         | 7391530070841                  |
| 4  | Valve house gasket  | GB19299TK962         | 17         | 4025416099024                  |
| 5  | Membrane  | GB19299P0106         | 10         | 4025416099109                  |
| 6  | Cisternvalve without filter   | GB1929900503         | 29         | 7391530059464                  |
| 7  | Cistern, complete   | GB19299N0100         | 192        | 7391530070353                  |
| 8  | Tank seal   | GB19299P0114         | 13         | 4025416099345                  |
| 9  | Cistern fixation set  | 92226100             | 11         | 7391530063744                  |
| 11 | Wood screw bag  | GB1929900365         | 25         | 4022693590664                  |
| 13 | Fiaxation set   | 92214501             | 16         | 4051202485955<br>4051202251611 |
| 14 | Seat and cover hard plastic, soft-close, quick-release, white  Seat and cover hard plastic, soft-close, quick-release, matt white | 9M10S101<br>9M10S1RW | 156<br>196 | 4051202251611                  |
|    | Seat and cover hard plastic, soft-close, quick-release, hlack   | 9M10S136             | 196        | 4051202336219                  |
|    | Seat and cover hard plastic, soft-close, quick-release, matt black  | 9M10S133             | 232        | 4065467166634                  |
| 15 | Soft-close, quick-release hinges  | 92213161             | 39         | 4051202478094                  |
| 17 | Stainless steel hinges  | 92213261             | 39         | 4051202478100                  |
| 18 | Dumper set for soft-close seat and cover  | 92213300             | 65         | 4051202478117                  |
| 19 | Buffer set for seat and cover   | 92213400             | 17         | 4051202205423                  |
| 20 | Inlet valve   | GB19299N0105         | 82         | 4062373882375                  |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |
|    |   |                      |            |                                |

## SPARE PARTS FOR ESTETIC WC, FROM 09.2017




|        |  | ART-no                   | Price EUR<br>VAT 0% | EAN                            |
|--------|--|--------------------------|---------------------|--------------------------------|
| CD     | ADE DADES FOR ESTETIONIO FROM 00 004F                              |                          | VAI 0 /6            |                                |
| SP     | ARE PARTS FOR ESTETIC WC, FROM 09.2017                             |                          |                     |                                |
| 4      |  | CD10200NI0100            | 100                 | 7204520070252                  |
| 1<br>2 | Cistern, complete Fill valve, side inlet                           | GB19299N0100<br>9GN00200 | 192<br>50           | 7391530070353<br>4051202546106 |
| 3      | Outlet valve   | 9GN00200<br>9GN00100     | 67                  | 4051202546106                  |
| 4      | Valve house gasket   | 9GN00400                 | 32                  | 4051202546168                  |
| 5      | Membrane   | 9GN00300                 | 38                  | 4051202546175                  |
| 6      | Inlet tube flex. hose w.connector                                  | 9GN01000                 | 81                  | 4051202546151                  |
| 7      | Push button Duo  | 87569961                 | 31                  | 4051202544591                  |
| ,      | Push button Duo Black  | 875698K5                 | 27                  | 7391530081045                  |
|        | Push button single flush, Public                                   | 9GN016D7                 | 105                 | 4062373887202                  |
| 8      | Cistern, White   | GB18830001200            | 184                 | 7391530070827                  |
|        | Cistern, Matt white  | GB18830041200            | 231                 | 7391530070810                  |
|        | Cistern, Matt white  | GB188300SW200            | 231                 |                                |
|        | Cistern, Black   | GB18830036200            | 231                 | 7391530070803                  |
|        | Cistern, Ebony matt black  | GB18830033200            | 231                 | 7391530075624                  |
| 9      | Fiaxationset   | 92214501                 | 16                  | 4051202485955                  |
| 10     | Buffer set for seat and cover                                      | 92213400                 | 17                  | 4051202205423                  |
| 12     | Cisternvalve without filter  | GB1929900503             | 29                  | 7391530059464                  |
| 13     | Cistern fixation set   | 92226100                 | 11                  | 7391530063744                  |
| 15     | Seat and cover hard plastic, soft-close, quick-release, white      | 9M10S101                 | 156                 | 4051202251611                  |
|        | Seat and cover hard plastic, soft-close, quick-release, matt white | 9M10S1RW                 | 196                 | 4051202843588                  |
|        | Seat and cover hard plastic, soft-close, quick-release, black      | 9M10S136                 | 196                 | 4051202336219                  |
|        | Seat and cover hard plastic, soft-close, quick-release, matt black | 9M10S133                 | 232                 | 4065467166634                  |
| 17     | Soft-close, quick-release hinges                                   | 92213161                 | 39                  | 4051202478094                  |
| 18     | Stainless steel hinges   | 92213261                 | 39                  | 4051202478100                  |
| 19     | Dumper set for soft-close seat and cover                           | 92213300                 | 65                  | 4051202478117                  |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |
|        |  |                          |                     |                                |

## SPARE PARTS FOR NORDIC<sup>3</sup> WC, FROM 2015




|    |  | ART-no         | Price EUR<br>VAT 0% | EAN           |
|----|--|----------------|---------------------|---------------|
| SP | ARE PARTS FOR NORDIC <sup>3</sup> WC, FROM 2015  |                |                     |               |
|    | ,  |                |                     |               |
| 1  | Membrane   | 9GS01400       | 9                   | 4051202546212 |
|    | Membrane   | 9GN00300       | 38                  | 4051202546175 |
| 2  | GB-inlet valve   | 9GN00210       | 51                  | 4062373894026 |
| 3  | Cistern, white   | GB184700001200 | 141                 | 7391530070414 |
| 4  | Pusbutton Duo, chrome  | 9GS01561       | 22                  | 4051202546236 |
| 5  | Complete outlet valve with pushbutton (must be ordered with sealing set (GB19299P0204) | 9GN01761       | 57                  | 4062373890448 |
| 6  | Bottomvalve gasket   | 9GS01700       | 9                   | 4051202546250 |
| 7  | Cistern, complete  | GB19299S0100   | 146                 | 7391530074542 |
|    | Cistern fastening set  | GB19299P0204   | 30                  | 7391530066998 |
| 8  | Cisternvalve without filter  | GB1929900503   | 29                  | 7391530059464 |
| 9  | Seat and cover standard, white   | 9M646101       | 30                  | 4051202257101 |
|    | Seat and cover hard plastic, stainless steal hinges                                    | 8780G101       | 52                  | 4022693743008 |
|    | Seat and cover soft-close, white   | 8780S101       | 71                  | 4051202349509 |
|    | Stainless steel hinges for seat and cover 8780G101                                     | 92241961       | 25                  | 4051202163310 |
|    | Stainless steel hinges for seat and cover 8780S101                                     | 92211761       | 39                  | 4051202474461 |
|    | Dumper set for soft-close seat and cover   | 92242400       | 64                  | 4051202163105 |
|    | Buffer set for seat and cover  | 92242101       | 23                  | 4051202163136 |
| 10 | Screwcaps  | GB19299P0207   | 36                  | 7391530067308 |
| 11 | Fastening screw set, 4 pcs   | GB1929900365   | 25                  | 4022693590664 |
| 12 | Foot cover   | GB1929903410   | 16                  | 7391530055374 |
|    |  |                |                     |               |
|    |  |                |                     |               |
|    |  |                |                     |               |
|    |  |                |                     |               |
|    |  |                |                     |               |
|    |  |                |                     |               |
|    |  |                |                     |               |

#### SPARE PARTS FOR BASIC WC, 1992 - 2002



|     |   | ART-no       | Price EUR<br>VAT 0% | EAN           |
|-----|---|--------------|---------------------|---------------|
| CD  | ARE PARTS FOR BASIC WC, 1992 - 2002             |              |                     |               |
| 36/ | ARE PARTS FOR BASIC WG, 1772 - 2002             |              |                     |               |
|     |   |              |                     |               |
| 1   | Cap nut   | GB1929901545 | 11                  | 7391530064956 |
| 2   | Pushbutton, white                               | GB1929900278 | 25                  | 7391530029955 |
| 3   | Cistern cover, with pushbutton                  | GB1929900283 | 31                  | 7391530029894 |
|     | Basic Duo pushbutton+cover, white               | GB1929900361 | 30                  | 7391530038629 |
|     | NT-29 pushbutton+frame, white                   | GB1929900324 | 34                  | 7391530032214 |
| 4   | Outlet valve                                    | GB1929900282 | 36                  | 7391530029368 |
|     | Replacement valve Duo                           | GB19299M2937 | 73                  | 4062373894927 |
| 5   | ST-22 lifting arrangement                       | GB1929900209 | 19                  | 7391530030722 |
| 6   | Cistern, without accessories, white             | GB1042900101 | 168                 | 7391530029412 |
| 7   | Membrane for inlet valve 9GS1300                | 9GS01400     | 9                   | 4051202546212 |
|     | Membrane for inlet valve GB1929901972           | GB19299P0206 | 44                  | 4025416500261 |
|     | Memebrane for inlet valve 9GN00210              | 9GN00300     | 38                  | 4025416500261 |
| 8   | Valveball                                       | GB1929900260 | 16                  | 7391530029993 |
| 9   | ST-2 centre rod                                 | GB1929900347 | 11                  | 7391530034812 |
| 10  | Cistern sealing                                 | GB1929900320 | 16                  | 7391530029979 |
| 11  | GB-inlet valve                                  | 9GN00210     | 51                  | 4062373894026 |
| 12  | Cistern bolts (2 pcs)                           | GB1929900319 | 30                  | 7391530031255 |
| 13  | Cisternvalve without filter                     | GB1929900503 | 29                  | 7391530059464 |
| 14  | Hinges, stainless steal                         | GB1919901831 | 44                  | 7391530030104 |
| 15  | Seat and cover standard, white                  | GB1919901702 | 27                  | 7391530029986 |
|     | Seat and cover soft-close, quick-release, white | 8M56S101     | 108                 | 4062373888643 |
| 16  | Woodscrewbag                                    | GB1929900365 | 25                  | 4022693590664 |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |
|     |   |              |                     |               |

## SPARE PARTS FOR BASIC WC, 2003 - 2017




|      |  | ART-no       | Price EUR<br>VAT 0% | EAN           |
|------|--|--------------|---------------------|---------------|
| SP   | ARE PARTS FOR BASIC WC, 2003 - 2017  |              |                     |               |
| J1 / | ARET ARTS I OR BASIO WG, 2000 2017   |              |                     |               |
| 1    | Pushbutton Duo chrome, Twico 2   | GB19299T2951 | 25                  | 7391530057330 |
|      | Pushbutton Duo chrome, Twico 1   | GB19299T1951 | 44                  | 7391530054339 |
|      | Pusbutton Duo chrome for outlet valve 9GS01600                                     | 9GS01561     | 22                  | 4051202546236 |
|      | Pushbutton Duo chrome for outlet valve GB19299N2953                                | GB19299N2951 | 27                  | 4025416311034 |
| 2    | Cistern cover TI/TII/K, white  | GB19299U1931 | 19                  | 7391530054445 |
| 3    | Complete outlet valve with pushbutton (must be ordered with sealing (GB1929900320) | 9GN01761     | 57                  | 4062373890448 |
|      | Complete outlet valve  | 9GS01600     | 57                  | 4051202546236 |
|      | Replacement valve Duo  | GB19299M2937 | 73                  | 4062373894927 |
| 4    | Outlet valve with pushbutton Duo   | GB19299N2953 | 47                  | 4025416281726 |
| 5    | Outlet valve gasket for 9GS01600   | 9GS01700     | 9                   | 4051202546250 |
|      | Outlet valve gasket  | GB19299TK962 | 17                  | 7391530054360 |
| 6    | Cistern, without accessories, white  | GB1042900101 | 168                 | 7391530029412 |
| 7    | Membrane for inlet valve 9GS1300   | 9GS01400     | 9                   | 4051202546212 |
|      | Membrane for inlet valve GB1929901972  | GB19299P0206 | 44                  | 4025416500261 |
|      | Memebrane for inlet valve 9GN00210   | 9GN00300     | 38                  | 4025416500261 |
| 8    | Cistern bolts (2 pcs)  | GB1929900319 | 30                  | 7391530031255 |
| 9    | Seat and cover standard, white   | GB1919901702 | 27                  | 7391530029986 |
|      | Seat and cover soft-close, quick-release, white                                    | 8M56S101     | 108                 | 4062373888643 |
| 10   | Cistern sealing  | GB1929900320 | 16                  | 7391530029979 |
| 11   | GB-inlet valve   | 9GN00210     | 51                  | 4062373894026 |
| 12   | Hinges, stainless steal  | GB1919901831 | 44                  | 7391530030104 |
| 13   | Cisternvalve without filter  | GB1929900503 | 29                  | 7391530059464 |
| 14   | Wood screw bag   | GB1929900365 | 25                  | 4022693590664 |
|      |  |              |                     |               |
|      |  |              |                     |               |
|      |  |              |                     |               |
|      |  |              |                     |               |
|      |  |              |                     |               |
|      |  |              |                     |               |
|      |  |              |                     |               |

#### SPARE PARTS FOR CHILDREN WC 305, 1950 -


- 1 NP-11 Lifting knob
- 2 NP-20 Outlet valve
- 3 Valveball
- 4 NP-10 Lock nut
- 6 Cistern gasket
- 7 Hinges for seat and cover
- 8 Cistern bolts (2 pcs)
- 9 Wood screw bag
- Standard seat and cover Standard seat w/o cover
- 11 GB-inlet valve with side connection, retail package
- 12 Membrane

| ART-no       | Price EUR | EAN           |
|--------------|-----------|---------------|
|              | VAT 0%    |               |
|              |           |               |
|              |           |               |
| GB1929900237 | 36        | 7391530030531 |
| GB1929900238 | 47        | 7391530030517 |
| GB1929900245 | 9         | 7391530029917 |
| GB1929900236 | 11        | 7391530032269 |
| GB1929900316 | 31        | 7391530031217 |
| GB1929901453 | 11        | 7391530030081 |
| GB1929900217 | 30        | 7391530031248 |
| GB1929900365 | 25        | 4022693590664 |
| GB1919900910 | 109       | 7391530030043 |
| GB1919901286 | 25        | 7391530030036 |
| GB1929901974 | 71        | 7391530059396 |
| GB19299P0206 | 44        | 4025416500261 |
|              |           |               |



#### SPARE PARTS FOR NAUTIC WC 5530 FROM 2010 -

- 1 Wall fixation set
- 2 Seat and cover standard
- 3 Seat and cover hard plastic, stainless steal hinges
- 4 Seat and cover Slimseat, soft-close, quick-release, white Seat and cover hard plastic, soft-close, quick-release, white Seat and cover hard plastic, soft-close, quick-release, black
- 5 Hinges soft-close/quick-release
- 7 Buffer set for seat and cover
- 8 Dumper set for soft-close seat and cover (2013-)




| ART-no   | Price EUR<br>VAT 0% | EAN           |
|----------|---------------------|---------------|
|          |                     |               |
| 92207401 | 21                  | 4047289348085 |
| 9M246101 | 32                  | 4047289920007 |
| 9M256101 | 65                  | 4047289984108 |
| 8M45S101 | 116                 | 4062373839379 |
| 9M26S101 | 107                 | 4047289984191 |
| 9M26S136 | 130                 | 4047289984207 |
| 92095761 | 41                  | 4062373896747 |
| 92242001 | 16                  | 4051202163112 |
| 92242400 | 64                  | 4051202163105 |
|          |                     |               |

## SPARE PARTS FOR HYGIENIC FLUSH WC 5G84, FROM 2014 -

- 1 Wallfixing set, white for WC 5G84
- 2 Seat and cover soft-close, white Seat and coversoft-close, black
- 3 Stainless steel hinges for seat and covers 98895101
- 4 Fixation details for soft-close seat and covers 9M16S101 and 9M16S136 (2013-)
- 8 Dumper set for soft-close seat and cover (2013-)


| ART-no   | Price EUR<br>VAT 0% | EAN           |
|----------|---------------------|---------------|
|          |                     |               |
| 92185901 | 21                  | 4022693716965 |
| 9M16S101 | 156                 | 4047289718109 |
| 9M16S136 | 238                 | 4047289718116 |
| 92237061 | 39                  | 4051202544515 |
| 92241761 | 41                  | 4051202163341 |
| 92242400 | 64                  | 4051202163105 |
|          |                     |               |
|          |                     |               |
|          |                     |               |
|          |                     |               |



#### SPARE PARTS FOR LOGIC WC 5693, FROM 2007 - 2017

- 1 Wallfixing set, white for WC 5693
- 2 Hard seat and cover with hinges Seat and cover soft-close, white Seat and coversoft-close, black
- 3 Fixation details for soft-close seat and cover
- 4 Stainless steel hinges


| ART-no       | Price EUR<br>VAT 0% | EAN           |
|--------------|---------------------|---------------|
|              |                     |               |
| 92207401     | 21                  | 4047289348085 |
| 9M016101     | 77                  | 4022693981974 |
| 9M11S101     | 201                 | 5708590283258 |
| 9M11S136     | 314                 | 5708590283265 |
| GB1919901845 | 36                  | 4022693989956 |
| 9M010161     | 36                  | 4022693989956 |
|              |                     |               |
|              |                     |               |



#### SPARE PARTS FOR ARTIC WC 4330, FROM 2005 -


- 1 Wallfixing set, white for WC 4330
- 2 Seat and cover soft-close, white Seat and coversoft-close, black
- 4 Fixation details for soft-close seat and cover
- 8 Dumper set for soft-close seat and cover (2013-)

| ART-no   | Price EUR<br>VAT 0% | EAN           |
|----------|---------------------|---------------|
|          |                     |               |
| 92207401 | 21                  | 4047289348085 |
| 9M16S101 | 156                 | 4047289718109 |
| 9M16S136 | 238                 | 4047289718116 |
| 92241761 | 41                  | 4051202163341 |
| 92242400 | 64                  | 4051202163105 |
|          |                     |               |
|          |                     |               |
|          |                     |               |
|          |                     |               |
|          |                     |               |





|    |  | ART-no   | Price EUR<br>VAT 0% | EAN           |
|----|--|----------|---------------------|---------------|
| SP | SPARE PARTS FOR ESTETIC WC 8330, FROM 2016-                        |          |                     |               |
|    |  |          |                     |               |
| 1  | Seat and cover hard plastic, soft-close, quick-release, matt white | 9M09S1RW | 196                 | 4051202843526 |
|    | Seat and cover hard plastic, soft-close, quick-release, black      | 9M09S136 | 196                 | 4051202336202 |
|    | Seat and cover hard plastic, soft-close, quick-release, matt black | 9M09S133 | 232                 | 4065467166078 |
|    | Seat and cover hard plastic, soft-close, quick-release, white      | 9M09S101 | 156                 | 4051202251628 |
|    | Seat and cover hard plastic with stainless steel hinges, white     | 9M096101 | 101                 | 4051202336295 |
| 2  | Stainless steel hinges   | 92212261 | 39                  | 4051202476953 |
|    | Soft-close, quick-release hinges                                   | 92213061 | 39                  | 4051202478087 |
| 3  | Suprafix 3.0 fastening set   | 92238300 | 82                  | 4051202749453 |
|    | Screws and nuts for Suprafix 3.0                                   | 92238200 | 34                  | 4051202743161 |
|    | Nuts, 2 pcs  | 92238400 |                     | 4051202755706 |
| 4  | Dumper set for soft-close seat and cover                           | 92213300 | 65                  | 4051202478117 |
| 5  | Buffer set for seat and cover                                      | 92213400 | 17                  | 4051202205423 |
|    |  |          |                     |               |




|                  | i |
|------------------|---|
| 릶                |   |
| ш                |   |
| $\Box$           |   |
| 23               |   |
| Z                |   |
| ᇹ                |   |
| $\mathbb{R}$     |   |
| 4                |   |
|                  |   |
|                  |   |
| 刀                |   |
| $\triangleright$ |   |
| 1                |   |
|                  |   |
| Z                |   |
|                  |   |

#### SPARE PARTS FOR TRIOMONT XS, FROM 2008 -

- 1a Flush valve Duo/Single, 6/3 L
- 1b Flush valve Duo/Single, 4,5/3 L
- 2 Rubberseal
- 3 Float valve
- 4 Rubber membrane
- 5 Bridging piece Float valve
- 6 Sleeve for connection tubes 18-28 mm
- 7 Clamp with control hooks XS
- 8 Clamp pneumatic control
- 9 Set fix pins/cont pins Control panel XS/6L Set fix pins /cont pins Control panel/Duo
- 10 Masonry aid front XS
- 11 Wc connetction kit L = 300 mm
- 12 Flush pipe connector
- 13 Flushpipe extension 300 mm
- 14 Discharge elbow 90x90 mm
- 15 Reducer 90 x 110 mm
- 16 Discharge elbow fixation brachet
- 17 Flush pipe with tongue XS
- 18 Rubber seal flush pipe
- 19 Water connection flexible hose, XS
- 20 Gasket
- 21 Repair set flush system
  Pneumatic hose for push button XS/XT


| ART-no       | Price EUR<br>VAT 0% | EAN           |
|--------------|---------------------|---------------|
|              |                     |               |
|              |                     |               |
| GB1921100370 | 34                  | 8711778140981 |
| GB1921100399 | 38                  | 8711778216112 |
| GB1921100371 | 18                  | 8711778140882 |
| GB1921100372 | 52                  | 8711778140905 |
| GB1921100373 | 17                  | 8711778140974 |
| GB1921100375 | 18                  | 8711778140998 |
| GB1921100392 | 19                  | 8711778170995 |
| GB1921100377 | 22                  | 8711778140912 |
| GB1921100394 | 67                  | 8711778171015 |
| GB1921100378 | 21                  | 8711778140943 |
| GB1921100379 | 22                  | 8711778140950 |
| GB1921100387 | 23                  | 8711778141018 |
| GB1921100380 | 58                  | 8711778140936 |
| GB1921100381 | 37                  | 8711778140875 |
| GB1921100111 | 14                  | 7391530070476 |
| GB1921100382 | 34                  | 8711778141049 |
| GB1921100383 | 28                  | 8711778141056 |
| GB1921100384 | 19                  | 8711778141001 |
| GB1921100385 | 29                  | 8711778141032 |
| GB1921100386 | 21                  | 8711778140899 |
| GB1921100369 | 99                  | 8711778122901 |
| GB1921100388 | 17                  | 7391530064970 |
| GB1921100389 | 67                  | 8711778177369 |
| GB1921100398 | 20                  | 8711778169043 |
|              |                     |               |



#### SPARE PARTS FOR TRIOMONT XT, FROM 2011 -


- 1 Flush valve Duo/Single
- 2 Rubber seal
- 3 Float valve
- 4 Rubber membrane
- 5 Bridging piece Float valve
- 6 Sleeve for connection tubes 18-28 mm
- 7 Clamp with control hooks XT
- 8 Clamp pneumatic control
- 9 Set of fixation and control pins for XT
- 10 Wc connetction kit L = 300 mm
- 11 Flush pipe connector
- 12 Flushpipe extension 300 mm
- 13 Discharge elbow 90x90 mm
- 14 Reducer 90 x 110 mm
- 15 Discharge elbow fixation brachet
- 16 Flush pipe XT 83 cm
- 17 Rubber seal flush pipe
- 18 Masonary aid top XT
- 19 Tank cover plate, XT
- 20 Water connection flexible hose, XT
- 21 Gasket

Pneumatic hose for push button XS/XT



| ART-no       | Price EUR<br>VAT 0% | EAN           |
|--------------|---------------------|---------------|
|              |                     |               |
|              |                     |               |
| GB1921100370 | 34                  | 8711778140981 |
| GB1921100371 | 18                  | 8711778140882 |
| GB1921100372 | 52                  | 8711778140905 |
| GB1921100373 | 17                  | 8711778140974 |
| GB1921100375 | 18                  | 8711778140998 |
| GB1921100392 | 19                  | 8711778170995 |
| GB1921100395 | 37                  | 8711778171022 |
| GB1921100394 | 67                  | 8711778171015 |
| GB1921100391 | 22                  | 8711778170988 |
| GB1921100380 | 58                  | 8711778140936 |
| GB1921100381 | 37                  | 8711778140875 |
| GB1921100111 | 14                  | 7391530070476 |
| GB1921100382 | 34                  | 8711778141049 |
| GB1921100383 | 28                  | 8711778141056 |
| GB1921100384 | 19                  | 8711778141001 |
| GB1921100397 | 26                  | 8711778171046 |
| GB1921100386 | 21                  | 8711778140899 |
| GB1921100390 | 22                  | 8711778170971 |
| GB1921100396 | 19                  | 8711778171039 |
| GB1921100393 | 61                  | 8711778171008 |
| GB1921100388 | 17                  | 7391530064970 |
| GB1921100398 | 20                  | 8711778169043 |
|              |                     |               |

#### **OUTDOOR FAUCET**



| (Auman)             |  |   |   |  |  |
|---------------------|--|---|---|--|--|
| RSK-nr<br>431 56 10 | ART-nr<br>FG0640560                    | RSK-nr<br>431 55 16                           | ART-nr<br>FG0640835                                       |  |  |
| RSK-nr<br>431 55 18 | ART-nr<br>FG0640836                    | RSK-nr<br>431 55 23                           | ART-nr<br>FG0640841                                       |  |  |
| RSK-nr<br>431 55 17 | ART-nr<br>FG0640837                    |   |   |  |  |
| 2003-               | Max 400mm:<br>Max 600mm:<br>Max1000mm: | RSK-nr<br>431 55 84<br>431 55 30<br>431 55 83 | ART-nr<br>GB41633505 01<br>GB41633507 01<br>GB41633506 01 |  |  |
| 1977-2003           |  |   |   |  |  |

| Detail number | Product code | Pcs/package |
|---------------|--------------|-------------|
| 1             | FG0640560    | 1           |
| 2             | FG0640835    | 1           |
| 3             | FG0640836    | 1           |
| 4             | GB41640825   | 1           |

#### Warranty conditions

Warranty for Gustavsberg's products is valid from the date of purchase and warranty covers defects in a product caused by defects in design, material or workmanship which occur:

- mixers within five (5) years of purchase. The warranty applies to defects that cause the mixer to drip (leak) when the lever is in the closed position;
- toilet mechanisms, fixtures, seats, bathtubs, showers, showers walls/doors, accessories, outdoor faucets, fittings and furniture within two (2) years of purchase;
- ceramics within five (5) years from purchase.

A receipt or invoice must be kept to verify the date of purchase of the product. Please carefully check the product at the point of purchase and follow the installation, operation and maintenance rules. Properly installed and maintained, the product ensures its longevity. Products with visible quality defects may not be mounted or installed. The warranty applies only to genuine Gustavsberg parts.

The warranty does not cover defects caused by incorrect or incomplete installation, maintenance, use, repair or any other external cause of the product after the product has been delivered. The warranty does not cover defects in water quality, normal wear and tear and depreciation. Gustavsberg is not responsible for the suitability of the products for the functions requested by the buyer.

#### Complaint notification

The Buyer (Customer) must report the defect immediately after it has occurred and must provide a receipt/invoice for the product showing the date of purchase.

Detailed complaint notification information is available on Gustavsberg web-sites:

Estonia https://www.gustavsberg.com/ee/tugi/garantii-ja-reklamatsioonid/

Latvia https://www.gustavsberg.com/lv/palidziba/garantija-un-serviss/

Lithuania https://www.gustavsberg.com/lt/prieziurairaptarnavimas/garantinis-aptarnavimas/



# **EXPORT PRICELIST 2023**



# THINK GUSTAVSBERG

#### FOR THE ENVIRONMENT

Gustavsberg products help minimise your consumption of water and energy - and our environmental work goes much further than that. To take a holistic approach to our business and to production at our two sites in Sweden, we have developed our own sustainability model. Our goal is - product by product and work routine by work routine - to reduce both your and our own carbon footprint to an absolute minimum.

#### FOR YOUR FINANCES

Price comparisons place Gustavsberg bathroom products somewhere near the middle of the price range. However, such comparisons fail to take into account how inexpensive our products are to own. High quality gives them a long service life, and innovative solutions – of which several have already won international awards - help cut your energy- and water costs in the long term.

#### FOR THE QUALITY

A bathroom has to last for years and years. This applies not only to the products' function, but also to their appearance, because the bathroom should keep on looking inviting and cosy. As all the components that make up your bathroom are exposed to the same wear and tear, it is essential that all the products you choose maintain the same high standard of quality.

#### FOR SERVICE AND SPARE PARTS

We guarantee that spare parts for your Gustavsberg product will still be available for ten years after we – may possibly – have stopped making it. If anything should go wrong in your bathroom, visit our website at www.gustavsberg.com and watch our instruction films to help you pinpoint the problem.

#### BECAUSE OF THE WIDE RANGE

We are a complete supplier of high-quality bathrooms. Nordic standards and pure, timeless design make it simple to combine all products from Gustavsberg to create precisely the bathroom you want.

#### BECAUSE OF THE FLEXIBILITY

We have developed our products to cover requirements in small bathrooms, large bathrooms, public bathrooms and bathrooms in care environments. In our view, you should never be far from your nearest dealer and fitter. Our goal is to provide you with the best possible products when you create a complete bathroom - down to ergonomically appropriate solutions for the fitter who is to carry out the work.

#### BECAUSE IT'S SMART

In the Gustavsberg world, "smart" is an umbrella term for everything that makes your everyday life a little easier and more convenient. Good design should be both pleasing on the eye and a pleasure to use every time it fulfils its function perfectly for many, many years to come. On almost all our products you will find small smart symbols that specifies smart solutions and smart functions.























