



SWEDISH TYPE APPROVAL 1596

WITH DECISION ON PRODUCTION CONTROL

Holder: Oras Ltd.

CATIO

P.O. Box 40, 26101 Rauma, Finland Tel : +46 (0)21-816 131 E-mail : <u>info.sweden@oras.com</u> Internet : <u>https://www.oras.com</u>

Product name: ALESSI Sense, article number 8710F and -8712F

Electronic mixer taps (EN 15091) made of brass with pop-up bottom valve and provided with type-approved inlet flexible hose connection. The model 8712F is fitted with a smart bidetta hand shower.

Intended use

Washbasin mixer for hot and cold tap water, electronically operated.

Approval

The product meets the requirements of PBL 8 chap. 4§, the technical properties of building works 2 and 3, under the conditions stated in the accompanying documents. The product is thus approved with respect to the following sections in the Swedish National Board of Housing, Building and Planning's building regulations (BBR):

| Products with assessed properties | 1:4 |
|---|-------|
| Installations for tap water, 1 st sentence, paragraph 2. | 6:62 |
| Tap water flow | 6:623 |
| Back flow prevention | 6:624 |
| Design, paragraph 1 and 4. | 6:625 |

Associated document

Installation and Maintenance Guide 943149-06-19, by Oras®.

Product marking

The product packaging shall be permanently labelled with the following information:

Holder / Product name / Manufacturing site: Rauma, Finland Traceable mark to production date Information on class or other important information Kiwa Sverige (3) Type Approval 1596 **4** Accreditation number: 1913 Inspection Body: Kiwa Sverige

Control

Manufacturing control shall be performed as internal- and supervising external control. Control agreement: reference no. 1186/17 dated 07 December 2017.

At the construction site, checks must be carried out by identifying the product with the aid of approval marking and checking that the product is installed according to the manufacturer's instructions based on this approval.

Basis of approval

Test report no. VTT-S-06323-18, issued by VTT Expert Services Ltd.

Date of decision: 12/06/2019 Valid until: 11/06/2024 Ref. no: 727/19 Previous ref. no.: -

Deo Yamabo

Kiwa Sverige AB Campus Gräsvik 1 SE-371 75 Karlskrona

Tel +46 (0)455-30 56 00 Fax +46 (0)455-104 36 <u>se.bygg@kiwa.com</u> <u>www.kiwa.se</u>



Magnus Jerlmark

Kiwa Sverige AB