








Oras Electra

INSTALLATION AND MAINTENANCE GUIDE









6661F

I (ISO 3822)
 EN 15091
 100 - 1000 kPa
 0.22 l/s (300 kPa)
 0.195 l/s (300 kPa w/Controller)
 250 kPa (0.2 l/s)
 max. +70°C
 IP 55
 Lithium 2CR5 6 V

CE (EMC 89/336/EEC)

STF VTT-RTH-00114-11
 VA 1.41/19333




static.oras.com/6661F

6662F

I (ISO 3822)
 EN 1111 , EN 15091
 100 - 1000 kPa
 0.18 l/s (300 kPa)
 0.17 l/s (300 kPa w/Controller)
 350 kPa (0.2 l/s)
 max. +70°C
 IP 55
 Lithium 2CR5 6 V

CE (EMC 89/336/EEC)

STF VTT-RTH-00114-11
 VA 1.43/19334




static.oras.com/6662F

6664F

I (ISO 3822)
 EN 1111 , EN 15091
 100 - 1000 kPa
 0.195 l/s (300 kPa)
 0.18 l/s (300 kPa w/Controller)
 300 kPa (0.2 l/s)
 max. +70°C
 IP 55
 Lithium 2CR5 6 V

CE (EMC 89/336/EEC)

STF VTT-RTH-00114-11
 VA 1.43/19334






static.oras.com/6664F



6661FTW

I (ISO 3822)
 EN 1111 , EN 15091
 100 - 1000 kPa
 0.22 l/s (300 kPa)
 0.195 l/s (300 kPa w/Controller)
 250 kPa (0.2 l/s)
 max. +70°C
 IP 55
 12 VDC



CE (EMC 89/336/EEC)




VA VA 1.41/19333



static.oras.com/6661FTW

6662FTW

I (ISO 3822)
 EN 1111 , EN 15091
 100 - 1000 kPa
 0.18 l/s (300 kPa)
 0.17 l/s (300 kPa w/Controller)
 350 kPa (0.2 l/s)
 max. +70°C
 IP 55
 12 VDC



CE (EMC 2004/108/EY)




VA VA 1.43/19334



static.oras.com/6662FTW

6664FTW

I (ISO 3822)
 EN 1111 , EN 15091
 100 - 1000 kPa
 0.195 l/s (300 kPa)
 0.18 l/s (300 kPa w/Controller)
 300 kPa (0.2 l/s)
 max. +70°C
 IP 55
 12 VDC



CE (EMC 89/336/EEC)


VA VA 1.43/19334






static.oras.com/6664FTW










199880








199881













Automatic OFF




- ① "BEP" -> 3 sec -> "BEP BEP"
50 cm -> 60 cm



- ②




- ③ "BEEEEEP" -> OK




Automatic OFF




- ① "BEP" -> 3 sec -> "BEP BEP BEP BEP"
60 cm -> 50 cm











- ②





- ③ "BEEEEEP" -> OK





























①








②












① OFF (PIP) (0 - 5 min) → ② ON (PIIIP)


(5 min)






6661F

- 1 198292/2
- 2 199205V
- 3 199206V
- 4 600202V
- 5 198330
- 6 199417V




6661FTW

- 1 198292/2
- 2 199205V
- 3 199206V
- 4 600203V




6662F

- 1 178780V
- 2 178295
- 3 178794V
- 4 178796V
- 5 199205V
- 6 199206V
- 7 600202V
- 8 199417V
- 9 198330
- 10 209695
- 11 199276V



6662FTW


- 1 178780V
- 2 178295
- 3 178794V
- 4 178796V
- 5 199205V
- 6 199206V
- 7 600203V
- 8 209695
- 9 199276V






6664F

- 1 178780V
- 2 178295
- 3 178794V
- 4 178796V
- 5 199205V
- 6 199206V
- 7 600202V
- 8 199417V
- 9 198330
- 10 199276V



6664FTW

- 1 178780V
- 2 178295
- 3 178794V
- 4 178796V
- 5 199205V
- 6 199206V
- 7 600203V
- 8 199276V



Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands, Oras and Hansa.

The head office of the Group is located in Rauma, Finland, and the Group has four manufacturing sites: Burglengenfeld (Germany), Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1400 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.

ORAS GROUP

Isometsäntie 2, P.O. Box 40

FI-26101 Rauma

Tel. +358 2 83 161

Fax +358 2 831 6300

info.finland@oras.com

www.oras.com

