STATYBOS PRODUKCIJOS SERTIFIKAVIMO CENTRAS Saulėtekio al. 3, LT-10257 Vilnius, Lietuvos Respublika

EKSPLOATACINIŲ SAVYBIŲ PASTOVUMO SERTIFIKATAS

Produktas	neplastifikuoto polivinilchlorido (PVC-U) vamzdžiai
Tipas	KG DN/OD (110, 160, 200, 250, 315, 400) SN4; KG DN/OD (110, 160, 200, 250, 315, 400, 500) SN8
Naudojimo paskirtis	beslėgiam požeminiam drenažui ir nuotakynui
Eksploatacinės savybės	matmenų tikslumas – atitinka; sujungimų (su tarpinėmis) hermetiškumas – atitinka; išilginis susitraukimas – atitinka; atsparumas dichlormetanui – atitinka; žiedo standumas – SN4, SN8 klasės; atsparumas smūgiams – atitinka: - SN 4 klasei (pagal EN ISO 3127 (0 °C)); - SN 8 klasei (pagal EN ISO 3127 (0 °C))
Gamintojas	Magnaplast Sp. z o.o., Sieniawa Żarska 69, PL-68-213 Lipinki Łużyckie, Lenkija
Gamybos vieta	Magnaplast Sp. z o.o., Sieniawa Żarska 69, PL-68-213 Lipinki Łużyckie, Lenkija
Reikalavimai	LST EN 1401-1:2019+A1:2023

Šis sertifikatas išduotas atlikus STR 1.01.04:2015 sistemai 1+ numatytus veiksmus, ir patvirtina, kad nurodytas produktas atitinka šiame sertifikate išdėstytus reikalavimus.

Numeris	SPSC-9429
Data	2024-05-05 (pirmą kartą išduotas 2016-05-11)
Galioja	2027-05-05 (informacija www.spsc.lt)
Išduotas	Magnaplast Sp. z o.o. Kauno filialas, Kalvarijos 38, LT-46346 Kaunas, imonės kodas 301534622
Direktorius SPS	Valdemaras Gauronskis
CELIKTIFIKAVIMO	CENTRAS/
Egzempliorius Nr. 1 AKCINI	

Statybos produkcijos sertifikavimo centras yra akredituotas Lietuvos Nacionalinio akreditacijos biuro produktų sertifikavimo veiklai standarto ISO/IEC 17065 atitikčiai. Akreditavimo pažymėjimo Nr. LA.03.004.

CERTIFICATION CENTRE OF BUILDING PRODUCTS Linkmenų g. 28, LT-08217 Vilnius, Republic of Lithuania

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Product	Unplasticized polyvinyl chloride (PVC-U) pipes	
Туре	KG DN/OD (110, 160, 200, 250, 315, 400) SN4;	
	KG DN/OD (110, 160, 200, 250, 315, 400; 500) SN8	
Intended use	Plastic piping systems for non-pressure underground drainage and sewerage	
Performance	Dimensional accuracy – conforms; Tightness of elastomeric ring joints – conforms; Longitudinal reversion – conforms; Resistance to dichloromethane – conforms; Ring stiffness – class SN4, SN8 Resistance to impact – conforms: -SN 4 (following EN ISO 3127 (0°C)); - SN8 (following EN ISO 3127 (0°C));	
Manufacturer	Magnaplast Sp. z.o.o. Sieniawa Žarska 69, 68-213 Lipinki Lužyckie, Poland	
Manufacturing plant	Magnaplast Sp. z.o.o. Sieniawa Žarska 69, 68-213 Lipinki Lužyckie, Poland	
Requirements	LST EN 1401-1:2019+A1:2023	

This certificate issued after performing the actions prescribed for STR 1.01.04:2015 system 1+ and confirms that the above product complies with the requirements set out in this certificate.

Number	SPSC-9429
Date	05-05-2024 (first time issued on 11-05-2016)
Valid until	05-05-2027 (information at www.spsc.lt)
Issued to	Magnaplast Sp. z.o.o. Kaunas Branch Kalvarijos g. 38, LT-46346 Kaunas Company number 301534622

Director /signature/ Valdemaras Gauronskis /seal of the issuing authority/

Copy No 1

SE Certification Centre of Building Products is product certification body accredited by the National Accreditation Agency under the Ministry of Economy according to LST EN ISO/IEC 17065 (accreditation certificate No LA.03.004) and building product certification body designated by order of the Minister of Environment.